



See the possibilities

User Manual

Sweep+ Series - Camera Link Interface

SW-4010Q-MCL-M52




RGB Color & SWIR Prism Line Scan Camera with Mini Camera Link Interface

Document Version: 1.2

Date: 2024-12-20

Thank you for purchasing this product.

 Be sure to read this documentation before use.

This documentation includes important safety precautions and instructions on how to operate the unit. Be sure to read this documentation to ensure proper operation.

The contents of this documentation are subject to change without notice for the purpose of improvement.

Table of Contents

Table of Contents	2
About Technical Note	7
Notice/Warranty	8
Notice	8
Warranty	8
Certifications	8
CE Compliance	8
FCC	8
Warning	9
KC	9
China RoHS	10
Usage Precautions	11
Notes on Cable Configurations	11
Notes on Attaching the Lens	11
Notes on Camera Link Cable Connections	11
Phenomena Specific to CMOS Image Sensors	12
Phenomena Specific to InGaAs Image Sensors	12
Notes on Exportation	12
Package Contents	13
Features	14
Feature Overview	14
Parts Identification	15
① Lens Mount (M52-Mount)	15
② Digital I/O-1 and Digital I/O-2 Video Output Connectors	15
③ POWER/TRIG LED	17
④ DC IN/TRIG Connector (12-Pin Round)	17
⑤ AUX Connector (10-pin)	19
⑥ ⑦ Mounting Holes	19
Preparation	20
Step 1: Connect Devices	21
① Lens	21

Attach the Lens	22
② Mounting	22
③ Camera Link Cable	23
④ Frame Grabber Board	23
⑤ AUX Cable (10 Pin) (Option)	23
⑥ DC IN / Trigger IN Connection Cable	23
⑦ AC Adapter (Power Supply)	23
Step 2: Verify Camera Operation	24
Step 3: Verify the Connection Between the Camera and PC	24
Step 4: Configure Basic Settings for the Camera	25
Configure the Camera Output Formats	25
Configure the ImageScalingMode Settings	26
Configure Trigger, Exposure, and Line Rate Settings	26
Control via External Triggers	27
Control Without External Triggers	28
Step 5: Adjust the Image Quality	28
DSNU Correction (Pixel Black Correct)	29
PRNU Correction (Pixel Gain Correct)	30
Adjust the Black Level	31
Adjust the White Balance	31
Step 6: Save the Settings	32
Save the User Settings	32
Load the User Settings	32
Main Functions	33
Basic Function Matrix	33
Image Scaling Mode (Xscale)	34
SWIRPixelMode and SWIRHalfPixelMode	36
ROI (Regional Scanning Function)	37
Binning Function	38
Camera Output Formats	39
Camera Link Bit Assignments	40
Test Pattern Function	41
GPIO (Digital Input/Output Settings)	42

LineSource Items	43
Exposure Mode	44
Trigger Control	45
Calculate the Max Line Rate (RGB)	46
Timing Chart	47
ExposureMode = Off, TriggerMode = Off	48
ExposureMode = Timed, TriggerMode = Off	50
ExposureMode = OFF, TriggerMode = ON	52
ExposureMode = Timed, TriggerMode = ON	55
Pixel Sensitivity Correction	58
Defective Pixel Correction	59
Gain Control (RGB Channels)	60
Gain Control (SWIR Channel)	61
Gamma Function	62
To Use the Gamma Function	62
LUT (Lookup Table)	63
To Use the LUT Function	63
LUT Value	64
Shading Correction	64
To Use the Shading Correction Function	65
Black Level Correction	65
Variable Line Rate	66
Number of Pixels per Line and Line Rate (RGB)	67
Electronic Shutter (Exposure Time)	68
ExposureActive Function	69
Color Space Conversion (Color Transformation Control)	70
Counter and Timer Control Function	72
Chromatic Aberration Correction	73
Connecting Rotary Encoders	74
EncoderDivider	76
Rotation Direction	77
Noise Reduction Filter Functions	78

Setting List (Feature Properties)	79
DeviceControl	80
ImageFormatControl	82
AcquisitionControl	84
AnalogControl	86
LUTControl	88
ColorTransformationControl	89
DigitalIOControl	90
CounterAndTimerControl	93
EncoderControl	94
UserSetControl	95
TransportLayerControl	96
PulseGenerator	97
ShadingControl	100
CorrectionControl	101
SWIRImageFormatControl	103
SWIRAcquisitionControl	103
SWIRAnalogControl	105
SWIRLUTControl	106
SWIRTransportLayerControl	106
SWIRShadingControl	107
SWIRCorrectionControl	108
SWIRBlemishControl	109
Short ASCII Command List	110
Protocol (Short ASCII Command)	110
Device Control (Command List)	111
Image Format Control (RGB - Command List)	113
Acquisition Control (RGB - Command List)	115
Analog Control (RGB - Command List)	117
LUT Control (RGB - Command List)	120
Color Transformation Control (Command List)	121
Digital IO Control (Command List)	123
Counter and Timer Control (Command List)	126

Encoder Control (Command List)	133
User Set Control (Command List)	135
Transport Layer Control (RGB - Command List)	136
Pulse Generator (Command List)	137
Shading Control (RGB - Command List)	144
Correction Control (RGB - Command List)	146
SWIR Image Format Control (Command List)	150
SWIR Acquisition Control (Command List)	151
SWIR Analog Control (Command List)	153
SWIR Lut Control (Command List)	154
SWIR Transport Layer Control (Command List)	154
SWIR Shading Control (Command List)	155
SWIR Correction Control (Command List)	156
SWIR Blemish Control (Command List)	158
Miscellaneous (Command List)	159
Miscellaneous	160
Troubleshooting	160
Power Supply and Connections	160
Image Display	160
Settings and Operations	160
Specifications	161
Spectral Response	165
Dimensions (SW-4010Q-MCL-M52)	166
Lens Dimensions (JMO-M5231-2828-C4)	167
Comparison of the Decibel Display and Multiplier Display	168
User's Record	169
Revision History	170

About Technical Note



Some additional technical information is provided on the JAI website as Technical Notes. In this manual, if a technical note is available for a particular topic, the above icon is shown. Please refer to the following URL for Technical notes.

<https://www.jai.com/support-software/technical-notes>

Notice/Warranty

Notice

The material contained in this manual consists of information that is proprietary to JAI Ltd., Japan, and may only be used by the purchasers of the product. JAI Ltd., Japan makes no warranty for the use of its product and assumes no responsibility for any errors which may appear or for damages resulting from the use of the information contained herein. JAI Ltd., Japan reserves the right to make changes without notice.

Company and product names mentioned in this manual are trademarks or registered trademarks of their respective owners.

Warranty

For information about the warranty, please contact your factory representative.

Certifications

CE Compliance

As defined by the Directive 2004/108/EC of the European Parliament and of the Council, EMC (Electromagnetic compatibility), JAI Ltd., Japan declares that SW-4010Q-MCL-M52 complies with the following provisions applying to their standards.

EN 55032:2015(CISPR32:2015) Class A

EN 55035:2017(CISPR35:2016)

FCC

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning

Changes or modifications to this unit not expressly approved by the party responsible for FCC compliance could void the user's authority to operate the equipment.


KC



제조년월은 제품상자의 라벨을 참조하십시오.

China RoHS

The following statement is related to the regulation on “Measures for the Administration of the Control of Pollution by Electronic Information Products”, known as “China RoHS”. The table shows contained Hazardous Substances in this camera.

 mark shows that the environment-friendly use period of contained Hazardous Substances is 15 years.

重要注意事项

有毒有害物质或元素名称及含量表

根据中华人民共和国信息产业部《电器电子产品有害物质限制使用管理办法》，本产品《有毒有害物质或元素名称及含量表》如下。

部件名称	有毒有害物质或元素					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr (VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
SW-4010Q-MCL-M52	×	○	○	○	○	○

○:表示该有毒有害物质在该部件所有均质材料中的含量均在 GB/T 26572-2011规定的限量要求以下。
 ×:表示该有毒有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572-2011规定的限量要求。

环保使用期限



电子信息产品中含有的有毒有害物质或元素在正常使用的条件下不会发生外泄或突变、电子信息产品用户使用该电子信息产品不会对环境造成严重污染或对其人身、财产造成严重损害的期限。

数字「15」为期限15年。

Usage Precautions

Notes on Cable Configurations

The presence of lighting equipment and television receivers nearby may result in video noise. In such cases, change the cable configurations or placement.

Notes on Attaching the Lens

Technical Notes How to Clean a Sensor

Avoiding Dust Particles


When attaching the lens to the camera, stray dust and other particles may adhere to the sensor surface and rear surface of the lens. Be careful of the following when attaching the lens.

- Work in a clean environment.
- Do not remove the caps from the camera and lens until immediately before you attach the lens.
- To prevent dust from adhering to surfaces, point the camera and lens downward and do not allow the lens surface to come into contact with your hands or other objects.
- Always use a blower brush to remove any dust that adheres.
- Never use your hands or cloth, blow with your mouth, or use other methods to remove dust.

Notes on Camera Link Cable Connections

Secure the locking screws on the connector manually, and do not use a driver. Do not secure the screws too tightly. Doing so may wear down the screw threads on the camera. (Tightening torque: 0.15 N·m or less)

Caution: Secure manually. Do not secure too tightly.



Phenomena Specific to CMOS Image Sensors

The following phenomena are known to occur on cameras equipped with CMOS image sensors. These do not indicate malfunctions.

- **Aliasing:** When shooting straight lines, stripes, and similar patterns, vertical aliasing (zigzag distortion) may appear on the monitor.
- **Blooming:** When strong light enters the camera, some pixels on the CMOS image sensor may receive much more light than they are designed to hold, causing the accumulated signal charge to overflow into surrounding pixels. This “blooming” phenomenon can be seen in the image but does not affect the operation of the camera.
- **Fixed pattern noise:** When shooting dark objects in high-temperature conditions, fixed pattern noise may occur throughout the entire video monitor screen.
- **Defective pixels:** Defective pixels (white and black pixels) of the CMOS image sensor are minimized at the factory according to shipping standards. However, as this phenomenon can be affected by the ambient temperature, camera settings (e.g., high sensitivity and long exposure), and other factors, be sure to operate within the camera’s specified operating environment.

Phenomena Specific to InGaAs Image Sensors




The following phenomena are known to occur on cameras equipped with InGaAs linear image sensors. These do not indicate malfunctions.

- **Blooming:** When the camera is pointed at scenes containing very bright areas or strong light sources, some pixels on the InGaAs linear image sensor may accumulate more than the maximum charge allowed, causing the excess charge to overflow into the surrounding pixels. While this “blooming” affects image quality, it does not affect the operation of the camera.


Notes on Exportation

When exporting this product, please follow the export regulations of your country or region.

Package Contents

	<p>Camera (1)</p>
	<p>Sensor protection cap (1)</p>
	<p>Dear customer (sheet) (1)</p>

Optional Accessories (Sold Separately)

	<p>Custom Lens: JMO-M5231-2828-C4</p>
--	---------------------------------------

Features


The SW-4010Q-MCL-M52 is a line scan camera with three CMOS sensors and one InGaAs linear image sensor for the R, G, B, and SWIR channels, mounted on a prism.

The camera has a Camera Link pixel clock of 42.5/65/85 MHz and is capable of scanning up to 40 kHz (RGB) / 39kHz (SWIR). 8/10/12-bit video output is possible via Camera Link. Camera and external trigger settings are configured via the Camera Link interface, 12-pin or AUX connector.

Feature Overview

Interface	Mini Camera Link (Video output and trigger input), Dual Base, independent line rates
Active Pixels	RGB: 4096 pixels; SWIR: 1024 pixels
Pixel Size	RGB (400 - 700nm): 7.5 μm x 7.5 μm
	SWIR (800 - 1700nm): 25.0 μm x 25.0 μm
Output Format	RGB8-bit (RGB10/12-bit with custom pixel format)
	SWIR8/10/12-bit
Line Rate	RGB 4K: Up to 20.5kHz, 2K: Up to 40.8kHz
	SWIR: Up to 39.2kHz
Main Functions	Flexible ROI, rescaling function, traditional binning function, blemish compensation, shading correction, and encoder support.
Lens	Customized lens: JMO-M5231-2828-C4 (Sold Separately)
Dimensions	90mm x 90mm x 120mm (WHD, excluding mount and connectors)

Parts Identification



① Lens Mount (M52-Mount)

Mount the custom lens (JMO-M5231-2828-C4, sold separately) to the camera.

Note: Before mounting a lens, be sure to refer to [① Lens](#) and confirm the precautions for attaching a lens and the supported lens types.



② Digital I/O-1 and Digital I/O-2 Video Output Connectors

Connect a Cable Link compatible cable here.

Camera Side: HDR-EC26FYTG2-SL+(HONDA)




Cable: SDR Connector Cable

Note: The cable length at which communication will be possible will be limited when using a cable that is not compatible with Camera Link, a small diameter type cable, or a high flex type cable.

 <p>DIGITAL I/O - 1 13 1 26 14</p>	<h3>Camera Link Connector 1</h3> <table border="1"> <thead> <tr> <th>Pin</th> <th>Input Output</th> <th>Signal</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1, 26</td> <td></td> <td>Shield</td> <td>GND</td> </tr> <tr> <td>2 (-), 15 (+)</td> <td>Out</td> <td>TxOUT0</td> <td>Data output</td> </tr> <tr> <td>3 (-), 16 (+)</td> <td>Out</td> <td>TxOUT1</td> <td>Data output</td> </tr> <tr> <td>4 (-), 17 (+)</td> <td>Out</td> <td>TxOUT2</td> <td>Data output</td> </tr> <tr> <td>5 (-), 18 (+)</td> <td>Out</td> <td>TxClk</td> <td>CL Clock</td> </tr> <tr> <td>6 (-), 19 (+)</td> <td>Out</td> <td>TxOUT3</td> <td>Data output</td> </tr> <tr> <td>7 (+), 20 (-)</td> <td>In</td> <td>SerTC (Rx/D)</td> <td rowspan="2">LVDS Serial Control</td> </tr> <tr> <td>8 (-), 21 (+)</td> <td>Out</td> <td>SerTFG (Tx/D)</td> </tr> <tr> <td>9 (-), 22 (+)</td> <td>In</td> <td>CC1</td> <td>Trigger</td> </tr> <tr> <td>10 (-), 23 (+)</td> <td></td> <td>CC2</td> <td>Reserved</td> </tr> <tr> <td>11, 24</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>12, 25</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>13, 14</td> <td></td> <td>Shield</td> <td>GND</td> </tr> </tbody> </table>	Pin	Input Output	Signal	Description	1, 26		Shield	GND	2 (-), 15 (+)	Out	TxOUT0	Data output	3 (-), 16 (+)	Out	TxOUT1	Data output	4 (-), 17 (+)	Out	TxOUT2	Data output	5 (-), 18 (+)	Out	TxClk	CL Clock	6 (-), 19 (+)	Out	TxOUT3	Data output	7 (+), 20 (-)	In	SerTC (Rx/D)	LVDS Serial Control	8 (-), 21 (+)	Out	SerTFG (Tx/D)	9 (-), 22 (+)	In	CC1	Trigger	10 (-), 23 (+)		CC2	Reserved	11, 24		N.C		12, 25		N.C		13, 14		Shield	GND	
Pin	Input Output	Signal	Description																																																						
1, 26		Shield	GND																																																						
2 (-), 15 (+)	Out	TxOUT0	Data output																																																						
3 (-), 16 (+)	Out	TxOUT1	Data output																																																						
4 (-), 17 (+)	Out	TxOUT2	Data output																																																						
5 (-), 18 (+)	Out	TxClk	CL Clock																																																						
6 (-), 19 (+)	Out	TxOUT3	Data output																																																						
7 (+), 20 (-)	In	SerTC (Rx/D)	LVDS Serial Control																																																						
8 (-), 21 (+)	Out	SerTFG (Tx/D)																																																							
9 (-), 22 (+)	In	CC1	Trigger																																																						
10 (-), 23 (+)		CC2	Reserved																																																						
11, 24		N.C																																																							
12, 25		N.C																																																							
13, 14		Shield	GND																																																						
 <p>DIGITAL I/O - 2 13 1 26 14</p> <p>Caution: There are no serial communication or CC1/CC2 signals on Connector 2. Use Connector 1 to communicate these signals.</p>	<h3>Camera Link Connector 2</h3> <table border="1"> <thead> <tr> <th>Pin</th> <th>Input Output</th> <th>Signal</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>1, 26</td> <td></td> <td>Shield</td> <td>GND</td> </tr> <tr> <td>2 (-), 15 (+)</td> <td>Out</td> <td>TxOUT0</td> <td>Data output</td> </tr> <tr> <td>3 (-), 16 (+)</td> <td>Out</td> <td>TxOUT1</td> <td>Data output</td> </tr> <tr> <td>4 (-), 17 (+)</td> <td>Out</td> <td>TxOUT2</td> <td>Data output</td> </tr> <tr> <td>5 (-), 18 (+)</td> <td>Out</td> <td>TxClk</td> <td>CL Clock</td> </tr> <tr> <td>6 (-), 19 (+)</td> <td>Out</td> <td>TxOUT3</td> <td>Data output</td> </tr> <tr> <td>7 (+), 20 (-)</td> <td></td> <td>Reserved</td> <td></td> </tr> <tr> <td>8 (-), 21 (+)</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>9 (-), 22 (+)</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>10 (+), 23 (-)</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>11 (-), 24 (+)</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>12 (+), 25 (-)</td> <td></td> <td>N.C</td> <td></td> </tr> <tr> <td>13, 14</td> <td></td> <td>Shield</td> <td>GND</td> </tr> </tbody> </table>	Pin	Input Output	Signal	Description	1, 26		Shield	GND	2 (-), 15 (+)	Out	TxOUT0	Data output	3 (-), 16 (+)	Out	TxOUT1	Data output	4 (-), 17 (+)	Out	TxOUT2	Data output	5 (-), 18 (+)	Out	TxClk	CL Clock	6 (-), 19 (+)	Out	TxOUT3	Data output	7 (+), 20 (-)		Reserved		8 (-), 21 (+)		N.C		9 (-), 22 (+)		N.C		10 (+), 23 (-)		N.C		11 (-), 24 (+)		N.C		12 (+), 25 (-)		N.C		13, 14		Shield	GND
Pin	Input Output	Signal	Description																																																						
1, 26		Shield	GND																																																						
2 (-), 15 (+)	Out	TxOUT0	Data output																																																						
3 (-), 16 (+)	Out	TxOUT1	Data output																																																						
4 (-), 17 (+)	Out	TxOUT2	Data output																																																						
5 (-), 18 (+)	Out	TxClk	CL Clock																																																						
6 (-), 19 (+)	Out	TxOUT3	Data output																																																						
7 (+), 20 (-)		Reserved																																																							
8 (-), 21 (+)		N.C																																																							
9 (-), 22 (+)		N.C																																																							
10 (+), 23 (-)		N.C																																																							
11 (-), 24 (+)		N.C																																																							
12 (+), 25 (-)		N.C																																																							
13, 14		Shield	GND																																																						

③ POWER/TRIG LED


Indicates the power or trigger input status.

LED		Status
	Lit amber	Camera initializing.
	Lit green	Camera in operation
	Blinking green	During operation in trigger mode, trigger signals are being input. Note: The blinking interval is not related to the actual input interval of the external trigger.

④ DC IN/TRIG Connector (12-Pin Round)

Related Setting Items: [DigitalIOControl](#)

Connect the cable for a power supply or for DC IN / trigger IN here.


 <p>Camera Side: HR10A-10R-12PB (71) Cable Side: HR-10A-10P-12S (Plug)</p>	Pin No.	Input/Output	Signal	Description
	1		GND	
	2	Power In	DC In	DC 12V to 24V ± 10%
	3		GND	
	4		Reserved	External connection not possible
	5	In	OPT IN1 -	Line 5
	6	In	OPT IN1 +	
	7	Out	TTL OUT 4	Line 12
	8		NC	
	9	Out	TTL OUT 1	Line 1
	10	In	TTL IN 1	Line 4
	11	Power In	DC In	+12 V ~ 24 V ± 10%
12		GND		

TTL Signal specification

TTL out signal specification (Typ.)	Output voltage: Low 0.0V, High 5.0V
	Input/Output current: +/-32mA
TTL in signal specification (Typ.)	Input voltage: Low 0.0 ~ 0.8V, High 2.0 ~ 5.5V

Caution: The DC IN / TRIG IN connector, AUX connector, or the CC1 of the DIGITAL I/O-1 video output connector will be used for external trigger inputs. You can switch which of these is used via a command.


Recommended External Opto Input Circuit Diagram (Reference Example)



Caution: Check the recommended reference examples for proper wiring. If Opto In 1 (Opto In +/ Opto In -) and Opto Common are connected reversely, the camera may be damaged.

⑤ AUX Connector (10-pin)

Connect the cable for DC IN / trigger IN here.

 <p>Camera side: 3260-10S3(55) Cable side: 3240-10P-C(50)</p>	Pin No.	Attribute	Name	Description
	1	Out	TTL_OUT2	Line 8
	2	Out	TTL_OUT3	Line 9
	3	IN	TTL_IN2	Line 10
	4		N.C	
	5	GND	GND	
	6	IN	TTL_IN3	Line 13
	7		N.C	
	8		N.C	
	9	GND	GND	
10	GND	GND		

TTL Signal specification

TTL out signal specification (Typ.)	Output voltage: Low 0.0V, High 5.0V
	Input/Output current: +/-32mA
TTL in signal specification (Typ.)	Input voltage: Low 0.0 ~ 0.8V, High 2.0 ~ 5.5V

⑥ ⑦ Mounting Holes

Use these holes when mounting the camera directly to a wall or other structural system (⑥ : M4/depth 6mm, ⑦ : M4/depth 5mm).

Preparation

Read this section to learn how the camera connects to devices and accessories. The preparation process is described below.

Note: eBUS Player for JAI does not support this camera.

1	<u>Step 1: Connect Devices</u> Connect the lens, cables, AC adapter, computer, and other devices.
2	<u>Step 2: Verify Camera Operation</u> Verify whether the camera is turned on and ready for use.
3	<u>Step 3: Verify the Connection Between the Camera and PC</u> Verify whether the camera is properly recognized via Control Tool.
4	<u>Step 4: Configure Basic Settings for the Camera</u> Configure the camera output formats, ImageScalingMode, trigger, exposure, and line rate settings.
5	<u>Step 5: Adjust the Image Quality</u> Refer to the procedures for adjusting image quality.
6	<u>Step 6: Save the Settings</u> Save the current setting configurations in user memory.

Short ASCII Commands


The most universal method for controlling a Camera Link camera such as SW-4010Q-MCL-M52 is by the use of short ASCII commands sent via serial communications. All Camera Link frame grabber boards support the use of these short ASCII commands. SDKs that utilize these ASCII commands for developing machine vision applications are typically available from the grabber manufacturer, as well as from third-party vendors.

This section describes how to configure various camera settings using serial communication and specific short ASCII commands. A complete list of all available ASCII commands for this camera is available in the [Short ASCII Command List](#) chapter.

Later sections of the manual refer to GenICam nomenclature for various features/functions and includes a complete list of all camera settings ([Setting List \(Feature Properties\)](#)).

The SW-4010Q-MCL-M52 fully supports applications written using GenICam-based SDKs. The advantage of this is that programs written using GenICam names can be applied with little or no modification to control cameras with other GenICam-compliant interfaces and even GenICam-compliant cameras from different vendors.

Step 1: Connect Devices




① Lens

Attach the customized lens JMO-M5231-2828-C4 (sold separately) to the camera. This lens is for a prism camera and is optimized to match the camera's pixel size.

- Focal length: 28mm
- Spectral Range: 400 - 1700 nm
- Aperture: F2.8 - F22
- Working Distance: 510mm (optimized). 400 - 700mm full range.

Attach the Lens



1. Attach the lens JMO-M5231-2828-C4 to the camera.
2. Loosen three camera position adjusting screws (see #2 above) on the lens mount using the hex wrench included in the lens box.

Caution: Do not loosen the screws too much. If loosened too much, the lens mount may come off.

3. Rotate the lens to align with the screws on the top plate of the camera (see #3 Correct Lens Position).

Note: The lens has the best optical performance in the correct alignment.

4. Tighten the loosened screws.

② Mounting

When mounting the camera directly to a wall or other device, use screws that match the mounting holes on the camera (M4: depth 6mm).

Caution: For heavy lenses, be sure to support the lens itself. Do not use configurations in which its weight is supported by the camera.

③ Camera Link Cable

Connect the Camera Link cables to the DIGITAL I/O-1 and DIGITAL I/O-2 video output connectors.

- Use Cable Link compatible cables.
- Refer to the specifications of the cable for details on its bend radius.

Caution: Refer to [Notes on Camera Link Cable Connections](#) when connecting the cables to the connectors.

Note: The maximum Camera Link cable length is 10 m. The maximum length of cable you can use will also vary depending on type and maker. If the **CableEmphasis** setting of [TransportLayerControl](#) is changed from Normal to **Medium** or **Strong**, it may be possible to lengthen the Camera Link cable.

④ Frame Grabber Board

Refer to the operating instructions of the frame grabber board and configure settings on the computer as necessary. (Use a computer that meets the requirements of your frame grabber board).

⑤ AUX Cable (10 Pin) (Option)

Performs external I/O such as trigger input.

⑥ DC IN / Trigger IN Connection Cable

Performs external I/O such as power supply and trigger input.


⑦ AC Adapter (Power Supply)

Connect the AC adapter and the round connector of the connection cable to the DC IN / Trigger IN connector on the camera.

Step 2: Verify Camera Operation

When power is supplied to the camera while the necessary equipment is connected, the POWER/TRIG LED at the rear of the camera lights amber, and initialization of the camera starts. When initialization is complete, the POWER/TRIG LED lights green.

Verify whether power is being supplied to the camera by checking the rear LED. When properly turned on, the power LED is lit green.



For details on how to read the LEDs, see the [③ POWER/TRIG LED](#) section.

Note: If the POWER/TRIG LED does not switch to green within minutes of supplying power, check the DC IN/TRIG cable, the Camera Link cable and other connections.

Step 3: Verify the Connection Between the Camera and PC

Use a short ASCII command to verify whether the camera is properly recognized in your setup.

1. Install terminal emulator software capable of serial communication to the PC connected to the camera via the frame grabber board.

Set the following serial communication.

- Baud Rate: 9600
- Data Length: 8bit
- Start Bit: 1bit
- Stop Bit: 1 bit
- Parity: None
- Xon/Xoff Control: None

2. Enter the command **DVN? <CR><LF>** from the terminal emulator software.

If correctly connected, response **DVN = JAI Corporation** will be displayed.

Item	Short ASCII Command	Description
DeviceVendorName	DVN	DVN? <CR><LF> Display the device vendor name: "JAI Corporation"

Step 4: Configure Basic Settings for the Camera

Note: On this camera, you must configure both the RGB and SWIR channels individually.

Configure the Camera Output Formats

Configure the pixel formats of the image output from the RGB and SWIR channels.

1. To check the current pixel format setting of the RGB channels, enter the command **BA?<CR><LF>** from the terminal emulator software. The default setting is RGB8 (BA=0).
2. To change the pixel format setting to RGB10BasePacked*, enter **BA=1<CR><LF>**.
3. To check the current pixel format setting of the SWIR channel, enter the command **IRBA?<CR><LF>** from the terminal emulator software. The default setting is Mono8 (IRBA=0).
4. To change the pixel format setting to Mono10, enter **IRBA=1<CR><LF>**.

Note: For the details on the short ASCII commands required to configure the Output format settings, see the following topics.

- [Image Format Control \(RGB - Command List\)](#)
- [SWIR Image Format Control \(Command List\)](#)

Caution: *The RGB10BasePacked and RGB12BasePacked formats are customized pixel formats for the Camera Link interface. To view image output in this format, a viewer that supports these formats is required. For more information, see [Camera Output Formats](#).

Configure the ImageScalingMode Settings

Notes:

- The SWIR channel does not support the ImageScalingMode function.
- For more information on this function, see [Image Scaling Mode \(Xscale\)](#).

1. To check the ImageScalingMode setting, enter the command **ISM?<CR><LF>** from the terminal emulator software. The default setting is Off (ISM=0).
2. Enter **ISM=1<CR><LF>** to enable ImageScalingMode.
3. Configure other ImageScalingMode settings as required.

Note: For the details on the short ASCII commands required to configure the ImageScalingMode settings, see [Image Format Control \(RGB - Command List\)](#).

Configure Trigger, Exposure, and Line Rate Settings

This section describes how to control the exposure time with or without external triggers.

Note: For the details on the short ASCII commands required to configure the Trigger, Exposure and Line Rate settings, see the following topics.

- [Acquisition Control \(RGB - Command List\)](#)
- [SWIR Acquisition Control \(Command List\)](#)

Control via External Triggers

■ When the Exposure Time is Controlled Using Specified Exposure Times

1. First, configure the RGB channels. Set **Exposure Mode** to **Timed**. (Timed = Default).
2. Specify the Exposure Time in **Exposure Time**. For the RGB channels, you must configure each R, G, and B channel individually.
3. Set **Trigger Mode** to **On**.
4. Configure the **Trigger Source** and **Trigger Activation** settings if necessary.
5. Second, configure the SWIR channel. Repeat steps 1 through 4 to configure.

■ When the Exposure Time is not Controlled

1. First, configure the RGB channels. Set **Exposure Mode** to **Off**. (Off =Default)
The exposure will be performed before the next trigger input.

Note: The exposure time specified in ExposureTime will be disabled.

2. Second, configure the SWIR channel. Repeat step 1 to configure.

Notes:

- When using external triggers, the line rate is determined by the trigger period.
- When the Exposure Time is controlled with the ExposureTime setting, the Exposure Time cannot be longer than the trigger period.
- When the Exposure Time is not controlled, the exposure is performed with an exposure time calculated from $1 / (\text{line rate})$.

Control Without External Triggers

When the Exposure Time is controlled Using Specified Exposure Times

1. First, configure the RGB channels. Set **Exposure Mode** to **Timed**. (Timed = Default).
2. Set **Trigger Mode** to **Off**. (Off = Default)
3. Specify a line period slower than the exposure time in **Acquisition Line Rate**.
4. Specify the Exposure Time in **Exposure Time**. For the RGB channels, you must configure each R, G, and B channel individually.
5. Second, configure the SWIR channel. Repeat steps 1 through 4 to configure.

When the Exposure Time is not controlled

1. First, configure the RGB channels. Set **Exposure Mode** to **Off**. (Off =Default)
The exposure will be performed with an exposure time equal to $1 / \text{line rate}$.

Note: The exposure time specified in ExposureTime will be disabled.

2. Second, configure the SWIR channel. Repeat step 1 to configure.

Notes:

- When the Exposure Time is controlled, the ExposureTime setting can be set up to 1 line cycle to match the speed of the object or to lengthen the accumulation time to increase sensitivity.
- When the Exposure Time is not controlled, the exposure is performed with an exposure time calculated from $1 / (\text{line rate})$.

Step 5: Adjust the Image Quality

Related Setting Items: [AnalogControl](#)

To maximize the performance of the camera, configure its basic function in the following order.

Note: On this camera, you must configure both the RGB and SWIR channels individually.

DSNU Correction (Pixel Black Correct)

Related Setting Items: [CorrectionControl](#), [SWIRCorrectionControl](#)

DSNU (dark signal non-uniformity) is a variation between pixels in the dark areas generated by the sensor. If the line rate is slowed or a long exposure time is set, the dark current in the sensor may change and the state of the DSNU may change. If the variation is noticeable, perform the DSNU correction again.



Note: For the details on the short ASCII commands required to configure the DSNU correction settings, see the following topics:

- [Correction Control \(RGB - Command List\)](#)
- [SWIR Correction Control \(Command List\)](#)

RGB

1. Specify the user area (User1 ~ User3) to save the black level correction value with **PixelBlackCorrectionMode**.

Note: You cannot perform calibration when **Off** or **Default** is selected.

2. Black level correction data is automatically generated by **PerformPixelBlackCalibration** and saved in the user area specified in step 1.
3. You can check the execution result of black level correction by **PixelBlackDetectResult**.

SWIR

1. Select **User** to save the black level correction value with **SWIRPixelBlackCorrect**.


Note: You cannot perform calibration when **Off** or **Factory** is selected.

2. Black level correction data is automatically generated by **SWIRPixelBlackCalibration** and saved in the user area specified in step 1.
3. You can check the execution result of black level correction by **SWIRPixelBlackCalibrationResult**.

PRNU Correction (Pixel Gain Correct)

Related Setting Items: [CorrectionControl](#), [SWIRCorrectionControl](#)

PRNU (photo response non-uniformity) is a variation between pixels generated by the sensor under bright conditions. If the line rate is slowed or a long exposure time is set, the dark current in the sensor may change and the state of the PRNU may change. If the variation is noticeable, perform the PRNU correction again.



Note: For the details on the short ASCII commands required to configure the PRNU correction settings, see the following topics:

- [Correction Control \(RGB - Command List\)](#)
- [SWIR Correction Control \(Command List\)](#)

RGB

1. Specify the user area (User1 ~ User3) to save the gain correction value with **PixelGainCorrectionMode**.

Note: You cannot perform calibration when **Off** or **Default** is selected.

2. Gain correction data is automatically generated by **PerformPixelGainCalibration** and saved in the user area specified in step 1.
3. You can check the execution result of gain correction by **PixelGainDetectResult**.

Caution: This camera may take several minutes or more to complete PRNU correction.

Notes:

- The video level should be between 70% and 90% of the saturation level.
- The lens should be defocused.
- The subject should be a white, flat surface (such as a sheet of white paper).

SWIR

1. Select **User** to save the gain correction value with **SWIRPixelGainCorrect**.

Note: You cannot perform calibration when **Off** or **Factory** is selected.

2. Gain correction data is automatically generated by **SWIRPixelGainCalibration** and saved in the user area specified in step 1.
3. You can check the execution result of gain correction by **SWIRPixelGainCalibrationResult**.

Adjust the Black Level

Black level correction is a function for adjusting the setup level.

1. Configure the RGB channels' black level with **BlackLevel**.
2. Configure the SWIR channel's black level with **SWIRBlackLevel**.

Note: For the details on the short ASCII commands required to configure the Black Level settings, see the following topics:

- [Analog Control \(RGB - Command List\)](#)
- [SWIR Analog Control \(Command List\)](#)

Adjust the White Balance

Adjust the white balance using the automatic adjustment function.

1. Place a white sheet of paper or similar object under the same lighting conditions as the intended subject, and zoom in to capture the white.

White objects near the subject, such as a white cloth or wall, can also be used. Be sure to prevent the high-intensity spotlights from entering the screen.

2. Set **BalanceWhiteAuto** to **Once**. The white balance is automatically adjusted.


Notes:

- The white balance function is only supported on RGB channels.
- For the details on the short ASCII commands required to configure the White Balance settings, see [Analog Control \(RGB - Command List\)](#).

Step 6: Save the Settings

Related Setting Items: [UserSetControl](#)

The configured setting values will be deleted when the camera is turned off. By saving current setting values to user memory, you can load and recall them whenever necessary. You can save up to three sets of user settings in the camera. (User Set1 to 3)



Note: For the details on the short ASCII commands required to configure the save/load settings, see [User Set Control \(Command List\)](#).

Save the User Settings

1. Stop image acquisition. Settings can only be saved when image acquisition on the camera is stopped.
2. Specify the storage location (UserSet1 - UserSet3) using the **UserSetSave** command and save the current camera settings.

Load the User Settings

1. Stop image acquisition. User settings can only be loaded when image capture on the camera is stopped.
2. Specify the storage location (UserSet1 - UserSet3) using the **UserSetLoad** command and read the settings of the camera.

Note: When selecting **Default** for UserSetSelector, the factory settings are loaded.

Main Functions

This chapter describes the camera's main functions.

Basic Function Matrix

Related Setting Items: [DigitalIOControl](#), [AcquisitionControl](#), [SWIRAcquisitionControl](#), [PulseGenerator](#)

The following signals can be used as sources for each output destination (TriggerSelector, LineSelector, PulseGeneratorSelector).

The combinations of source signals and output destinations are indicated in the following. "Trigger" indicates both TriggerSource and SWIRTriggerSource.


		出力先											
		Trigger	LineSelector						PulseGeneratorSelector				
		Line Start	Line1-TTLOut1	Line8-TTLOut2	Line9-TTLOut3	Line12-TTLOut4	NAND0	NAND1	Pulse Generator0	Pulse Generator1	Pulse Generator2	Pulse Generator3	
出力として使う信号	Low	●	●	●	●	●	●	●	●	●	●	●	●
	High	●	●	●	●	●	●	●	●	●	●	●	●
	Line 4 (TTL Input1)	●	●	●	●	●	●	●	●	●	●	●	●
	Line 5 (Opto In1)	●	●	●	●	●	●	●	●	●	●	●	●
	Line 7 (CL CC1)	●	●	●	●	●	●	●	●	●	●	●	●
	Line 10 (TTL Input2)	●	●	●	●	●	●	●	●	●	●	●	●
	Line 13 (TTL Input3)	●	●	●	●	●	●	●	●	●	●	●	●
	Encoder trigger	●	●	●	●	●	●	●	●	●	●	●	●
	UserOutput0	●	●	●	●	●	●	●	●	●	●	●	●
	UserOutput1	●	●	●	●	●	●	●	●	●	●	●	●
	UserOutput2	●	●	●	●	●	●	●	●	●	●	●	●
	UserOutput3	●	●	●	●	●	●	●	●	●	●	●	●
	Pulse Generator0	●	●	●	●	●	●	●					
	Pulse Generator1	●	●	●	●	●	●	●					
	Pulse Generator2	●	●	●	●	●	●	●					
	Pulse Generator3	●	●	●	●	●	●	●					
	Nand0 out	●	●	●	●	●	●	●	●	●	●	●	●
	Nand1 out	●	●	●	●	●	●	●	●	●	●	●	●
	Exposure Active	NA	●	●	●	●	●	●	●	●	●	●	●
	LVAL	NA	●	●	●	●	●	●	●	●	●	●	●
EncoderDirection	NA	●	●	●	●	●	●	●	●	●	●	●	
SWIR Exposure Active	NA	●	●	●	●	●	●	●	●	●	●	●	
SWIR LVAL	NA	●	●	●	●	●	●	●	●	●	●	●	
		Trigger	LineSelector						PulseGeneratorSelector				
		用途											

- Default
- Default (SWIR)
- Default (RGB)

Image Scaling Mode (Xscale)

Related Setting Items: [ImageFormatControl](#)

This camera uses RGB and SWIR sensors with different pixel sizes, resolutions, and timing characteristics to acquire images. As a result, the default line rates and FOV of the RGB and SWIR channels are different. The figure below shows the pixel size, width and line rate of the RGB and SWIR channels when this function is Off (= default).



JAI's ImageScalingMode applies an interpolation algorithm to the pixels on the RGB sensors to create larger virtual pixels that aren't limited to multiples of the base pixel size. By using ImageScalingMode in conjunction with the ROI function, the pixel size and the FOV of the RGB channels can be normalized with those of the SWIR channel. At the same time, the line rate of the RGB channels can be increased, allowing for the RGB and SWIR channels to be synchronized at a faster line rate.

Notes:

- When using this function with the ROI function, first, configure the Image Scaling Mode settings, and then set the Width and OffsetX settings .
- This function cannot be used together with the Binning function ([ImageFormatControl](#)).
- The SWIR channel does not support this function.

How To Configure

1. Enable **ImageScalingMode**. The options are:

- **On**: Enables ImageScalingMode.
- **SWIRPixelFormatMode**: Enables ImageScalingMode, and sets the RGB channels' PixelSize and Width to match the SWIR channel's Pixel Size and Width (PixelSize = 25um, Width = 1024).
- **SWIRHalfPixelFormatMode**: Enables ImageScalingMode, and sets the RGB channels' PixelSize to 12.5um (= half the size of the SWIR channel's PixelSize), and sets the RGB channels' Width to 2048 (= twice the size of the SWIR channel's Width).

Note: For more information on SWIRPixelFormatMode and SWIRHalfPixelFormatMode, see [SWIRPixelFormatMode and SWIRHalfPixelFormatMode](#).

2. Use **ImageScalingSumMode** to specify the output image mode. The options are "**Average** (Off)" or "**Sum** (On)." Depending on the mode, the output image's brightness will be different.

Average Mode: The average brightness of the sensor image is equal to the average brightness of the reduced output image.

Sum Mode: The sum of the brightness of all pixels in the sensor image and the sum of the brightness of all pixels in the reduced output image is equal, thus increasing the brightness of the output image.

3. When **ImageScalingMode** is set to **On**, specify the scaling using **ImageScalingHorizontalRaw**. For example, if you want to reduce the output image by 50%, set ImageScalingHorizontalRaw to 2048.

Note: ImageScalingHorizontalRaw cannot be configured when ImageScalingMode is set to **SWIRPixelFormatMode** or **SWIRHalfPixelFormatMode**.

4. Configure the RGB channels' WidthMax when **ImageScalingMode** is **On** or in **SWIRPixelFormatMode/ SWIRHalfPixelFormatMode**. The WidthMax value can be reduced while maintaining the center of the image. The user-configured Width and OffsetX values must be controlled within this ImageScalingWidthMax range.

5. If necessary, configure the Width and OffsetX settings ([ImageFormatControl](#)).

6. You can use **SWIRFreeRunSyncMode** ([SWIRAcquisitionControl](#)) to synchronize the RGB channel's line rate and SWIR channel's line rate.


SWIRPixelMode and SWIRHalfPixelMode

The SWIRPixelMode and SWIRHalfPixelMode options configure the RGB channels' PixelSize and Width settings to match the SWIR channel's PixelSize and Width settings, by automatically setting ImageScalingHorizontal and ImageScalingWidthMax.

These options set the horizontal scaling ratio (ImageScalingHorizontal) to 0.3 or 0.6 to scale the PixelSize, and then cut off the ROI equally from the left and right edges to set ImageScalingWidthMax to 1024 or 2048. This way, the center of the image will align the center of the original object.


SWIRPixelMode

- ImageScalingHorizontal: 0.3
- PixelSize: 25.0um
- ImageScalingWidthMax: 1024 (25.60mm)



SWIRHalfPixelMode

- ImageScalingHorizontal: 0.6
- PixelSize: 12.5um
- ImageScalingWidthMax: 2048 (25.60mm)



Note: The ImageScalingHorizontal values are calculated from the following formulas and they are not 0.3 or 0.6 exact. If you use a Control Tool, the following value will be displayed.

- **SWIRPixelMode:** ImageScalingHorizontal = $\frac{\text{ImageScalingHorizontalRaw}}{\text{ImageScalingBaseAbs}} = \frac{1228}{4096} \approx 0.2998$
- **SWIRHalfPixelMode:** ImageScalingHorizontal = $\frac{\text{ImageScalingHorizontalRaw}}{\text{ImageScalingBaseAbs}} = \frac{2456}{4096} \approx 0.5996$

ROI (Regional Scanning Function)

Related Setting Items: [ImageFormatControl](#)

The ROI (region of interest) function allows you to output images by specifying the area to scan.

Note: This function is supported only on the RGB channel. The Width for the SWIR channel (SWIRWidth) is fixed to 1024.

ROI Settings

Specify the area to scan by specifying the Width and Horizontal offset value


Notes:

- On this camera, Height is fixed to 1.
- For the relationship between this function and the line rate, see "[Number of Pixels per Line and Line Rate \(RGB\)](#)".


The setting ranges for the ROI function's readable area based on the Binning setting (BinningHorizontal) are as follows.

	ImageScalingMode = Off		ImageScalingMode = Other than Off
	BinningHorizontal = 1 (Off)	BinningHorizontal = 2 (On)	
Width (pixels)	16 ~ (4096 - OffsetX), step 16	8 ~ (2048 - OffsetX), step 8	8 ~ (ImageScalingwidthMax - OffsetX), step 8
OffsetX (pixels)	0 ~ (4096 - Width), step 16	0 ~ (2048 - Width), step 8	0 ~ (ImageScalingwidthMax - OffsetX), step 8

ROI Examples



For example, when **OffsetX** is set to 16, the first readout pixel is the 17th pixel.




Binning Function

Related Setting Items: [ImageFormatControl](#)

The Binning function allows you to combine the signal values of clusters of adjacent pixels to create improved virtual pixels. Using the function results in images with a lower pixel resolution and higher sensitivity in summing mode (Sum) or reduced noise in averaging mode (Average).


Note: This function is supported only on the RGB channel.

Examples:



Binning Types

The RGB channel supports the following binning types by combining **Type A / Type B** Sensor Type and horizontal / vertical binning (**BinningHorizontal / Binning Vertical**).



Note: Refer to JAI's blog "[Using pixel binning to increase image quality under low light conditions](#)" on how to use the Binning function.

Camera Output Formats


Related Setting Items: [ImageFormatControl](#), [SWIRImageFormatControl](#)

This camera supports the following output format:

Channel	PixelFormat	Camera Link Connector
RGB	RGB8, RGB10BasePacked*, RGB12BasePacked*	1
SWIR	Mono8, Mono10, Mono12	2

The PixelFormat setting on the camera side and the frame grabber board side must match. For details on frame grabber board settings, refer to the instruction manual of the board.

Caution: *The RGB10BasePacked and RGB12BasePacked formats are customized pixel formats for the Camera Link interface. To view image output in this format, a viewer that supports these formats is required.



Camera Link Bit Assignments

This camera conforms to the Camera Link standard. The bit assignments are as follows.

■ Camera Link Connector 1 (RGB)

Port/Signal	8-bit (RGB8)	RGB10BasePacked RGB12BasePacked			Connector	Pin Name
Port A0	R_D0	R_D0	B_D0	G_D0	1	Tx0
Port A1	R_D1	R_D1	B_D1	G_D1	1	Tx1
Port A2	R_D2	R_D2	B_D2	G_D2	1	Tx2
Port A3	R_D3	R_D3	B_D3	G_D3	1	Tx3
Port A4	R_D4	R_D4	B_D4	G_D4	1	Tx4
Port A5	R_D5	R_D5	B_D5	G_D5	1	Tx6
Port A6	R_D6	R_D6	B_D6	G_D6	1	Tx27
Port A7	R_D7	R_D7	B_D7	G_D7	1	Tx5
PortB0	G_D0	R_D8	B_D8	G_D8	1	Tx7
PortB1	G_D1	R_D9	B_D9	G_D9	1	Tx8
PortB2	G_D2	R_D10	B_D10	G_D10	1	Tx9
PortB3	G_D3	R_D11	B_D11	G_D11	1	Tx12
PortB4	G_D4	G_D8	R_D8	B_D8	1	Tx13
PortB5	G_D5	G_D9	R_D9	B_D9	1	Tx14
PortB6	G_D6	G_D10	R_D10	B_D10	1	Tx10
PortB7	G_D7	G_D11	R_D11	B_D11	1	Tx11
PortC0	B_D0	G_D0	R_D0	B_D0	1	Tx15
PortC1	B_D1	G_D1	R_D1	B_D1	1	Tx18
PortC2	B_D2	G_D2	R_D2	B_D2	1	Tx19
PortC3	B_D3	G_D3	R_D3	B_D3	1	Tx20
PortC4	B_D4	G_D4	R_D4	B_D4	1	Tx21
PortC5	B_D5	G_D5	R_D5	B_D5	1	Tx22
PortC6	B_D6	G_D6	R_D6	B_D6	1	Tx16
PortC7	B_D7	G_D7	R_D7	B_D7	1	Tx17
LVAL 1					1	Tx24
LVAL 2					1	Tx25
DVAL					1	Tx26
ExposureActive					1	Tx23

Camera Link Connector 2 (SWIR)

Port/Signal	Mono8	Mono10/Mono12	Connector	Pin Name
Port A0	SWIR_D0	SWIR_D0	2	Tx0
Port A1	SWIR_D1	SWIR_D1	2	Tx1
Port A2	SWIR_D2	SWIR_D2	2	Tx2
Port A3	SWIR_D3	SWIR_D3	2	Tx3
Port A4	SWIR_D4	SWIR_D4	2	Tx4
Port A5	SWIR_D5	SWIR_D5	2	Tx6
Port A6	SWIR_D6	SWIR_D6	2	Tx27
Port A7	SWIR_D7	SWIR_D7	2	Tx5
PortB0	-	SWIR_D8	2	Tx7
PortB1	-	SWIR_D9	2	Tx8
PortB2	-	SWIR_D10	2	Tx9
PortB3	-	SWIR_D11	2	Tx12
PortB4	-	-	2	Tx13
PortB5	-	-	2	Tx14
PortB6	-	-	2	Tx10
PortB7	-	-	2	Tx11
PortC0	-	-	2	Tx15
PortC1	-	-	2	Tx18
PortC2	-	-	2	Tx19
PortC3	-	-	2	Tx20
PortC4	-	-	2	Tx21
PortC5	-	-	2	Tx22
PortC6	-	-	2	Tx16
PortC7	-	-	2	Tx17
LVAL 1			2	Tx24
LVAL 2			2	Tx25
DVAL			2	Tx26
ExposureActive			2	Tx23

Test Pattern Function

Related Setting Items: [ImageFormatControl](#), [SWIRImageFormatControl](#)

You can display the following test patterns. Video output is not possible while a test pattern is being executed. This function is not dependent on gain and offset values that have already been configured, and output is performed in the following states.

Channel	Options
RGB	White, GreyPattern1(Ramp), GreyPattern2(Stripe), ColorBar
SWIR	GreyHorizontalRamp, GreyScale2, White

GPIO (Digital Input/Output Settings)

Related Setting Items: [DigitalIOControl](#)

The camera can input/output the following signals to and from external input/output connectors.

External Output	TTL OUT 1 (Line 1)	DC IN / TRIG IN Connector (12-pin)
	TTL OUT 4 (Line 12)	
	TTL OUT2 (Line 8)	AUX Connector (10-pin)
	TTL OUT3 (Line 9)	
External Input	OPT IN1 - (Line 5)	DC IN / TRIG IN Connector (12-pin)
	OPT IN1 + (Line 5)	
	TTL IN 1 (Line 4)	
	TTL IN2 (Line 10)	AUX Connector (10-pin)
	TTL IN3 (Line 13)	
	CC1 (Line 7)	Camera Link Cable

These signals can be used as triggers and other necessary signals within the camera or as signals output from the camera to the system, such as those used for lighting equipment control.

Signals are selected as follows.

- When using external signals or the signals of each GPIO module as trigger signals: Select in **TriggerSource** ([AcquisitionControl](#)), **SWIRTriggerSource** ([SWIRAcquisitionControl](#))
- When selecting the signals to use for external outputs: Select in **LineSource** ([DigitalIOControl](#)).

You can verify the **LineMode** and **LineFormat** status, and configure the **LineInverter** setting. You can also verify each Digital IO's status using the **LineStatusAll** setting (table below):

LineSelector	LineMode	LineFormat	LineInverter	LineStatusAll
TTL OUT 1 (Line 1)	Output	TTL	True/False	bit0
TTL OUT 4 (Line 12)			True/False	bit11
TTL OUT2 (Line 8)			True/False	bit7
TTL OUT3 (Line 9)			True/False	bit8
OPT IN1 - (Line 5)	Input	OptoCoupled	False (Fixed)	bit4
OPT IN1 + (Line 5)			False (Fixed)	bit4
TTL IN 1 (Line 4)		TTL	False (Fixed)	bit3
TTL IN2 (Line 10)			False (Fixed)	bit9
TTL IN3 (Line 13)			False (Fixed)	bit12
Nand0In1		Internal Signal	True/False	
Nand0In2			True/False	
Nand1In1			True/False	
Nand1In2			True/False	

For digital output, set the output source signal using **LineSource**. Set the source signal in the same way for NAND Logic (Nand0In1, Nand0In2, Nand1In1, Nand1In2).

Note: For more information on the combinations of source signals and output destinations, see [Basic Function Matrix](#).

LineSource Items

This section describes each item that can be selected in **LineSource**.

LineSource	Description
Low	Low signal
High	High signal
ExposureActive	Camera is doing the exposure of RGB channels. See " ExposureActive Function " for your reference.
LVAL	Image data (line) from the RGB channels is being read.
PulseGenerator0 ~ 3	PulseGenerator output. For more information, see the following technical note: https://www.jai.com/uploads/documents/Technical-notes/English/TNE-0005-2015XII11-000-TechNote-PulseGenerator-tips.pdf
UserOutput0 ~ 3	Allows you to toggle UserOutput's On / Off on the software. Select the User Output 0 ~ 3 you want to use from UserOutputSelector , and then set the UserOutputvalue (High or Low) .
Line4: TTL In1	TTL In 1
Line5: Opt In1	Opto In1
Line7 - CC1	Camera Link CC1
Line10: TTL In2	TTL In2
NAND0 Out, NAND1Out	Camera's internal NAND Gate output. NAND Gate input can be configured with Nand0In1 or 2 / Nand1In1 or 2.
Line13: TTL In3	TTL In3
EncoderTrigger	Encoder signal. See " Connecting Rotary Encoders " for your reference.
EncoderDirection	Encoder direction signal. See " Rotation Direction " for your reference.
SWIRExposureActive	Camera is doing the exposure of SWIR channel. See " ExposureActive Function " for your reference.
SWIRLVAL	Image data (line) from the SWIR channel is being read.

Exposure Mode

Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

This camera has two Exposure modes (Off, Timed). Use the [AcquisitionControl](#) and [SWIRAcquisitionControl](#) settings to perform operations and settings for exposure.

■ ExposureMode = Off

Exposure control is not performed (free-running operation). The exposure time is the longest possible time within the operating conditions such as the line rate.

■ ExposureMode = Timed

Mode in which control is performed using ExposureTime. Acquire images using an exposure time configured beforehand on an external trigger.

Notes:

- See [Basic Function Matrix](#) for the combination of operation modes and functions.
- For more information on how to configure the settings, see [Configure Trigger, Exposure, and Line Rate Settings](#).

Trigger Control

Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

The camera allows Line Start trigger controls to be performed via external trigger signals. The Line Start trigger allows exposure control via the trigger signal inputs.

Note: The settings for exposure control and triggers are related to each other. Be sure to configure the settings described in [Control via External Triggers](#).

■ Shortest Repetition Period for Triggers

- Varies depending on the DeviceTapGeometry ([TransportLayerControlSWIRTransportLayerControl](#)), CameraLinkClockFrequency ([TransportLayerControl](#)) settings.

■ Shortest Trigger Pulse Width

- Camera Link: 3 μ s
- TTL In: 50ns

Calculate the Max Line Rate (RGB)

Related Setting Items: [AcquisitionControl](#)

Notes:

- The SWIR channel has a fixed Width value (1024). Therefore, the maximum line rate is always 39.2kHz.
- The Line Rate Calculator, which calculates the maximum line rate, is available for download from the product page on the JAI website (www.jai.com).

This section describes how to calculate the maximum line rate for the RGB channel. First LineClock, CLWidth and Jitter are calculated, then LinePeriod[us] is calculated from these values. Finally, the maximum line rate (MAX LineRate[Hz]) is calculated.

LineClock, CLWidth, and Jitter

A. LineClock

```
LineClock = Width + LinePeriod
```

- Width: When setting **BinningHorizontal** to **2** or **ImageScalingMode** = **other than Off**, enter the Width value **"after"** configuring the setting.
- LinePeriod = 4[clock]

B. CLWidth

```
CLWidth = CameraLinkClockFrequency * ClConfiguration / Color
```

- ClConfiguration = Base(3)
- Color = 3 (RGB)

C. Jitter

```
Jitter = (0.3 * 85000000) / CameraLinkClockFrequency
```

LinePeriod[us]

The formula for calculating the LinePeriod[us] value depends on the [Camera Output Formats](#) setting.

A. PixelFormat = RGB8

```
LinePeriod[us] = Roundup(LineClock / CLWidth * 1000000 + Jitter, 2)
```

B. PixelFormat = RGB10BasePacked / RGB12BasePacked

```
LinePeriod[us] = Roundup(LineClock / (CLWidth*2/3) * 1000000 + Jitter, 2)
```

Calculate the final LinePeriod value.

```
if( LinePeriod[us] > 5.0us, LinePeriod[us] += 0.01us, LinePeriod[us] )
```

MAX LineRate[Hz]

Finally, calculate the Max LineRate.

```
MAX LineRate[Hz] = MIN( 183486, (1000000 / LinePeriod[us]))
```

Note: MAX LineRate is limited to 183486.

Timing Chart


Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

This section shows the timing charts under the following conditions.

- [ExposureMode = Off](#), [TriggerMode = Off](#)
- [ExposureMode = Timed](#), [TriggerMode = Off](#)
- [ExposureMode = OFF](#), [TriggerMode = ON](#)
- [ExposureMode = Timed](#), [TriggerMode = ON](#)


ExposureMode = Off, TriggerMode = Off

RGB: Binning = OFF




CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	RGB8	85	48.55	0.37	48.19	42.45
		65	63.48	0.46	63.01	42.45
		42.5	97.08	0.71	96.38	42.45
	RGB10 Base Packed	85	72.67	0.39	72.28	42.45
		65	95.02	0.49	94.52	42.45
		42.5	145.32	0.75	144.56	42.45
	RGB12 Base Packed	85	72.67	0.39	72.28	42.45
		65	95.02	0.49	94.52	42.45
		42.5	145.32	0.75	144.56	42.45

RGB: Binning = ON (BinningHorizontal = 2)



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	RGB8	85	24.47	0.38	24.09	35.59
		65	31.98	0.48	31.51	35.59
		42.5	48.89	0.71	48.19	35.59
	RGB10 Base Packed	85	36.53	0.39	36.14	35.59
		65	47.77	0.51	47.26	35.59
		42.5	73.06	0.78	72.28	35.59
	RGB12 Base Packed	85	36.53	0.39	36.14	35.59
		65	47.77	0.51	47.26	35.59
		42.5	73.03	0.75	72.28	35.59


SWIR



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	Mono8	85	25.5	13.45	12.05	48.67
		65	25.49	9.74	15.75	48.67
		42.5	25.51	1.41	24.09	48.67
	Mono10	85	25.49	13.45	12.05	48.67
		65	25.51	9.76	15.75	48.67
		42.5	25.51	1.41	24.09	48.67
	Mono12	85	25.51	13.46	12.05	48.67
		65	25.49	9.74	15.75	48.67
		42.5	25.51	1.41	24.09	48.67


ExposureMode = Timed, TriggerMode = Off

RGB: Binning = OFF




CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	RGB8	85	48.55	0.37	48.19	32.83
		65	63.49	0.48	63.01	32.83
		42.5	97.08	0.71	96.38	32.83
	RGB10 Base Packed	85	72.68	0.4	72.28	32.83
		65	95.03	0.51	94.52	32.83
		42.5	145.34	0.78	144.56	32.83
	RGB12 Base Packed	85	72.66	0.38	72.28	32.83
		65	95.02	0.49	94.52	32.83
		42.5	145.32	0.75	144.56	32.83

RGB: Binning = ON (BinningHorizontal = 2)



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	RGB8	85	24.47	0.38	24.09	30.65
		65	31.97	0.46	31.51	30.65
		42.5	48.92	0.73	48.19	30.65
	RGB10 Base Packed	85	36.54	0.4	36.14	30.65
		65	47.75	0.49	47.26	30.65
		42.5	73.04	0.75	72.28	30.65
	RGB12 Base Packed	85	36.53	0.39	36.14	30.65
		65	47.75	0.49	47.26	30.65
		42.5	73.04	0.75	72.28	30.65


SWIR



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	LVAL Period [A] (us)	LVAL Low [B] (us)	LVAL High [C] (us)	Period from Exposure end to LVAL start [D] (us)
BASE	Mono8	85	25.51	13.46	12.04	23.28
		65	25.51	9.76	15.75	23.28
		42.5	25.51	1.41	24.09	23.28
	Mono10	85	25.51	13.46	12.04	23.28
		65	25.49	9.74	15.75	23.28
		42.5	25.51	1.41	24.09	23.28
	Mono12	85	25.51	13.46	12.05	23.28
		65	25.49	9.74	15.75	23.28
		42.5	25.51	1.41	24.09	23.28


ExposureMode = OFF, TriggerMode = ON

■ RGB: Binning = OFF




CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	48.56	4.1	44.92	42.36	48.19
		65	63.49	4.12	59.84	42.37	63.01
		42.5	97.1	4.17	93.46	42.45	96.38
	RGB10 Base Packed	85	72.68	4.09	69.03	42.35	72.28
		65	95.03	4.12	91.38	42.38	94.52
		42.5	145.33	4.16	141.69	42.42	144.56
	RGB12 Base Packed	85	72.68	4.09	69.05	42.37	72.28
		65	95.03	4.12	91.4	42.38	94.52
		42.5	145.33	4.12	144.57	42.38	144.56

RGB: Binning = ON (BinningHorizontal = 2)



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	24.47	4.09	20.83	11.02	24.09
		65	31.99	4.11	28.35	3.54	31.51
		42.5	48.91	4.16	45.29	35.58	48.19
	RGB10 Base Packed	85	36.54	4.13	32.9	35.51	36.14
		65	47.77	4.11	44.14	35.52	47.26
		42.5	73.05	4.16	69.44	35.58	72.28
	RGB12 Base Packed	85	36.54	4.1	32.89	35.49	36.14
		65	47.77	4.11	44.14	35.52	47.26
		42.5	73.05	4.11	69.51	35.54	72.28


SWIR



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	25.35	5.93	20.25	23.26	12.05
		65	25.35	6.03	20.24	23.28	15.75
		42.5	25.35	6.01	20.26	23.34	24.09
	RGB10 Base Packed	85	25.35	5.9	20.24	23.26	12.05
		65	25.35	5.96	20.24	23.29	15.75
		42.5	25.35	5.99	20.26	23.34	24.09
	RGB12 Base Packed	85	25.35	6.03	20.25	23.09	12.05
		65	25.35	5.92	20.24	23.28	15.75
		42.5	25.35	5.97	20.26	23.32	24.09


ExposureMode = Timed, TriggerMode = ON

RGB: Binning = OFF




CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	48.56	0.4	2.21	42.35	48.19
		65	63.49	0.42	2.2	42.38	63.02
		42.5	97.19	0.48	2.21	42.45	96.38
	RGB10 Base Packed	85	72.68	0.4	2.22	42.34	72.28
		65	95.03	0.41	2.23	42.37	94.52
		42.5	145.33	0.48	2.21	42.42	144.56
	RGB12 Base Packed	85	72.69	0.4	2.2	42.35	72.28
		65	95.03	0.44	2.2	42.39	94.52
		42.5	145.33	0.47	2.23	42.42	144.56

RGB: Binning = ON (BinningHorizontal = 2)



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	24.47	0.4	2.22	11.01	24.09
		65	31.99	0.42	2.23	3.54	31.51
		42.5	48.91	0.48	2.21	35.58	48.19
	RGB10 Base Packed	85	36.54	0.4	2.21	35.51	36.14
		65	47.77	0.43	2.2	35.52	47.26
		42.5	73.05	0.49	2.21	35.58	72.28
	RGB12 Base Packed	85	36.54	0.4	2.2	35.51	36.14
		65	47.77	0.43	2.2	35.52	47.26
		42.5	73.05	0.49	2.21	35.58	72.28

SWIR



CL Configuration	PixelFormat	Device Clock Frequency (MHz)	Trigger Period [A] (us)	Period from Trigger Start edge to Exposure start [B] (us)	Exposure Time [C] (us)	Period from Exposure end to LVAL start [D] (us)	LVAL Period [E] (us)
BASE	RGB8	85	25.5	0.93	20.26	23.25	12.05
		65	25.5	0.94	20.24	23.29	15.75
		42.5	25.51	0.88	20.23	23.34	24.09
	RGB10 Base Packed	85	25.5	0.79	20.26	23.25	12.05
		65	25.5	0.9	20.24	23.29	15.75
		42.5	25.51	0.88	20.26	23.34	24.09
	RGB12 Base Packed	85	25.5	0.83	20.25	23.26	12.05
		65	25.5	0.89	20.24	23.28	15.75
		42.5	25.52	0.95	20.26	23.32	24.09

Pixel Sensitivity Correction

Related Topic: [CorrectionControl](#), [SWIRCorrectionControl](#)

Correct variations between the sensor's pixels.

Calibration must be performed within the camera and correction data must be created beforehand. DSNU (PixelBlackCorrect) / PRNU (PixelGainCorrect) can be reduced using that correction data.

We recommend performing calibration and creating correction data whenever the line rate setting or Analog base gain setting or vertical binning setting are changed significantly.

Refer to the following topics on how to perform the calibration.

- [PRNU Correction \(Pixel Gain Correct\)](#)
- [DSNU Correction \(Pixel Black Correct\)](#)

Notes:

- Correction data is saved for DSNU (PixelBlackCorrect) / PRNU (PixelGainCorrect) according to the conditions adjusted at the factory.
- We recommend performing DSNU and PRNU calibration again whenever the line rate setting is changed significantly.
- A single correction data entry can be saved on the camera for each user. When calibration is performed, the correction data is saved to the non-volatile ROM at the same time.

Defective Pixel Correction

Related Setting Items: [SWIRBlemishControl](#)


Correct defective pixels. Correction is performed using the average value between the pixels to the immediate left and right. Up to eight defective pixels can be corrected. The pixels at the left and right edges cannot be corrected.

Note: This function is only supported on the SWIR channel.

Auto Detection Function

When a threshold value is configured and auto detection is performed, the defects are detected, and their data points are stored internally on the camera.

When the defective pixel correction function is enabled after executing auto detection, the detected values are corrected.



Notes:

- White defects can be recorrected.
- Black defects cannot be redetected.

Gain Control (RGB Channels)

Related Setting Items: [AnalogControl](#)

The following gain functions are available on the camera: Analog Base Gain and Digital Gain (MasterMode, IndividualMode)

Analog Base Gain

Analog base gain (ABG) is gain that is performed to the analog video signal output from the sensor. The gain steps can be configured to one of three levels (0 dB, 6 dB, 12 dB).

Digital Gain

Two digital gain control modes are available; a mode where you adjust the master gain and then perform fine adjustment for R and B (MasterMode), and a mode where R, G, and B gain are adjusted individually (IndividualMode).

Master Mode (Individual Gain Mode = Off)	Individual Gain Mode = On
<p>Adjust the DigitalAll (master gain) setting first, and then adjust the DigitalRed and DigitalBlue setting values to perform fine adjustment.</p>	<p>Adjust the DigitalGreen, DigitalRed, and DigitalBlue setting values to adjust the gain. This mode allows a wider range of adjustment by the user when compared to Master Mode.</p>

Notes:

- The following two gain values are added together for the total gain value.
Total Gain = AnalogBaseGain (dB) + DigitalGain (dB)
- In the IndividualGainMode, BalanceWhiteAuto cannot be set automatically.

Gain Control (SWIR Channel)

Related Setting Items: [SWIRAnalogControl](#)

The following three gain functions are available on the camera: Sensor Conversion Gain, Analog Base Gain, and Analog Fine Gain.

Sensor Conversion Gain

Sensor conversion gain (SCG) is InGaAs sensors' internal gain. Settings configured individually from an external source, and the amount of gain can be adjusted via different combinations of 3-bit setting values.

Configuration Bit			Scaling*
Cfa	Cfb	Cfc	
1	0	0	3.5
1	1	0	1 (Default)
1	0	1	0.25
1	1	1	0.25

*Sensitivity (all scaling values are TYP values)

Analog Base Gain

Analog base gain (ABG) is gain that is performed prior to the video signal output from the sensor passing through the CDS circuit. Settings can be configured individually from an external source. The gain steps can be configured to one of four levels.

When the gain level is low, the video output may not be saturated in some cases. Therefore, check whether the video is saturated whenever you change the settings.

AnalogBaseGain Setting Value	Scaling*
0	-6dB ± 1 dB
1	-3dB ± 1 dB
2	0dB ± 1 dB (Default)
3	+3dB ± 1 dB

*Sensitivity (all scaling values are TYP values)

Analog Fine Gain

Analog fine gain (AFG) is gain that is performed after the video signal passes through the CDS circuit and prior to ADC (analog digital conversion). The setting range is 0 ~ +11dB (0 ~ 308).

Notes:

The following three gain values are added together for the total gain value.


Total Gain = SensorConversionGain (dB) + AnalogBaseGain (dB) + AnalogFineGain (dB)

Gamma Function

Related Setting Items: [AnalogControl](#), [SWIRAnalogControl](#)

The Gamma function corrects the output signals from the camera beforehand (reverse correction), taking into consideration the light-emitting properties of the monitor display. As the light-emitting properties of the monitor are not linear, the entire image may be darker or the gradation in the dark areas may be less noticeable when camera outputs are displayed without processing.

The Gamma function can be used to correct the camera signals with an opposite-direction curve and produce a display that is close to linear.



To Use the Gamma Function

Configure the settings as follows.

Item	Setting Value / Selectable Range	Description
Gamma	0.45, 0.5, 0.55, 0.6, 0.65, 0.75, 0.8, 0.9, 1.0	Select the Gamma correction value.
LUTMode	Gamma	Use Gamma.
SWIRGamma	0.45, 0.5, 0.55, 0.6, 0.65, 0.75, 0.8, 0.9, 1.0	Select the Gamma correction value.
SWIRLUTMode	Gamma	Use Gamma.

Note: You can use the LUT function to configure a curve with more detailed points. For details, see [LUT \(Lookup Table\)](#).

LUT (Lookup Table)

Related Setting Items: [LUTControl](#)

The LUT function is used to generate a non-linear mapping between signal values captured on the sensor and those that are output from the camera. On this camera, you can specify the output curve using 257 setting points (indexes) for the RGB channels and 256 setting points (indexes) for the SWIR channel.

To Use the LUT Function

Configure the settings as follows.

RGB


Item	Setting Value / Selectable Range	Description
LUTSelector	Red, Green, Blue	Select the LUT channel to control.
LUTIndex	0 ~ 256	Select the LUT index to configure. Indexes represent the possible pixel values captured on the sensor, from the lowest value (Index 0) to the highest (Index 256). For example, Index 0 represents a full black pixel and Index 256 represents a full white pixel.
LUTValue	0 ~ 4095	Set the LUT output value for the selected index.

SWIR

Item	Setting Value / Selectable Range	Description
SWIRLUTSelector	Luminance (Fixed)	Display the LUT data type.
SWIRLUTIndex	0 ~ 255	Select the LUT index to configure. Indexes represent the possible pixel values captured on the sensor, from the lowest value (Index 0) to the highest (Index 255). For example, Index 0 represents a full black pixel and Index 255 represents a full white pixel.
SWIRLUTValue	0 ~ 4095	Set the LUT output value for the selected index.

LUT Value

LUT values range from 0 at the lowest to 4095 at the highest. Linear interpolation is used to calculate LUT values between the index points.



Shading Correction

Related Setting Items: [ShadingControl](#), [SWIRShadingControl](#)

The ShadingCorrection function corrects non-uniformity (i.e., shading) in the amount of light generated by the lens and lighting equipment.

The following shading correction modes are available on the camera.

FlatShading (RGB, SWIR)	ColorShading (RGB)
<p>The range of brightness that can be corrected is within $\pm 30\%$ for the RGB channels and $\pm 20\%$ for the SWIR channel, compared to the highest signal level on one line.</p>	<p>R-channel and B-channel properties are adjusted by using the G-channel shading properties as a reference.</p>

Notes:

- For FlatShading, complete correction may not be possible depending on the optical system and light source you are using.
- For FlatShading, data based on corrections performed under factory conditions is stored for this function.

To Use the Shading Correction Function

The function is turned ON/OFF via serial communication. This function is not dependent on the operation mode but is effective when used during actual use.

Note: You can save the setting, and have it applied whenever the power is subsequently turned on. For details on saving the setting, see [Step 6: Save the Settings](#).

RGB

1. Select the shading correction mode (**FlatShading** or **ColorShading**) in **ShadingCorrectionMode**.
2. In **ShadingMode**, select the user area (User1 - 3) where you save the shading correction data.

Note: You cannot perform calibration when **Off** is selected.

3. Display a white chart under a uniform light and execute **PerformShadingCalibration**.

SWIR

The correction mode is fixed to FlatShading

1. In **SWIRShadingCorrect**, select **User** where you save the shading correction data.

Note: You cannot perform calibration when **Off** or **Factory** is selected.

2. Display a white chart under a uniform light and execute **SWIRShadingCalibration**.

Black Level Correction

Related Setting Items: [AnalogControl](#), [SWIRAnalogControl](#)

Black level correction is a function for adjusting the setup level. When this function is used, the following is performed for the gain mode setting.

RGB	SWIR
All: -133 ~ +255 LSB@12-bit	All: - 256 ~ + 255 LSB@12bit
Red: -64 ~ +64 LSB@12-bit	
Blue: -64 ~ +64 LSB@12-bit	

Note: For more information see [Adjust the Black Level](#).

Variable Line Rate

Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

When **TriggerMode** is set to **Off**, you can set the line rate to up to 1L with **AcquisitionLineRate** / **SWIRAcquisitionLineRate**. This function can be used to match the scanning speed of the camera to the feeding speed of the object or to lengthen the accumulation time to increase sensitivity.

The minimum setting value is 500 Hz, and the maximum setting value varies depending on the settings.


	RGB	SWIR
Max Line Rate	Width = 4096: (RGB8) 20.5kHz, (RGB10/12) 13.7kHz	39.2kHz
	Width = 2048: (RGB8) 40.8kHz, (RGB10/12) 27.3kHz	
Variable Unit	0.1Hz	149.9 ns

Notes:

- You can also save the setting, and have it applied whenever the power is subsequently turned on, but this requires additional operations. ([Step 6: Save the Settings](#))
- Switching and settings storage for this function is performed via serial communication.
- The black level will change depending on the line rate, so be sure to readjust the black level after changing the line rate or trigger period.

Number of Pixels per Line and Line Rate (RGB)

You can increase the line rate by decreasing the number of pixels per line on the RGB channels. Use Width (ASCII = WTC) to set the line width. The line rate can be increased to a maximum of 183.4 kHz for each configuration. The relationship between the number of pixels per line and the line rate is shown below. Widths smaller than the minimums shown will also run at 183.4 kHz.



Notes:

- The above shows the Line Rate when CameralinkClockFrequency = 85MHz, PixelFormat= RGB8, and ExposureMode = Off. The maximum line rate varies depending on operating conditions.
- The SWIR channel has a fixed Width value (1024).

Electronic Shutter (Exposure Time)

Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

When **ExposureMode** is set to **Timed**, the **ExposureTime** setting allows you to set the exposure to a preconfigured accumulation time, regardless of the line rate.

	RGB	SWIR
Variable Range	3 μs ~ 15149.07 μs	20.38 μs (1L) ~ 1994.90 μs
Variable Unit	0.01 μs (1clk)	0.1499 μs (1clk)
Supported Operation Mode	Trigger Mode = On / Off	

Caution: In “Trigger Mode Off, Exposure Mode Timed” mode, the line rate configured will be the maximum value at which the shutter operates. However, in “Trigger Mode ON, Exposure Mode Timed” mode, the input trigger period will be the maximum value. For more information, see ["Configure Trigger, Exposure, and Line Rate Settings"](#).

Notes:

- The exposure offset duration for the RGB channels is -0.85 μs . The SWIR channel does not have exposure offset duration.
- You can also save the setting, and have it applied whenever the power is subsequently turned on, but this requires additional operations.
- Switching and settings changing and storage for this function is performed via serial communication.


ExposureActive Function

Related Setting Items: [AcquisitionControl](#), [SWIRAcquisitionControl](#)

Perform external output for the timing at which video is accumulated to the sensor.

The signal is output to the DC IN / TRIG IN connector (12-pin round) and the DIGITAL I/O-1 video output connector (Camera Link).

Example: Output to the DIGITAL I/O-1 video output connector (Camera Link)




Notes:

- See "[Timing Chart](#)" for the actual ExposureActive timings.
- The negative polarity is output to the DC IN / trigger IN connector (12-pin round), and the positive polarity is output to the DIGITAL I/O 1 video output connector (Camera Link). The polarities cannot be changed.

Color Space Conversion (Color Transformation Control)


Related Setting Items: [ColorTransformationControl](#)

This camera allows you to convert the standard color space (RGB) that is used to produce colors into other color spaces, including XYZ and HSI. Five color spaces are available: RGB(sRGB), RGB(AdobeRGB), RGB(UserCustom), XYZ, and HSI. Specify the desired color space by configuring ColorTransformationMode and ColorTransformationRGBMode as follows.



Note on RGB (UserCustom)

This allows you to use user-configured 3x3 conversion tables to perform color space conversion.



Caution: If you set the color space to XYZ or HSI, Control Tool will not display the images captured by the camera properly. To display them properly, XYZ- or HSI-compatible image processing must be performed on the computer side.

Configuration 3x3 table

1. Specify one of the nine items that are the components to the 3x3 conversion table in **ColorMatrixValueSelector**.
2. Specify a value from -2 to +2 in **ColorMatrixValue**.

See [ColorTransformationControl](#) for detailed information on the setting items.

Notes:**About Color Space HSI**

Hue Value: 0° to 360° can be specified as follows.

- 8bit output: Can be specified in 2° increments - 0°(00000000) ~ 360°(10110100)
- 10bit output: Can be specified in 0.5°increments- 0°(0000000000) ~ 360°(1011010000)
- 12bit output: Can be specified in 0.5°increments- 0°(000000000000) ~ 360°(101101000000)

Saturation value, Intensity value: 0 ~ 100% can be specified as follows.

- 8bit output: 0% (00000000) ~ 100% (11111111)
- 10bit output: 0% (00000000) ~ 100% (1111111111)
- 12bit output: 0% (00000000) ~ 100% (111111111111)

Counter and Timer Control Function

Related Setting Items: [CounterAndTimerControl](#)

Note: This camera supports only the counter function.

The counter function counts up change points in the camera's internal signals using the camera's internal counter and reads that information from the host side. This function is useful for verifying error conditions via the count value using internal camera operations.

When a problem occurs in a system that includes this camera, comparing the values from multiple counters allows you to verify the extent of normal operability and can be useful when investigating the cause of the problem.


The following counters are available on this camera. The functions that can be counted are fixed for each counter.

Counter Selector	Counter Event Source (Fixed)	Counter Event Activation
Counter0	Count the number of Line Trigger instances.	RisingEdge (Fixed)
Counter1	Count the number of Line Start instances.	
Counter2	Count the number of Exposure Start instances.	
Counter3	Count the number of Line Transfer End instances.	
Counter4	Count the number of SWIR Line Trigger instances.	
Counter5	Count the number of SWIR Line Start instances.	
Counter6	Count the number of SWIR Exposure Start instances.	
Counter7	Count the number of SWIR Line Transfer End instances.	

How to Configure

1. Select the counter you want to use from **CounterSelector**.
2. Enable the counter by selecting the event source in **CounterEventSource** (Default = Off).
3. **CounterEventActivation** displays the timing for counting for the selected counter.
4. You can reset and refresh the selected counter's counter value by executing **CounterReset** and **CounterRefresh**, respectively. The selected counter's value and status are displayed in **CounterValue** and **CounterStatus**, respectively.

Counter Occurrence Diagram (Example)



1. A LineTrigger Event occurs. Counter0 counts up.
2. An Exposure Start Event occurs. Counter 2 counts up.
3. The camera's internal MCU requests and reads the Counter0's counter value.
4. The camera's internal MCU requests and reads the Counter2's counter value.
5. Reset the Counter0's counter value to 0 by a CounterReset command or a CounterResetSource signal.
6. Reset the Counter2's counter value to 0 by a CounterReset command or a CounterResetSource signal.

Chromatic Aberration Correction

Related Setting Items: [CorrectionControl](#)

This function corrects for the chromatic aberration of magnification caused by the lens (i.e., when the size of the image differs at the focal point for each color (RGB)). You can save correction data for three types of lenses.

This function assumes that the amount of deviation between the left and right is identical. If the amount of deviation between the left and right is not identical, correction will not be performed properly. Specify the number of pixels to delay or advance the R channel and B channel using the G channel as a reference. The correction range is -4.0 to $+4.0$ in steps of 0.1 .

Note: This function is supported only on the RGB channels.

Adjustment Procedure


1. Correct the R channel. Set **ChromaticAberrationCorrectionSelector** to **RChannel**. Specify the amount of correction in **ChromaticAberrationCorrectionLens1,2,3** (-4.0 to $+4.0$ in steps of 0.1).
2. Similarly, correct the B channel. Set **ChromaticAberrationCorrectionSelector** to **BChannel**. Specify the amount of correction in **ChromaticAberrationCorrectionLens1,2,3** (-4.0 to $+4.0$ in steps of 0.1).
3. Enable the chromatic aberration of magnification correction function. Set **ChromaticAberrationCorrectionMode** to **On**.
Alternatively, select preset Lens1, Lens2, or Lens3.

Connecting Rotary Encoders

Related Setting Items: [EncoderControl](#)

Encoders are useful in line scan applications where line triggers need to be tied to motion, such as applications using conveyors with varying belt speeds.

If the object is moving at a constant speed, a fixed line rate can be set. In most cases, however, the speed of the belt speed is not always constant and must be triggered by an encoder to ensure that the speed of the object and the image acquisition are always synchronized. If the line rate and the belt speed do not match, the pixels will not be square and the image of the object will appear stretched or shrunk (see images below).




Note: JAI tests the encoder-related functions with a 2-Phase (Phase A and Phase B) incremental encoder.

How to Configure

1. Connect the two signals (Phase A and Phase B) from the rotary encoder to the camera's inputs (**EncoderSourceA** and **EncoderSourceB**). The options are: Line4 TTL In1, Line5 Opt In1, Line10 TTL In2, Line13 TTL In3, Line14 TTL In4.


Note: On this camera, **Phase B** is used only to check the direction of rotation of the encoder. For more information, see "[Rotation Direction](#)".



- Specify the number of triggers to generate as a ratio (65536 / EncodeDivider value). For more information, see "[EncoderDivider](#)".

Note: Input pulses are generated on the rising edge of the Phase A signal.

- If necessary, configure the following settings.
 - EncoderFilter:** Enable the low-pass filter for the signal to prevent unintended operations due to signal noise from the rotary encoder. Specify the number of cycles from a range of 0 to 150 ns.



- EncoderStrobe:** Specify the strobe length of the generated signal (10 ~ 2550 ns).
- EncoderAveragingInterval:** Use this setting if the reliability of the interval of the signal output from the rotary encoder is low (some signal interval is extremely long or short; the encoder's jitter is large). When this function is enabled, internal processing is performed by averaging the interval of several previous signals.
- NonDecimationEncoderIntervalMax:** Sets the maximum interval period of the output signal. When set to 0 (Default), the trigger output period is calculated using only the encoder input period. When set to anything other than 0, the trigger output period is calculated using the encoder input period and this setting.


Note: If the time interval of the output of the rotary encoder fluctuates greatly, the output of the camera's internal trigger generated may also fluctuate greatly.

For example, if the belt is stopped for a long time and no signal is received from the encoder, **EncoderDivider** tries to generate a trigger signal calculated from the time the belt was stopped. This will result in no trigger signal being output even after the belt starts moving again.

In this case, by setting the upper limit of the Phase A interval measurement time in **EncoderAveragingInterval**, even if the encoder stops for a long time, the trigger signal can be generated with the setting configured in **NonDecimationEncoderIntervalMax**.

EncoderDivider

This section describes how to configure the **EncoderDivider** setting.



Notes:

- With this setting, input pulses are generated on the rising edge of PhaseA.
- **When N is an integer multiple of 65536:** The camera's internal trigger is generated by the decimation of the output trigger of a rotary encoder.
- **When N is not an integer multiple of 65536:** Using the time interval of the output trigger of the rotary encoder, the camera's internal trigger is generated so that the set division ratio is obtained. For example, if the encoder frequency is 10khz, but you need a line rate of 12khz to get a proper image, then the EncoderDivider option can be used to set this 1:1.2 ratio, which will be maintained even if the encoder frequency changes.
- If the time interval of the output of the rotary encoder fluctuates greatly, the output of the camera's internal trigger generated may also fluctuate greatly. In this case, by setting **EncoderAveragingInterval**, it is possible to perform internal processing with the value obtained by averaging the time intervals of the specified number of signals.

EncoderDivider Examples


EncoderDivider Setting	Encoder Input : Encoder Trigger Ratio	Number of Triggers (Output Pulse No.)	Timing Chart
32768	1 : 2	2 (= 65536/32768) The camera generates "two" triggers per a PhaseA input pulse signal.	

EncoderDivider Setting	Encoder Input : Encoder Trigger Ratio	Number of Triggers (Output Pulse No.)	Timing Chart
65536 (Default)	1 : 1	1 (= 65536/65536) The camera generates "one" trigger per a PhaseA input pulse signal.	
131072	2 : 1	0.5 (= 65536/131072) The camera generates "one" trigger per "two" PhaseA input pulse signals.	

Rotation Direction

Incremental encoders typically have two channels (A and B), and the channels operate in a square logical pattern. In one cycle, an encoder outputs a number of pulses on each channel which is called the resolution.

Because the A and B channels are phase shifted, it is possible to determine which direction the rotation is based on which channel is leading (see below).



Noise Reduction Filter Functions

Related Setting Items: [CorrectionControl](#), [SWIRCorrectionControl](#)

The camera has noise reduction functions. The noise reduction methods vary depending on the channel.

■ RGB

Three filters are available for the RGB channels:

- **MEDIAN Filter:** Apply 1x3 MEDIAN filter
Select the target to apply the filter from Red, Green, Blue, and set the **Median Filter Mode**. When set to **On**, this function is enabled. (Default = Off)
- **FIR Filter:** Apply the FIR (Finite Impulse Response) filter
Select the target to apply the filter from Red, Green, Blue, and set the **FIR Filter Mode**. When set to **On**, this function is enabled (Default = Off). In FIR Filter, the coefficients of the three signals (left, center, right) can be set in the range of -2 to 2. The correction value through the FIR Filter is:
 - Left pixel read value x Left pixel coefficient +
 - Center pixel read value x Center pixel coefficient +
 - Right pixel read value x Right pixel coefficient.
- **Noise Reduction:** Apply the noise filter using JAI's own algorithm.
Set the noise reduction intensity in 4 levels. Level1 = weak, Level4 = strong.

Any of the above filters can improve SNR, but it affects the sense of resolution and sensitivity. An imaging test should be performed before deciding to use this feature.

■ SWIR

Enables/Disables **NoiseReduction** in [SWIRCorrectionControl](#).

Setting List (Feature Properties)

This camera complies with GenICam. Each setting item name conforms to GenICam SFNC (Standard Features Naming Convention). (There are some JAI-specific setting items).

Each setting item is an integer type (Integer), a real type (Float), an element enumeration type (Enumeration), a character string (String), a logical type (Boolean), and a category type (Category) or a command type (Command) for executing the function.

Beginner: For beginner users.

Expert: For users with deep knowledge of camera functions.

Guru: For advanced users who make settings, including advanced features that can cause the camera to malfunction if not set correctly.

Selector

A Selector is used to index which instance of the feature is accessed in situations where multiple instances of a feature exist.

Instance Example:

Each Line-related item (LineSource, LineInverter, etc.) has LineSelector-LineX instances, which can be set or referenced as an index.

Selectors are a feature of element enumeration type (Enumeration) or an integer type (Integer). However, unlike normal configuration items, it is only used to select the instance in the following configuration item.

It does not change the behavior of the camera by changing the value of the selector. Also, the selector may have only one selectable value. In this case, use the selector function only for information purposes. In this document, it is described as SelectedFeature[Selector] according to the description method of GenICam.

In the case of Line Selector with a specific I/O line selected, the description could be as follows.

LineSource[LineSelector-LineX] = High

LineInverter[LineSelector-LineX] = False

LineMode[LineSelector-LineX] = Input

LineFormat[LineSelector-LineX] = TTL

Generally, selectors only apply to a single category of features. (Example: TriggerSelector only applies to trigger related functions.)

DeviceControl

Display/configure information related to the device.

DeviceControl Item	Setting Range	Default Value	Description
DeviceScanType	-	1:Linescan	Display the device scan type.
DeviceVendorName	-	"JAI Corporation"	Display the manufacturer name.
DeviceModelName	-	-	Display the model name.
DeviceManufacturerInfo	-	See the possibilities	Display the manufacturer information.
DeviceVersion	-	-	Display the device version.
DeviceFirmwareVersion	-	-	Display the firmware version.
DeviceFpgaVersion			Display the FPGA version.
DeviceSerialNumber	-	-	Display the device ID.
DeviceUserID	Any	-	Set the user ID (16bytes) for the camera.
DeviceSFNCVersionMajor	-	2	Display the SFNC Major version.
DeviceSFNCVersionMinor	-	5	Display the SFNC Minor version.
DeviceSFNCVersionSubMinor	-	0	Display the SFNC Sub-Minor version.
DeviceManifestEntrySelector	1	1	Display the valid XML file information.
DeviceManifestXML MajorVersion	0 ~ 9	0	Display XML file's major version number.
DeviceManifestXML MinorVersion	0 ~ 9	0	Display XML file's minor version number.
DeviceManifestXML SubMinorVersion	0 ~ 9	1	Display XML file's sub-minor version number.
DeviceManifestSchema MajorVersion	0 ~ 32bit max	1	Display XML file's sub-major version number.
DeviceManifestSchema MinorVersion	0 ~ 32bit max	1	Display schema file's minor version number.
DeviceManifest PrimaryURL	-	-	Display the PrimaryURL.
DeviceTLType	1:CameraLink (Fixed)	-	Transport Layer type of the device.
DeviceGenCPVersionMajor	-	1	Display the number of supported stream channels.
DeviceGenCPVersionMinor	-	1	Display the number of supported message channels.

DeviceControl Item	Setting Range	Default Value	Description
DeviceReset	-	-	Reset the device. (After the camera receives this command, it returns an ACK response and executes the reset.)
DeviceTemperatureSelector	0: Main board 1: SWIR Sensor	0	Select the area of the camera's interior where the temperature is to be measured.
DeviceTemperature	-55 ~ 125	0	Display the internal temperature (°C) of the device specified by DeviceTemperatureSelector.
DeviceSerialPortSelector	0: CameraLink (Fixed)	0	
DeviceSerialPortBaudRate	-	1	Display the serial port's baud rate. 1(0x01): Baud9600 2(0x02): Baud19200 4(0x04): Baud38400 8(0x08): Baud57600 16(0x10): Baud115200

ImageFormatControl

Configure image format settings for the RGB channels.

Image Format Control Item	Setting Range	Default Value	Description
WidthMax	-	4096	Display the maximum image width. Default: 4096 ImageScalingMode = Off : - BinningHorizontal=1: 4096, BinningHorizontal=2: 2048 ImageScalingMode = other than Off: - WidthMax = ImageScalingWidthMax
Width	-	4096	Set the image width. Max: WidthMax - OffsetX Min,Step: - Normal: 16 - BinningHorizontal=2: 8 - ImageScalingMode =On: 8
Height	-	1	Display the image height.
OffsetX	0 ~ WidthMax - Width	0	Set the horizontal offset. Max: WidthMax - Width Step: 16 (8) Note: When BinningHorizontal = 2 or ImageScalingMode enabled, the value in parentheses is applicable.
BinningHorizontalMode	0:Sum 1:Average	0:Sum	Set the processing method for horizontal binning. Note: Refer to the blog post on how to use the binning function: https://news.jai.com/blog/pixel-binning .
BinningHorizontal	1 ~ 2	1	Set the number of pixels in the horizontal direction for which to perform binning.
BinningVerticalMode	0:Sum (Fixed)	0:Sum	Display the processing method for vertical binning.
BinningVertical	1 ~ 2	1	Set the number of pixels in the vertical direction for which to perform binning.

Image Format Control Item	Setting Range	Default Value	Description
ImageScalingMode Related Topic: Image Scaling Mode (Xscale)	-	0:Off	Enable ImageScalingMode. 0:Off 1: On 2: SWIRPixelFormatMode 3: SWIRHalfPixelFormatMode
ImageScalingSumMode	0:Off (Ave) 1:On (Sum)	0:Off (Ave)	Select whether to use Sum or Average mode when ImageScalingMode is enabled.
ImageScalingHorizontal	0.0625 ~ 1	1	Display the horizontal scaling ratio defined based on the ImageScalingHorizontalRaw setting in decimal units. For example, if the image is scaled by 50% in the horizontal direction, "0.5" is displayed. Value = ImageScalingHorizontalRaw / ImageScalingBaseAbs
ImageScalingHorizontalRaw	256 ~ 4096	4096	Specify the scaling. For example, if you want to scale the image by 50% in the horizontal direction, specify "2048". Step: 2 Note: This item cannot be configured when [ImageScalingMode] is set to [SWIRPixelFormatMode] or [SWIRHalfPixelFormatMode] .
ImageScalingBaseAbs	-	4096 (Fixed)	
ImageScalingWidthMax		4096	Specify the maximum width. Min / Step: 16 Max: ImageScalingMode=Off: 4096 ImageScalingMode=On:((4096 x ImageScalingHorizontal) / 16) x 16 ImageScalingMode=SWIRPixelFormatMode: 1024 ImageScalingMode=SWIRHalfPixelFormatMode: 2048
PixelFormat Related Topic: Camera Output Formats	-	0: RGB8	Set the pixel format. 0: RGB8 1: RGB10BasePacked 2: RGB12BasePacked

Image Format Control Item	Setting Range	Default Value	Description
TestPattern Related Topic: Test Pattern Function	-	0: Off	Select the test image. 0: Off 1: White 2: GreyPattern1(Ramp) 3: GreyPattern2(Stripe) 4: ColorBar
SensorType	0: TypeA 1: TypeB	0: TypeA	Set the pixel size. TypeA: 7.5um x 7.5um TypeB: 7.5um x 10.5um

AcquisitionControl

Configure image capture settings for the RGB channels.

Acquisition Control Item	Setting Range	Default Value	Description
AcquisitionLineRate (Hz) Related Topic: Variable Line Rate	-	500	Set the AcquisitionLineRate(Hz). Min: 500 Max: - Width = 4096: (RGB8) 20.5kHz, (RGB10/12) 13.7kHz - Width = 2048: (RGB8) 40.8kHz, (RGB10/12) 27.3kHz Step: 0.1
TriggerMode Related Topic: Trigger Control	0: Off 1: On	0: Off	Select the trigger mode. When ExposureMode is set to TriggerWidth , TriggerMode is automatically set to On .
TriggerSource	-	20: Line4 TTL In1	Select the trigger signal source. 0: Low 1: High 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4 TTL In1 21: Line5 Opt In1 23: Line7 CC1 24: Line10 TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13 TTL In3 29: EncoderTrigger

Acquisition Control Item	Setting Range	Default Value	Description
TriggerActivation	0:Rising Edge 1:Falling Edge	1:Falling Edge (falling edge of input signal)	Select the polarity of the trigger signal (i.e., location of signal at which trigger is applied).
ExposureMode	0: Off 1: Timed	1: Timed	Select the exposure mode. Related Topic: Exposure Mode
ExposureTimeMode	0: Common 1: Individual	0: Common	Select the Exposure setting method. Select Common to set a common value for all three sensors. Select Individual to set the value for each channel. Note: This item is available only when ExposureMode is set to Timed .
ExposureTimeSelector	0: Common 1:Red 2:Green 3:Blue	0: Common	Specify the sensor for which to set the ExposureTime. Select Common if ExposureTimeMode is set to Common . Select Red/Green/Blue if ExposureTimeMode is set to Individual . Note: This item is available only when ExposureMode is set to Timed .
ExposureTime (us)	3 ~ 15149.07	15149.07	Set the exposure time (0.01 μ s) for the channel selected in ExposureTimeSelector . Related Topic: Electronic Shutter (Exposure Time) Note: The actual exposure time will consist of the image sensor's offset duration (0.85us) deducted from the ExposureTime setting.
RBExposureInterlocked	0: Off 1:On	0: Off	If set to On, you can change Green while maintaining white balance.

AnalogControl

Configure the analog control settings for the RGB channels.

Analog Control Item	Setting Range	Default Value	Description
IndividualGainMode	0:Off 1:On	0:Off	In IndividualGainMode, RGB can be configured individually for the entire gain adjustment range of the sensor.
			Related Topic: Gain Control (RGB Channels)
GainSelector	-	0:Digital All	Select the gain to configure. 0:Digital All (IndividualGainMode=OFF only) 1:Digital Green (IndividualGainMode=ON only) 2:Digital Red 3:Digital Blue
Gain	-	1	Set the gain value for the gain setting selected in GainSelector (Step = 0.01). IndividualGainMode=OFF Digital All: Min=1.0, Max=32.0 DigitalRed/DigitalBlue: Min=0.4, Max=4.0 IndividualGainMode=ON: Min=1.0, Max=64.0
GainAuto	0: Off 1: Once	0: Off	Enable/disable gain auto adjustment. When set to Once , the automatic adjustment will be performed only once, and then automatically switched to Off .
AGCReference	30 ~ 95	50	Set the target level for AGC. (Unit: %)
AGCOnceStatus	-	-	Display the status when GainAuto is set to Once. 1: Succeeded. 2: Error1- Timeout-error occurred. 3: Abort1-Contro lLimit 4: IDLE (Default)
AnalogBaseGainSelector	1:Analog Green 2:Analog Red 3:Analog Blue	1:Analog Green	Select the analog base gain to configure.
AnalogBaseGain	0:0dB 1:6dB 2:12dB	0:0dB	Set the gain value for the analog base gain item selected in AnalogBaseGainSelector .

Analog Control Item	Setting Range	Default Value	Description
BlackLevelSelector	0: DigitalAll 1: DigitalRed 2: DigitalBlue	0: All	Select the black level to configure.
BlackLevel	-	0	Set the black level value. All: Min = -133, Max = 255 Red: Min = -64, Max=64 Blue: Min = -64, Max=64
BalanceWhiteAuto	-	0: Off	Enable/disable auto white balance. When set to Once , the automatic adjustment will be performed only once, and then automatically switched to Off . Note: In IndividualGainMode , BalanceWhiteAuto cannot be set automatically. 0: Off 2: Once 4: Exposure Once 6: Preset 5000K 7: Preset 6500K 8: Preset 7500K
AWBAreaWidth			When BalanceWhiteAuto is set to Once , specify the width of the reference area. Min: 16(8)* Max:4096 Step: 16(8)* *When BinningHorizontal = 2, the value in parenthesis is applicable.
AWBAreaOffsetX	-	-	When BalanceWhiteAuto is set to Once , specify the offset of the reference area. Min: 0 Max: WidthMax - AWBWidth Step: 16(8)* *When BinningHorizontal = 2, the value in parenthesis is applicable.

Analog Control Item	Setting Range	Default Value	Description
AWBOnceStatus	-	5:Idle	When BalanceWhiteAuto is set to Once , display the status. 1:Succeeded 2:Error1- G image was too bright 3:Error2 - G image was too dark 4:Error3 - Timeout 5:Idle
AWBExposureOnce Status	-	5:Idle	When BalanceWhiteAuto is set to ExposureOnce , display the status. 1:Succeeded 2:Error1- G image was too bright 3:Error2 - G image was too dark 4:Error3 - Timeout 5:Idle
Gamma Related Topic: Gamma Function	0.45 ~ 1	0.45	Set the Gamma value. Setting Range: 0.45, 0.50, 0.55, 0.60, 0.65, 0.75, 0.80, 0.90, 1.00
LUTMode	0: Off 1: Gamma 2: LUT	0:Off	Set the LUT mode.

LUTControl

Configure LUT settings.

Related Topic: [LUT \(Lookup Table\)](#)

LUT Control Item	Setting Range	Default Value	Description
LUTSelector	0: Red 1: Green 2: Blue	0: Red	Select the LUT channel to control. Note: Color models only.
LUTIndex	0 ~ 256	0	Set the LUT index table number.
LUTValue	0 ~ 4095	Gamma≐ 1.0	Set the LUT value.

ColorTransformationControl

Configure color transformation settings.

Related Topic: [Color Space Conversion \(Color Transformation Control\)](#)

Color Transformation Control Item	Setting Range	Default Value	Description
ColorTransformationMode	0:RGB 1: HSI 2: XYZ	0:RGB	Set the output image format.
ColorTransformationRGBMode	0: OFF 1: sRGB 2: AdobeRGB 3: UserCustom	0: OFF	Set the detailed mode when RGB is selected for the color space.
ColorMatrixValueSelector	0: R-R 1: R-G 2: R-B 3: G-R 4: G-G 5: G-B 6: B-R 7: B-G 8: B-B	0: R-R	Select the ColorMatrix setting component.
ColorMatrixValue	-2 ~ 2	-	Set the Color Matrix value. (Step = 0.1) Default: ColorMatrixValueSelector=0,4,8: 1.0 ColorMatrixValueSelector=1,2,3,5,6,7: 0

DigitalIOControl

Configure settings for digital input/output.

Related Topic: [GPIO \(Digital Input/Output Settings\)](#)

Digital IO Control Item	Setting Range	Default Value	Description
LineSelector	-	-	Select the input/output to configure. 0: Line1 TTL Out1(12-pin) 3: Line4 TTL In1 (12-pin) 4: Line5 Opt In1(12-pin) 7: Line8 TTL Out2 (AUX) 8: Line9 TTL Out3 (AUX) 9: Line10 TTL In2 (AUX) 11: Line12 TTL Out4 (12-pin) 12: Line13 TTL In3 (AUX) 13: Nand0 In1 14: Nand0 In2 15: Nand1 In1 16: Nand1 In2
LineMode	-	-	Display the input/output status (whether it is input or output). 0:Input (LineSelector=3,4,9,12,13,14,15,16) 2:Output (LineSelector=0,7,8,11)
LineInverter	0: False 1: True	0: False	Enable/disable polarity inversion for the selected input signal or output signal. Note: LineSelector=3, 4, 9, 12 are fixed to "0".
LineStatus	0: False (Low) 1: True (High)	0: False	Display the status of the input signal or output signal (True: High, False: Low).

Digital IO Control Item	Setting Range	Default Value	Description
LineSource	-	0: Low	Select the line source signal for the item selected in LineSelector. 0: Low 1: High 7: ExposureActive 9: LVAL 10: PulseGenerator0 11: PulseGenerator1 12: PulseGenerator2 13: PulseGenerator3 14: UserOutput0 15: UserOutput1 16: UserOutput2 17: UserOutput3 20: Line4: TTL In1 21: Line5: Opt In1 23: Line7 - CC1 24: Line10: TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13: TTL In3 29: EncoderTriger 30: EncoderDirection 31: SWIRExposureActive 32: SWIRLVAL
LineFormat	-	-	Display the signal format. 0: NoConnect 2: TTL 5: Opto Coupled 7: Internal Signal Default LineSelector=0, 3, 7, 8, 9, 11, 12: TTL LineSelector=4:OptoCoupled LineSelector=13,14,15,16: Internal Signal

Digital IO Control Item	Setting Range	Default Value	Description
LineStatusAll	-	bit0:Line1 (TTL Out1)	<p>Display the input/output signal status.</p> <p>bit0:Line1 (TTL Out1) bit1 - 2:Unused (fixed 0) bit3:Line4 (TTL In1) bit4:Line5 (Opt In1) bit5 - 6:Unused (fixed 0) bit7:Line8 (TTL Out2) bit8:Line9 (TTL Out3) bit9:Line10 (TTL In2) bit10:Unused (fixed 0) bit11:Line12 (TTL Out4) bit12:Line13 (TTL In3) bit13 - 15:Unused (fixed 0)</p>
OptInFilterSelector	-	0: Off	<p>Remove noise from the OptIn input signal of Digital I/O.</p> <p>0: Off 1: 0.1 us 2: 1 us 3: 5 us 4: 10 us 5: 50 us 6: 100 us</p>
UserOutputSelector	-	0	<p>Set the UserOutput signal.</p> <p>0: User Output 0 1: User Output 1 2: User Output 2 3: User Output 3</p>
UserOutputValue	0: False 1: True	0: False	Set the value for the UserOutput selected in UserOutputSelector.

CounterAndTimerControl

Configure counter settings.

Note: This camera only supports the counter functions.

Related Topic: [Counter and Timer Control Function](#)

CounterAndTimer Control Item	Setting Range	Default Value	Description
CounterSelector		0: Counter0	Select the counter. 0 - 7: Counter0 - 7
CounterEventSource	-	0: Off	Assign the Counter Event signal for which you want to read the count value to a dedicated counter and read the value. 0: Off 1: Line Trigger (Counter0 only) 2: Exposure Start (Counter2 only) 3: Line Start (Counter1 only) 4: Line Transfer End (Counter3 only) 5: SWIR Line Trigger (Counter4 only) 6: SWIR Exposure Start (Counter6 only) 7: SWIR Line Start (Counter5 only) 8: SWIR Line Transfer End (Counter7 only)
CounterEventActivation	1: Rising Edge	-	Display the count timing. The setting value is fixed to Rising Edge.
CounterReset Source	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	-	Specify the source to reset the counter. This source triggers the counter to reset.
CounterResetActivation	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1: Rising Edge	Select the timing to reset the counter.
CounterReset	-	-	Reset the counter. Note: Available only when CounterResetSource is set to Software .

CounterAndTimer Control Item	Setting Range	Default Value	Description
CounterRefresh	-	-	Update the counter.
CounterValue	0 - 32bit max	0	Display the count value.
CounterStatus	0: CounterIdle 2: CounterActive 4: CounterOverflow - Count value exceeded the maximum value.	0: CounterIdle	Display the counter status.

EncoderControl

Configure the rotary encoder related settings.

Related Topic: [Connecting Rotary Encoders](#)

Encoder Control Item	Setting Range	Default Value	Description
EncoderSourceA	-	0: Line5 Opt In1	Select where to input the signal from the rotary encoder. 0: Line5 Opt In1 1: Line4 TTL In1 2: Line10 TTL In2 3: Line13 TTL In3
EncoderSourceB	-	0: Line5 Opt In1	Select where to input the signal from the rotary encoder 0: Line5 Opt In1 1: Line4 TTL In1 2: Line10 TTL In2 3: Line13 TTL In3
EncoderDivider	1 ~ 32bit max	65536	Set the number of triggers to be generated during one pitch of the rotary encoder. The number of triggers is 65536 / (set value).
EncoderAveragingInterval	-	0: none	Perform the internal processing by averaging the time interval of the specified number of signals. 0: none 1: 2 pulses 2: 4 pulses 3: 8 pulses 4: 16 pulses 5: 32 pulses

Encoder Control Item	Setting Range	Default Value	Description
EncoderFilter (cycle)	0 ~ 15	0	Apply a low-pass filter to prevent noise on the signal from the rotary encoder and stabilize the signal for the specified number of cycles. Note: 10ns/cycle
EncoderStrobe (ns)	1 ~ 256	1	Set the strobe length of the Trigger signal generated from the rotary encoder by the number of cycles.
NonDecimationEncodeIntervalMax	-	0	Enables external setting of the upper limit of the internal frequency calculation result so that the period of the output frequency is no longer than the user-specified period. 0: none (no max) 1: 1 sec max 2: 2 sec max 3: 3 sec max 4: 4 sec max 5: 5 sec max 6: 6 sec max 7: 7 sec max 8: 8 sec max 9: 9 sec max 10: 10 sec max

UserSetControl

Configure user settings.

Related Topic: [Step 6: Save the Settings](#)

User Set Control Item	Setting Range	Default Value	Description
UserSetSelector	-	0: Default	Select the user settings. 0: Default - Invalid when executing UserSetSave 1: User1 2: User2 3: User3
UserSetLoad	-	-	Read the user settings. When selecting Default for UserSetSelector, the factory settings are loaded.
UserSetSave	-	-	Save the current setting values as user settings. Invalid when UserSetSelector is set to Default.

TransportLayerControl

Display information on transport layer control for the RGB channels.

Transport Layer Control Item	Setting Range	Default Value	Description
DeviceTapGeometry	-	0: Geometry_ 1X	Display the transfer method (tap configuration) of images transferred from the camera at one time. 0: Geometry_1X (PixelFormat=RGB8) 1: JAICustom (PixelFormat=RGB10BasePacked / RGB12BasePacked:)
ClConfiguration	-	0:Base (fixed)	Set the Camera Link configuration.
CameraLinkClockFrequency	-	0: 85MHz	Set Camera Link clock frequency. 0: 85MHz 1: 65MHz 2: 42.5MH
CableEmphasis	-	1: Medium	Set cableEmphasis. When set to Medium or Strong, you may be able to extend the camera link cable length. 0: Normal 1: Medium 2: Strong

Related Topic: [📄 Camera Link Cable](#)

PulseGenerator

Configure pulse generator settings.

Pulse Generator Item	Setting Range	Default Value	Description
ClockPreScaler	1 ~ 4096	1	Set the division value for the prescaler (12 bit) using PixelClock as the base clock.
PulseGeneratorClock (MHz)	-	100	Set the clock used for the pulse generator. This value is calculated using the ClockPreScaler value as a base. PulseGeneratorClock = 100 / ClockPreScaler
PulseGeneratorSelector	0:PulseGenerator0 1:PulseGenerator1 2:PulseGenerator2 3:PulseGenerator3	0:PulseGenerator0	Select the pulse generator you want to change or reference.
PulseGeneratorLength	1 ~ 1048575	30000	Set the maximum count-up value as a clock count.
PulseGeneratorLengthMs (ms)	-	0.3	Set the maximum count-up value in milliseconds. This value is calculated using the PulseGeneratorLength value as a base. The setting range varies depending on the ClockPreScaler value. PulseGeneratorLengthMs = 1/PulseGeneratorClock * PulseGeneratorLength
PulseGeneratorFrequency (Hz)	-	3333.333333	Set the maximum count-up value as a frequency (Hz). This value is calculated using the PulseGeneratorLength value as a base. PulseGeneratorFrequency = 1sec / PulseGeneratorLengthMs
PulseGeneratorStartPoint	0 ~ 1048575	0	Set the start point of the High interval as a clock count. When the counter reaches this value, the output will be 1.

Pulse Generator Item	Setting Range	Default Value	Description
PulseGeneratorStartPointMs (ms)	-	0	Set the start point of the High interval in milliseconds. When the counter reaches this value, the output will be 1. The setting range varies depending on the ClockPreScaler value. PulseGeneratorStartPointMs = 1/PulseGeneratorClock * PulseGeneratorStartPoint
PulseGeneratorEndPoint	1 ~ 1048575	15000	Set the start point of the Low interval as a clock count. When the counter reaches this value, the output will be 0.
PulseGeneratorEndPointMs (ms)	-	0.15	Set the start point of the Low interval in milliseconds. When the counter reaches this value, the output will be 0. The setting range varies depending on the ClockPreScaler value. PulseGeneratorEndPoint = 1/PulseGeneratorClock * PulseGeneratorEndPoint
PulseGeneratorPulseWidth (ms)	-	0.15	Display the High interval width of the pulse in milliseconds. The duration between the Start Point and End Point is calculated. The setting range varies depending on the ClockPreScaler value. PulseGeneratorPulseWidth = 1/PulseGeneratorClock * (PulseGeneratorEndPoint - PulseGeneratorStartPoint)
PulseGeneratorRepeat Count	0 ~ 255	0	Set the repeat count for the counter. When this is set to 0, a free counter is enabled with no repeat limit.
PulseGeneratorClear Activation	0: Off 1: Level High 2: Level Low 4: Rising Edge 8: Falling Edge	0: Off	Set the clear signal condition for the count clear input of the pulse generator.

Pulse Generator Item	Setting Range	Default Value	Description
PulseGeneratorClear Source	-	0: Low	<p>Select the count clear input signal source.</p> <p>0: Low 1: High 7: ExposureActive 9: LVAL 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4: TTL In1 21: Line5: Opt In1 23: Line7 - CC1 24: Line10: TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13: TTL In3 29: EncoderTriger 30: EncoderDirection 31: SWIRExposureActive 32: SWIRLVAL</p> <p>Note: (※)Disabled if the PulseGenerator is selected in PUIlseGeneratorSelector.</p>
PulseGeneratorClearInverter	0:False 1:True	0:False	Controls if the pulse generator clear signal is inverted. False means "Active High" and True for "Active Low".
PulseGeneratorClear SyncMode	0:Async Mode 1:Sync Mode	0:Async Mode	Select the sync mode for the count clear input signal.

ShadingControl

Configure shading correction settings for the RGB channels.

Related Topic: [Shading Correction](#)

Shading Control Item	Setting Range	Default Value	Description
ShadingCorrectionMode	-	0: Flat Shading	Select the shading correction method. 0: Flat Shading 1: Color Shading
ShadingMode	0: Off 1: User1 2: User2 3: User3	0: Off	Set the area to which to save shading correction data. When this is set to Off, PerformShadingCalibration will not be executed.
PerformShadingCalibration	-	-	Execute shading correction. Note: This function cannot be executed while TestPattern (ImageFormatControl) is being output. A Condition Error is also displayed when a timeout occurs if the correction cannot be completed.
ShadingDetectResult	0: Condition Error 1: Too Dark 2: Too Bright 3: Correction Limit 4: Complete	0: Condition Error	Display the shading correction results.
ShadingDataSelector	0: Green 1: Red 2: Blue	0: Green	Read the shading correction data, and set the target sensor for modification.
ShadingDataIndex	1 ~ 1024	1	Set the number of shading correction index tables.
ShadingData	0 ~ 0x7FFF	0x4000	Allows referencing and updating correction data for each index. Note: 0x4000= x1
ShadingDataUpdate	-	-	Make shading data reflect on video.
ShadingDataSave	-	-	Save data to be stored in Flash in the area specified by ShadingCorrectionMode.

CorrectionControl

Configure settings related to the correction function for nonuniformity in black levels and gain between pixels (RGB channels -PRNU/DSNU).

Correction Control Item	Setting Range	Default Value	Description
PixelBlackCorrectionMode Related Topic: DSNU Correction (Pixel Black Correct)	0: Off 1: Default 2: User1 3: User2 4: User3	1: Default	(DSNU) Select the user area to which to save the black level correction value. Note: Default stores correction data with factory settings.
PerformPixelBlackCalibration	-	-	(DSNU) Generate black level correction data automatically from the captured image. When PixelBlackCorrectionMode is set to Off or Default and a test pattern is being output instead of an image, this command cannot be executed.
PixelBlackDetectResult	-	5: Idle	(DSNU) Display the results of PerformPixelGainBlackCalibration execution. 1: Succeeded 2: Image too bright 3: Image too dark 4: Timeout error 5: Idle
PixelGainCorrectionMode Related Topic: PRNU Correction (Pixel Gain Correct)	0: Off 1: Default 2: User1 3: User2 4: User3	1: Default	(PRNU) Select the user area to which to save the gain correction value. Note: Default stores correction data with factory settings.
PerformPixelGainCalibration	-	-	(PRNU) Generate gain correction data automatically from the captured image. When PixelGainCorrectionMode is set to Off or Default and a test pattern is being output instead of an image, this command cannot be executed.
PixelGainDetectResult	-	5: Idle	(PRNU) Display the results of PerformPixelGainCalibration execution. 1: Succeeded 2: Image too bright 3: Image too dark 4: Timeout error 5: Idle

Correction Control Item	Setting Range	Default Value	Description
ChromaticAberration CorrectionMode Related Topic: Chromatic Aberration Correction	0: Off 1: Lens1 2: Lens2 3: Lens3	0: Off	Correct the color aberration that occurs at the left and right edges due to lens characteristics.
ChromaticAberration CorrectionSelector	0: R Channel 1: B Channel	0	Specify the channel for which to perform ChromaticAberration CorrectionLens1, 2, 3.
ChromaticAberrationCorrectionLens1 (pixel)	-4.0 ~ 4.0	0.0	Set the amount of correction for ChromaticAberrationCorrectionLens1. Step: 0.1
ChromaticAberrationCorrectionLens2 (pixel)	-4.0 ~ 4.0	0.0	Set the amount of correction for ChromaticAberrationCorrectionLens2. Step: 0.1
ChromaticAberrationCorrectionLens3 (pixel)	-4.0 ~ 4.0	0.0	Set the amount of correction for ChromaticAberrationCorrectionLens3. Step: 0.1
FIRFilterSelector Related Topic: Noise Reduction Filter Functions	0: Red 1: Green 2: Blue	0: Red	Select the target to apply FIR Filter from Red, Green, Blue.
FIRFilterMode	0: Off 1: On	0: Off	Enable / Disable FIR Filter.
FIRFilterLeftRatio	-2 ~ 2	0	Set the coefficient of the left pixel when FIR Filter is applied.
FIRFilterCenterRatio	-2 ~ 2	1	Set the coefficient of the center pixel when FIR Filter is applied.
FIRFilterRightRatio	-2 ~ 2	0	Set the coefficient of the right pixel when FIR Filter is applied.
MEDIANFilterSelector	0: Red 1: Green 2: Blue	0: Red	Select the target to apply MEDIAN Filter from Red, Green, Blue.
MEDIANFilterMode	0: Off 1: On	0: Off	Enable / Disable MEDIAN Filter.

Correction Control Item	Setting Range	Default Value	Description
NoiseReduction	0: Off 1:Level1 2:Level2 3:Level3	0: Off	Set the noise reduction intensity in 4 levels. Level1 = weak, Level4 = strong.

SWIRImageFormatControl

Configure image format settings for the SWIR channel.

SWIR Image Format Control Item	Setting Range	Default Value	Description
SWIRWidth	-	1024 (fixed)	Display the image width.
SWIRPixelFormat Related Topic: Camera Output Formats	0: Mono8 1: Mono10 2: Mono12	0: Mono8	Set the pixel format.
SWIRTestPattern Related Topic: Test Pattern Function	0: Off 1: GreyHorizontalRamp 2: GreyScale2 3:White	0: Off	Select the test image.

SWIRAcquisitionControl

Configure image capture settings for the SWIR channel.

SWIR Acquisition Item	Setting Range	Default Value	Description
SWIRTriggerMode Related Topic: Trigger Control	0:Off 1:On	0:Off	Enable/disable the Trigger mode.

SWIR Acquisition Item	Setting Range	Default Value	Description				
SWIRTriggerSource	-	0: Low	Select the trigger signal source. 0: Low 1: High 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4 TTL In1 21: Line5 Opt In1 23: Line7 CC1 24: Line10 TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13 TTL In3 29: EncoderTrigger				
SWIRTriggerActivation	0:Rising Edge 1:Falling Edge	1:Falling Edge	Select the polarity of the trigger signal (i.e., location of signal at which trigger is applied).				
SWIRAcquisitionLineRate (Hz) Related Topic: Variable Line Rate	500.012 ~ 39215	39215	Specify the line rate (Hz).				
SWIRExposureMode Related Topic: Exposure Mode	0: Off 1: Timed	1: Timed	Select the exposure mode.				
SWIRExposureTime (us) Related Topic: Electronic Shutter (Exposure Time)	20.4 ~ 1994.85	20.4	Specify the exposure time. (unit: us). Step: 0.1499 Note: No exposure offset duration for the SWIR channel.				
SWIRFreeRunSyncMode	0: Off (Asynch) 1: Timed (Synch)	0: Off (Asynch)	Synchronizes the operation of the RGB channels and the SWIR channel when the trigger mode is off. <table border="1"> <tr> <td>Off</td> <td>Use the SWIR channel's free running operation.</td> </tr> <tr> <td>On</td> <td>Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).</td> </tr> </table>	Off	Use the SWIR channel's free running operation.	On	Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).
Off	Use the SWIR channel's free running operation.						
On	Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).						

SWIRAnalogControl

Configure the analog control settings for the SWIR channel.

SWIR Analog Control Item	Setting Range	Default Value	Description
SWIRSensOutCfa Related Topic: Gain Control (SWIR Channel)	0: Zero 1: One	1: One	Set the sensor's internal conversion gain.
SWIRSensOutCfb	0: Zero 1: One	1: One	Set the sensor's internal conversion gain.
SWIRSensOutCfc	0: Zero 1: One	0: Zero	Set the sensor's internal conversion gain.
SWIRAnalogBaseGain	0: -6dB 1: -3dB 2: 0dB 3: +3dB	2: 0dB	Set the analog base gain value.
SWIRGainSelector	-	0: Analog All (fixed)	Display the Gain value to configure.
SWIRGain	1 ~ 3.572	1	Set the Gain value.
SWIRBlackLevelSelector Related Topic: Adjust the Black Level	-	0: All (fixed)	Select the black level to configure.
SWIRBlackLevel	-256 ~ 255	0	Set the black level value.
SWIRGamma Related Topic: Gamma Function	-	0.45	Set the Gamma value. Setting Range: 0.45, 0.50, 0.55, 0.60, 0.65, 0.75, 0.80, 0.90, 1.00
SWIRLUTMode	0: Off 1: Gamma 2: LUT	0: Off	Select the LUT mode.

SWIRLUTControl

Configure LUT settings for the SWIR channel.

Related Topic: [LUT \(Lookup Table\)](#)

SWIR Lut Control Item	Setting Range	Default Value	Description
SWIRLUTSelector	-	0: Luminance (fixed)	Display the LUT channel to control.
SWIRLUTIndex	0 ~ 255	0	Set the LUT index table number.
SWIRLUTValue	0 ~ 4095	Gamma=1.0	Set the LUT value.

SWIRTransportLayerControl

Display information on transport layer control for the SWIR channel.

SWIR Transport Layer Control Item	Setting Range	Default Value	Description
DeviceTapGeometry	-	0: Geometry_ 1X (fixed)	Display the transfer method (tap configuration) of images transferred from the camera at one time.

SWIRShadingControl

Configure shading correction settings for the SWIR channel.

Related Topic: [Shading Correction](#)

SWIR Shading Control Item	Setting Range	Default Value	Description
SWIRShadingCorrect	0: Off 1: Factory 2: User	0: Off	Set the area to which to save shading correction data. When this is set to Off, SWIRShadingCalibration will not be executed. Note: Factory stores correction data with factory settings.
SWIRShadingCalibration	-	-	Execute shading calibration.
SWIRShadingCalibrationResult	-	0: Shading correction has not been finished yet.	Display the shading correction results. 0: Shading correction has not been finished yet. 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.
SWIRShadingDataIndex	1 ~ 1024	1	Set the number of shading correction index tables.
SWIRShadingData	0 ~ 65535	0	Allows referencing and updating correction data for each index.
SWIRShadingDataUpdate	-	-	Make shading data reflect on video.
SWIRShadingDataSave	-	-	Save data to be stored in Flash in the area specified by SWIRShadingCorrect.

SWIRCorrectionControl

Configure settings related to the correction function for nonuniformity in black levels and gain between pixels for the SWIR channel.

SWIR Correction Control Item	Setting Range	Default Value	Description
SWIRPixelBlackCorrect Related Topic: DSNU Correction (Pixel Black Correct)	0: Off 1: Factory 2: User	0: Off	(DSNU) Select the area to which to save the pixel black correction value. Note: Factory stores correction data with factory settings.
SWIRPixelBlackCalibration	-	-	(DSNU) Generate black level correction data automatically from the captured image.
SWIRPixelBlackCalibrationResult	-	0: Pixel black correction has not been finished yet.	(DSNU) Display the results of SWIRPixelBlackCalibration execution. 0: Pixel black correction has not been finished yet. 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.
SWIRPixelGainCorrect Related Topic: PRNU Correction (Pixel Gain Correct)	0: Off 1: Factory 2: User	0: Off	(PRNU) Select the area to which to save the pixel gain correction value. Note: Factory stores correction data with factory settings.
SWIRPixelGainCalibration	-	-	(PRNU) Generate gain correction data automatically from the captured image.
SWIRPixelGainCalibrationResult	-	0: Pixel gain correction has not been finished yet.	(PRNU) Display the results of SWIRPixelGinCalibration execution. 0: Pixel gain correction has not been finished yet. 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.

SWIR Correction Control Item	Setting Range	Default Value	Description
SWIRNoiseReduction Related Topic: Noise Reduction Filter Functions	0: Off 1: On	0: Off	Enable / Disable SWIRNoiseReduction.

SWIRBlemishControl

Configure settings for JAI white blemish correction for the SWIR channel.

Related Topic: [Defective Pixel Correction](#)

SWIR Blemish Control Item	Setting Range	Default Value	Description
SWIRBlemishCorrect	0: Off 1: On	0: Off	Enable/disable blemish correction.
SWIRBlemishThreshold	1 ~ 100	1	Set the blemish correction threshold.
SWIRBlemishDetect	-	-	Execute blemish detection.
SWIRBlemishDetectResult	-	5: Idle	Display the blemish correction results. 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred. 5: Idle
SWIRBlemishIndex	1 ~ 8	-	Select the index for the target blemish position.
SWIRBlemishPosition	0 ~ 1024	1	Display the position of the target blemish selected in SWIRBlemishIndex. You can also manually enter the position of the blemish you want to correct.

Short ASCII Command List

All configuration of the camera is done via the RS-232C port. The camera can be set up from a PC running terminal emulator software.

Below is the description of the ASCII based short command protocol.

Communication Setting

Baud Rate: 9600 (Default)

Data Length: 8bit

Start Bit: 1bit

Stop Bit: 1 bit

Parity: None

Xon/Xoff Control: None

Protocol (Short ASCII Command)

Transmit the setting command to camera

NN is any kind of the command.

NN=[Param.]<CR><LF>

Send to camera: GA=0 <CR><LF>

Camera response: COMPLETE<CR><LF>

When camera receives a valid command, camera will return 'COMPLETE'. If camera receives an invalid command, camera will return following:

Send to camera: GAX=0 <CR><LF>

Camera response: 01 Unknown Command!!<CR><LF>

Send to camera: GA=10000 <CR><LF>

Camera response: 02 Bad Parameters!!<CR><LF>

Transmit the request command to camera

The status of camera's settings can be queried by transmitting NN?<CR><LF>, where NN is any valid command.

The camera will return the current setting data.

Send to camera: GA? <CR><LF>

Camera response: GA=100<CR><LF>

Switching baud rate between PC and camera

Camera always starts up with 9600bps. This can be switched to higher baud rates after a communication has been established. When switching to other baud rate the procedure is as follows.

e.g. Change baud rate to 115200bps

1. Confirm baud rates camera supported
Send to camera: SBDRT? <CR><LF>
Camera response: SBDRT=31(0x1F)<CR><LF>
2. Request new baud rate 115200bps
Send to camera: CBDRT=16(0x10) <CR><LF>
Camera response: COMPLETE<CR><LF>
3. Rewrite new baud rate again with new baud rate (Confirmation command)
Send to camera: CBDRT=16(0x10) <CR><LF>
Camera response: COMPLETE<CR><LF>

In case the camera does not receive the confirming command with new baud rate within 250ms after sending the acknowledge it falls back to the original baud rate (9600bps).

Device Control (Command List)

Display/configure information related to the device.

Note: Descriptions of each command can also be found in "[DeviceControl!](#)" (Setting List).

Device Control Name	Access	Short ASCII	Values	Default Value	Example / Description
DeviceVendorName	R	DVN	"JAI Corporation"	-	DVN?<CR><LF> Display the manufacture name.
DeviceModelName	R	MD	"SW-4010Q-MCL"	-	MD?<CR><LF> Display the model name.
DeviceVersion	R	DV	Indicate device version (e.g. "0.1.0.0")	-	DV?<CR><LF> Display the camera version.
DeviceFirmwareVersion	R	VN	"*.*.*"	-	VN?<CR><LF> Display the version of firmware.
DeviceFpgaVersion	R	FPVN	"*.*.*"	-	FPVN?<CR><LF> Display the version of FPGA.
DeviceSerialNumber	R	ID	Serial Number	-	ID?<CR><LF> Display device's serial number

Device Control Name	Access	Short ASCII	Values	Default Value	Example / Description
DeviceUserID	R/W	UD	User can save and load free text. (64 or less characters)		UD=[Param.]<CR><LF> UD?<CR><LF> Set the user ID for the camera
DeviceReset	W	CRS00	-	-	CRS00<CR><LF> Reset the device.
DeviceTemperatureSelector	R/W	TMPS0	0: Main board (Default) 1: SWIR Sensor		TMPS0=[Param.]<CR><LF> TMPS0?<CR><LF> Select the area of the camera's interior for which to display the temperature.
DeviceTemperature	R	TMP0	-55 ~ 125	0	TMP0?<CR><LF> Display the temperature of the device in Celsius (C), which was selected in DeviceTemperatureSelector.
DeviceSerialPortSupported BaudRates	R	SBDRT	bit0: 9600bps bit1: 19200bps bit2: 38400bps bit3: 57600bps bit4: 115200bps		SBDRT?<CR><LF> Indicate Support/Non-support status for each baud rate.
DeviceSerialPortCurrent BaudRate	R/W	CBDRT	bit0: 9600bps (Default) bit1: 19200bps bit2: 38400bps bit3: 57600bps bit4: 115200bps		CBDRT=[Param.]<CR><LF> CBDRT?<CR><LF> WRITE: Set any bit of baud rate. READ: Indicate current baud rate. In case of WRITE execution (change baud rate), it needs to control in the proper sequence between Host and Camera.
EchoBack	R/W	EB	0: Echo Off (Default) 1: Echo On		EB=[Param.]<CR><LF> EB?<CR><LF> Enable/disable the echo back.

Image Format Control (RGB - Command List)

Configure image format settings for the RGB channels.

Note: Descriptions of each command can also be found in "[ImageFormatControl](#)" (Setting List).

Image Format Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
Width	R/W	WTC	Min / Step: 16 (8)* Max: 4096 - OffsetX Note: (*)* = BinningHorizontal = 2 or ImageScalingMode = On	4096	WTC=[Param.]<CR><LF> WTC?<CR><LF> Set the image width.
OffsetX	R/W	OFC	Min: 0 Max: 4096 - Width Step: 16 (8)* Note: (*)* = BinningHorizontal = 2 or ImageScalingMode = On	0	OFC=[Param.]<CR><LF> OFC?<CR><LF> Set the horizontal offset.
BinningHorizontalMode	R/W	HBM	0:Sum 1:Average	0	HBM=[Param.]<CR><LF> HBM?<CR><LF> Set the processing method for horizontal binning.
BinningHorizontal	R/W	HB	1 ~ 2	1	HB=[Param.]<CR><LF> HB?<CR><LF> Set the number of pixels in the horizontal direction for which to perform binning.
BinningVertical	R/W	VB	1 ~ 2	1	VB=[Param.]<CR><LF> VB?<CR><LF> Set the number of pixels in the vertical direction for which to perform binning.
ImageScalingMode	R/W	ISM	0: Off 1: On 2: SWIRPixelMode 3: SWIRHalfPixelMode	0	ISM=[Param.]<CR><LF> ISM?<CR><LF> Enable and select Image Scaling Mode.

Image Format Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
ImageScalingSumMode	R/W	ISSM	0: Off (Average) 1: On (Sum)	0	ISSM=[Param.]<CR><LF> ISSM?<CR><LF> Select whether to use Sum or Average mode when ImageScalingMode is On.
ImageScalingHorizontalRaw	R/W	ISH	256 ~ 4096 Step: 2	4096	ISH=[Param.]<CR><LF> ISH?<CR><LF> Specify the scaling. For example, if you want to output an image with 50% scaling, set ImageScalingHorizontalRaw to 2048.
ImageScalingWidthMax	R/W	ISWMAX	Min / Step: 16 Max: Value varies depending on the ImageScalingMode setting: Off: 4096 On: (4096 x ImageScalingHorizontal*) / 16) x 16 SWIRPixelMode : 1024 SWIRHalfPixelMode: 2048	4096	ISWMAX=[Param.]?<CR><LF> ISWMAX?<CR><LF> Specify the maximum width. The setting range varies depending on the ImageScalingMode setting(s). Note: *ImageScalingHorizontal = ImageScalingHorizontalRaw /4096
PixelFormat	R/W	BA	0: RGB8 1: RGB10BasePacked 2: RGB12BasePacked	0	BA=[Param.]<CR><LF> BA?<CR><LF> Set the pixel format.
TestPattern	R/W	TPN	0:Off 1:White 2:GreyPattern1 (Ramp) 3:GreyPattern2 (Stripe) 4:ColorBar	0	TPN=[Param.]<CR><LF> TPN?<CR><LF> Select the test image.
SensorType	R/W	STP	0:TypeA 1:TypeB	0	STP=[Param.]<CR><LF> STP?<CR><LF> Set the sensor type.

Acquisition Control (RGB - Command List)

Configure image capture settings for the RGB channels.

Note: Descriptions of each command can also be found in "[AcquisitionControl](#)" (Setting List).

Acquisition Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
AcquisitionLinePeriod	R/W	LR	4855 ~ 200000 Unit: 0.01us	200000	LR=[Param.]<CR><LF> LR?<CR><LF> Use this command to set the line rate of the camera by specifying the line period. The unit value is 1/100 μs. Example: If you need 68212 Hz = 1466 (14.66 μs line period).
AcquisitionLinePeriodMin	R	LRMIN	4855 ~ 7282 Unit: 0.01us	-	LRMIN?<CR><LF> Display the minimum line period. The unit value is 1/100 μs.
TriggerMode	R/W	TM	0:Off 1:On	0	TM=[Param.]<CR><LF> TM?<CR><LF> Enable/disable the Trigger mode.
TriggerSource	R/W	TI	0: Low 1: High 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4 TTL In1 (Default) 21: Line5 Opt In1 23: Line7 CC1 24: Line10 TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13 TTL In3 29: EncoderTrigger		TI=[Param.]<CR><LF> TI?<CR><LF> Select the trigger signal source.
TriggerActivation	R/W	TA	0:Rising Edge 1:Falling Edge (Default)		TA=[Param.]<CR><LF> TA?<CR><LF> Select the polarity of the trigger signal (i.e., location of signal at which trigger is applied).

Acquisition Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
ExposureMode	R/W	TR	0:Off 1:Timed (Default)		TR=[Param.]<CR><LF> TR?<CR><LF> Select the exposure mode. Note: When set to Timed , the exposure offset duration will be -0.85 μ s.
ExposureTimeMode	R/W	ETM	0:Common (Default) 1:Individual		ETM=[Param.]<CR><LF> ETM?<CR><LF> Select the exposure time mode. Common: Set the common value for R, G and B channels. Individual: Set the values for the R, G, and B channels individually
ExposureTime10ns [Common]	R/W	PE	300 ~ 1514907 Unit: 10ns (100 = 1us)	1514907	PE=[Param.]<CR><LF> PE?<CR><LF> When ExposureTimeMode is set to Common, set the exposure time in Common mode.
ExposureTime10ns[Red]	R/W	PER	300 ~ 1514907 Unit: 10ns (100 = 1us)	1514907	PER=[Param.]<CR><LF> PER?<CR><LF> Set the exposure time for the Red channel. Note: ExposureTimeMode must be set to Individual .
ExposureTime10ns[Green]	R/W	PEG	300 ~ 1514907 Unit: 10ns (100 = 1us)	1514907	PEG=[Param.]<CR><LF> PEG?<CR><LF> Set the exposure time for the Green channel. Note: ExposureTimeMode must be set to Individual .
ExposureTime10ns[Blue]	R/W	PEB	300 ~ 1514907 Unit: 10ns (100 = 1us)	1514907	PEB=[Param.]<CR><LF> PEB?<CR><LF> Set the exposure time for the Blue channel. Note: ExposureTimeMode must be set to Individual .

Acquisition Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
ExposureTimeUnit10nsMin	R	PEMIN	300 ~ 1514907 Unit: 10ns (100 = 1us)	-	PEMIN?<CR><LF> Display the minimum exposure time.
ExposureTimeUnit10nsMax	R	PEMAX	300 ~ 1514907 Unit: 10ns (100 = 1us)	-	PEMAX?<CR><LF> Display the maximum exposure time.
RBExposureInterlocked	R/W	EI	0:Off 1:On	0	EI=[Param.]<CR><LF> EI?<CR><LF> Adjust exposure time of the R and B channels automatically in conjunction with exposure time of the G channel.

Analog Control (RGB - Command List)

Configure the analog control settings for the RGB channels.

Note: Descriptions of each command can also be found in "[AnalogControl](#)" (Setting List).

Analog Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
IndividualGainMode	R/W	GM	0:Off 1:On	0	GM=[Param.]<CR><LF> GM?<CR><LF> Configure Gain individually for RGB when set to On.
GainInt[DigitalAll]	R/W	GA	100 ~ 3200 Setting value 100 = x1	100	GA=[Param.]<CR><LF> GA?<CR><LF> Set Gain [DigitalAll], when IndividualGainMode is Off.
GainInt[DigitalRed]	R/W	GAR	IndividualGainMode = Off: 40 ~ 400 IndividualGainMode = On: 100 ~ 6400 Setting value 100 = x1	100	GAR=[Param.]<CR><LF> GAR?<CR><LF> Set Gain[DigitalRed]. The setting range varies depending on the IndividualGainMode setting.
GainInt[DigitalGreen]	R/W	GAG	IndividualGainMode = On: 100 ~ 6400 Setting value 100 = x1	100	GAG=[Param.]<CR><LF> GAG?<CR><LF> Set Gain[DigitalGreen].

Analog Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
GainInt[DigitalBlue]	R/W	GAB	IndividualGainMode = Off: 40 ~ 400 IndividualGainMode = On: 100 ~ 6400 Setting value 100 = x1	100	GAB=[Param.]<CR><LF> GAB?<CR><LF> Set Gain[DigitalBlue]. The setting range varies depending on the IndividualGainMode setting.
GainAuto	R/W	AGC	0:Off 1:Once	0	AGC=[Param.]<CR><LF> AGC?<CR><LF> Enable/disable gain auto adjustment. Once automatically changes to Off when the signal level converges once.
AGCReference	R/W	AGCF	30 ~ 95 Unit: %	50	AGCF=[Param.]<CR><LF> AGCF?<CR><LF> Set the target level for AGC.
AGCOnceStatus	R	AGCS	1: Succeeded. 2: Error1 - Timeout-error occurred. 3: Abort1 - Contro lLimit 4: Idle (Default)		AGCS?<CR><LF> Display the status when GainAuto is set to Once.
AnalogBaseGain [AnalogGreen]	R/W	SGG	0:0dB (Default) 1:6dB 2:12dB		SGG=[Param.]<CR><LF> SGG?<CR><LF> Set AnalogBaseGain[AnalogGreen].
AnalogBaseGain [AnalogRed]	R/W	SGR	0:0dB (Default) 1:6dB 2:12dB		SGR=[Param.]<CR><LF> SGR?<CR><LF> Set AnalogBaseGain[AnalogRed].
AnalogBaseGain [AnalogBlue]	R/W	SGB	0:0dB (Default) 1:6dB 2:12dB		SGB=[Param.]<CR><LF> SGB?<CR><LF> Set AnalogBaseGain[AnalogBlue].
BlackLevel[All]	R/W	BL	-133 ~ 255	0	BL=[Param.]<CR><LF> BL?<CR><LF> Set BlackLevel[All].
BlackLevel[Red]	R/W	BLR	-64 ~ 64	0	BLR=[Param.]<CR><LF> BLR?<CR><LF> Set BlackLevel[Red].
BlackLevel[Blue]	R/W	BLB	-64 ~ 64	0	BLB=[Param.]<CR><LF> BLB?<CR><LF> Set BlackLevel[Blue].

Analog Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
BalanceWhiteAuto	R/W	AWB	0:Off (Default) 2:Once 4:Exposure Once 5:Preset 5000K 6:Preset 6500K 7:Preset 7500K		AWB=[Param.]<CR><LF> AWB?<CR><LF> Set BalanceWhiteAuto. When set to Once , the automatic adjustment will be performed only once, and then automatically switched to Off. Note: When set to IndividualGainMode , only Off can be selected.
AWBAreaWidth	R/W	AWBW	Min / Step: 16(8)* Max: 4096 - AWBOffsetX Note: (*) = BinningHorizontal = 2	4096	AWBW=[Param.]<CR><LF> AWBW?<CR><LF> Specify the width of the referenced area when BalanceWhiteAuto is set to Once ,
AWBAreaOffsetX	R/W	AWBO	Min: 0 Max: 4096 -AWBWidth Step: 16(8)* Note: (*) = BinningHorizontal = 2	0	AWBO=[Param.]<CR><LF> AWBO?<CR><LF> Specify the offset of the referenced area when BalanceWhiteAuto is set to Once ,
AWBOnceStatus	R	AWRS	1:Succeeded 2:Error1 - G image was too bright 3:Error2 - G image was too dark 4:Error3 - Timeout 5:Idle (Default)		AWBS?<CR><LF> Display the status when BalanceWhiteAuto is set to Once ,
GammaInt	R/W	GMA	45, 50, 55, 60, 65, 75, 80, 90, 100	45	GMA=[Param.]<CR><LF> GMA?<CR><LF> Controls the gamma correction of pixel intensity. This is typically used to compensate for non-linearity of the display system (such as CRT).
LUTMode	R/W	LUN	0: Off (Default) 1: Gamma 2: LUT		LUN=[Param.]<CR><LF> LUN?<CR><LF> Select the LUT mode.

LUT Control (RGB - Command List)

Configure LUT settings for the RGB channels.

Note: Descriptions of each command can also be found in "[LUTControl](#)" (Setting List).

Lut Control (RGB) Name	Access	Short ASCII	Values	Default Value	Example / Description
LUTIndex [Red]	R/W	LUTIR	0 ~ 256	0	LUTIR=[Param.]<CR><LF> LUTIR?<CR><LF> Set the LUT index table number for the Red channel.
LUTIndex [Green]	R/W	LUTIG	0 ~ 256	0	LUTIG=[Param.]<CR><LF> LUTIG?<CR><LF> Set the LUT index table number for the Green channel.
LUTIndex [Blue]	R/W	LUTIB	0 ~ 256	0	LUTIB=[Param.]<CR><LF> LUTIB?<CR><LF> Set the LUT index table number for the Blue channel.
LUTValue [Red]	R/W	LUTR	0 ~ 4095	Gamma=1.0	LUTR=[Param.]<CR><LF> LUTR?<CR><LF> Set the LUT value for the Red channel.
LUTValue [Green]	R/W	LUTG	0 ~ 4095	Gamma=1.0	LUTG=[Param.]<CR><LF> LUTG?<CR><LF> Set the LUT value for the Green channel.
LUTValue [Blue]	R/W	LUTB	0 ~ 4095	Gamma=1.0	LUTB=[Param.]<CR><LF> LUTB?<CR><LF> Set the LUT value for the Blue channel.

Color Transformation Control (Command List)

Configure color transformation settings.

Note: Descriptions of each command can also be found in "[ColorTransformationControl](#)" (Setting List).

Color Transformation Control Name	Access	Short ASCII	Values	Default Value	Example / Description
ColorTransformationMode	R/W	CTM	0: RGB 1: HSI 2: XYZ	0	CTM=[Param.]<CR><LF> CTM?<CR><LF> Select the color space.
ColorTransformationRGBMode	R/W	CTRM	0: Off 1: sRGB 2: AdobeRGB 3: UserCustom	0	CTRM=[Param.]<CR><LF> CTRM?<CR><LF> Set the detailed mode when RGB is selected for the color space.
ColorMatrixValueInt [R-R]	R/W	CMVRR	-20000 ~ 20000 Step: 1000	1000	CMVRR=[Param.]<CR><LF> CMVRR?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (R-R)
ColorMatrixValueInt [R-G]	R/W	CMVRG	-20000 ~ 20000 Step: 1000	0	CMVRG=[Param.]<CR><LF> CMVRG?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (R-G)
ColorMatrixValueInt [R-B]	R/W	CMVRB	-20000 ~ 20000 Step: 1000	0	CMVRB=[Param.]<CR><LF> CMVRB?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (R-B)

Color Transformation Control Name	Access	Short ASCII	Values	Default Value	Example / Description
ColorMatrixValueInt [G-R]	R/W	CMVGR	-20000 ~ 20000 Step: 1000	0	CMVGR=[Param.]<CR><LF> CMVGR?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (G-R)
ColorMatrixValueInt [G-G]	R/W	CMVGG	-20000 ~ 20000 Step: 1000	1000	CMVGG=[Param.]<CR><LF> CMVGG?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (G-G)
ColorMatrixValueInt [G-B]	R/W	CMVGB	-20000 ~ 20000 Step: 1000	0	CMVGB=[Param.]<CR><LF> CMVGB?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (G-B)
ColorMatrixValueInt [B-R]	R/W	CMVBR	-20000 ~ 20000 Step: 1000	0	CMVBR=[Param.]<CR><LF> CMVBR?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (B-R)
ColorMatrixValueInt [B-G]	R/W	CMVBG	-20000 ~ 20000 Step: 1000	0	CMVBG=[Param.]<CR><LF> CMVBG?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (B-G)

Color Transformation Control Name	Access	Short ASCII	Values	Default Value	Example / Description
ColorMatrixValueInt [B-B]	R/W	CMVBB	-20000 ~ 20000 Step: 1000	1000	CMVBB=[Param.]<CR><LF> CMVBB?<CR><LF> Specify the ColorMatrix value. ColorTransformationMode = RGB ColorTransformationRGBMode=UserCustom Individually adjust 9 elements of the 3x3 color matrix (B-B)

Digital IO Control (Command List)

Configure settings for digital input/output.

Notes:

- Descriptions of each command can also be found in "[DigitalIOControl](#)" (Setting List).
- The following signals cannot be inverted (LineInverter fixed to 0): TTL In1 (Line4/12-pin), Opt In1 (Line 5/12-pin), TTL In2 (Line 10/AUX), TTL In3 (Line 13/AUX).

Digital IO Control Name	Access	Short ASCII	Values	Default Value	Example / Description
LineInverter [TTL Out1] Note: TTL Out1 = Line 1 (12-pin)	R/W	LI0	0: False 1: True	0	LI0=[Param.]<CR><LF> LI0?<CR><LF> Invert the polarity of the signal (TTLOut1).
LineInverter [TTL Out2] Note: TTL Out2 = Line 8 (AUX)	R/W	LI1	0: False 1: True	0	LI1=[Param.]<CR><LF> LI1?<CR><LF> Invert the polarity of the signal (TTLOut2).
LineInverter [TTL Out3] Note: TTL Out3 = Line 9 (AUX)	R/W	LI2	0: False 1: True	0	LI2=[Param.]<CR><LF> LI2?<CR><LF> Invert the polarity of the signal (TTLOut3).
LineInverter [TTL Out4] Note: TTL Out4 = Line 12 (12-pin)	R/W	LI3	0: False 1: True	0	LI3=[Param.]<CR><LF> LI3?<CR><LF> Invert the polarity of the signal (TTLOut4).

Digital IO Control Name	Access	Short ASCII	Values	Default Value	Example / Description
LineInverter [NANDGate0In1]	R/W	ND0INV1	0: False 1: True	0	ND0INV1=[Param.]<CR><LF> ND0INV1?<CR><LF> Invert the polarity of the signal (NANDGate0In1).
LineInverter [NANDGate0In2]	R/W	ND0INV2	0: False 1: True	0	ND0INV2=[Param.]<CR><LF> ND0INV2?<CR><LF> Invert the polarity of the signal (NANDGate0In1).
LineInverter [NANDGate1In1]	R/W	ND1INV1	0: False 1: True	0	ND1INV1=[Param.]<CR><LF> ND1INV1?<CR><LF> Invert the polarity of the signal (NANDGate1In1).
LineInverter [NANDGate1In2]	R/W	ND1INV2	0: False 1: True	0	ND1INV2=[Param.]<CR><LF> ND1INV2?<CR><LF> Invert the polarity of the signal (NANDGate1In2).
LineSource [TTL Out1] Note: TTL Out1 = Line 1 (12-pin)	R/W	LS0	0: Low (Default) 1: High 7: ExposureActive 9: LVAL 10 - 13: PulseGenerator0 - 3 14 - 17: UserOutput0 - 3 20: Line4: TTL In1 21: Line5: Opt In1 23: Line7 - CC1 24: Line10: TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13: TTL In3 29: EncoderTriger 30: EncoderDirection 31: SWIRExposureActive 32: SWIRLVAL		LS0=[Param.]<CR><LF> LS0?<CR><LF> Select signal to be passed to the Line 1.
LineSource [TTL Out2] Note: TTL Out2 = Line 8 (AUX)	R/W	LS1	Same as LS0	0	LS1=[Param.]<CR><LF> LS1?<CR><LF> Select signal to be passed to the Line 8.

Digital IO Control Name	Access	Short ASCII	Values	Default Value	Example / Description
LineSource [TTL Out3] Note: TTL Out3 = Line 9 (AUX)	R/W	LS2	Same as LS0	0	LS2=[Param.]<CR><LF> LS2?<CR><LF> Select signal to be passed to the Line 9.
LineSource [TTL Out4] Note: TTL Out4 = Line 12 (12-pin)	R/W	LS3	Same as LS0	0	LS3=[Param.]<CR><LF> LS3?<CR><LF> Select signal to be passed to the Line 12.
LineSource [NANDGate0In1]	R/W	ND0IN1	Same as LS0	0	ND0IN1=[Param.]<CR><LF> ND0IN1?<CR><LF> Select signal to be passed to the Line NANDGate0In1.
LineSource [NANDGate0In2]	R/W	ND0IN2	Same as LS0	0	ND0IN2=[Param.]<CR><LF> ND0IN2?<CR><LF> Select signal to be passed to the Line NANDGate0In2.
LineSource [NANDGate1In1]	R/W	ND1IN1	Same as LS0	0	ND1IN1=[Param.]<CR><LF> ND1IN1 ?<CR><LF> Select signal to be passed to the Line NANDGate1In1.
LineSource [NANDGate1In2]	R/W	ND1IN2	Same as LS0	0	ND1IN2=[Param.]<CR><LF> ND1IN2 ?<CR><LF> Select signal to be passed to the Line NANDGate1In2.
OptInFilterSelector	R/W	OPTFL	0: Off 1: 0.1 us 2: 1 us 3: 5 us 4: 10 us 5: 50 us 6: 100 us	0	OPTFL=[Param.]<CR><LF> OPTFL?<CR><LF> Set the noise elimination level of OptIO input signal of DigitalIO.
UserOutputValue [UserOutput0]	R/W	USC0	0: False 1: True	0	USC0=[Param.]<CR><LF> USC0 ?<CR><LF> Set the value (False or True) for the UserOutput0.

Digital IO Control Name	Access	Short ASCII	Values	Default Value	Example / Description
UserOutputValue [UserOutput1]	R/W	USC1	0: False 1: True	0	USC1 =[Param.]<CR><LF> USC1 ?<CR><LF> Set the value (False or True) for the UserOutput1.
UserOutputValue [UserOutput2]	R/W	USC2	0: False 1: True	0	USC2 =[Param.]<CR><LF> USC2 ?<CR><LF> Set the value (False or True) for the UserOutput2.
UserOutputValue [UserOutput3]	R/W	USC3	0: False 1: True	0	USC3 =[Param.]<CR><LF> USC3 ?<CR><LF> Set the value (False or True) for the UserOutput3.

Counter and Timer Control (Command List)

Configure counter settings.

Notes:

- This camera only supports the counter functions.
- Descriptions of each command can also be found in "[CounterAndTimerControl](#)" (Setting List).

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterEventSource [Counter0]	R/W	CE0	0: Off (Stop the counter) 1: Line Trigger	0	CE0=[Param.]<CR><LF> CE0?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter1]	R/W	CE1	0: Off (Stop the counter) 1: Line Start	0	CE1=[Param.]<CR><LF> CE1?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter2]	R/W	CE2	0: Off (Stop the counter) 1: Exposure Start	0	CE2=[Param.]<CR><LF> CE2?<CR><LF> Select the events that will be the source to increment the Counter.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterEventSource [Counter3]	R/W	CE3	0: Off (Stop the counter) 1: Line Transfer End	0	CE3=[Param.]<CR><LF> CE3?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter4]	R/W	CE4	0: Off (Stop the counter) 1: SWIR Line Trigger	0	CE4=[Param.]<CR><LF> CE4?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter5]	R/W	CE5	0: Off (Stop the counter) 1: SWIR Line Start	0	CE5=[Param.]<CR><LF> CE5?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter6]	R/W	CE6	0: Off (Stop the counter) 1: SWIR Exposure Start	0	CE6=[Param.]<CR><LF> CE6?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventSource [Counter7]	R/W	CE7	0: Off (Stop the counter) 1: SWIR Line Transfer End	0	CE7=[Param.]<CR><LF> CE7?<CR><LF> Select the events that will be the source to increment the Counter.
CounterEventActivation [Counter0]	R	CEA0	0: Rising Edge	0	CEA0?<CR><LF> Display the count timing for the Counter0. The setting is fixed to RisingEdge.
CounterEventActivation [Counter1]	R	CEA1	0: Rising Edge	0	CEA1?<CR><LF> Display the count timing for the Counter1. The setting is fixed to RisingEdge.
CounterEventActivation [Counter2]	R	CEA2	0: Rising Edge	0	CEA2?<CR><LF> Display the count timing for the Counter2. The setting is fixed to RisingEdge.
CounterEventActivation [Counter3]	R	CEA3	0: Rising Edge	0	CEA3?<CR><LF> Display the count timing for Counter3. The setting is fixed to RisingEdge.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterEventActivation [Counter4]	R	CEA4	0: Rising Edge	0	CEA4?<CR><LF> Display the count timing for the Counter4. The setting is fixed to RisingEdge.
CounterEventActivation [Counter5]	R	CEA5	0: Rising Edge	0	CEA5?<CR><LF> Display the count timing for the Counter5. The setting is fixed to RisingEdge.
CounterEventActivation [Counter6]	R	CEA6	0: Rising Edge	0	CEA6?<CR><LF> Display the count timing for the Counter6. The setting is fixed to RisingEdge.
CounterEventActivation [Counter7]	R	CEA7	0: Rising Edge	0	CEA7?<CR><LF> Display the count timing for the Counter6. The setting is fixed to RisingEdge.
CounterResetSource [Counter0]	R/W	CRS0	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS0=[Param.]<CR><LF> CRS0?<CR><LF> Select the reset source for Counter0. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter1]	R/W	CRS1	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS1=[Param.]<CR><LF> CRS1?<CR><LF> Select the reset source for Counter1. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter2]	R/W	CRS2	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS2=[Param.]<CR><LF> CRS2?<CR><LF> Select the reset source for the Counter2. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter3]	R/W	CRS3	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS3=[Param.]<CR><LF> CRS3?<CR><LF> Select the reset source for the Counter3. The reset source works as a trigger to reset the counter.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterResetSource [Counter4]	R/W	CRS4	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS4=[Param.]<CR><LF> CRS4?<CR><LF> Select the reset source for the Counter4. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter5]	R/W	CRS5	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS5=[Param.]<CR><LF> CRS5?<CR><LF> Select the reset source for the Counter5. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter6]	R/W	CRS6	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS6=[Param.]<CR><LF> CRS6?<CR><LF> Select the reset source for the Counter6. The reset source works as a trigger to reset the counter.
CounterResetSource [Counter7]	R/W	CRS7	0: Software 3: Line4 TTL In1 4: Line5 Opt In1 9: Line10 TTL In2 12: Line13 TTL In3	0	CRS7=[Param.]<CR><LF> CRS7?<CR><LF> Select the reset source for Counter7. The reset source works as a trigger to reset the counter.
CounterResetActivation [Counter0]	R/W	CRA0	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA0=[Param.]<CR><LF> CRA0?<CR><LF> Selects the timing for resetting the Counter0.
CounterResetActivation [Counter1]	R/W	CRA1	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA1=[Param.]<CR><LF> CRA1?<CR><LF> Selects the timing for resetting the Counter1.
CounterResetActivation [Counter2]	R/W	CRA2	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA2=[Param.]<CR><LF> CRA2?<CR><LF> Selects the timing for resetting Counter2.
CounterResetActivation [Counter3]	R/W	CRA3	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA3=[Param.]<CR><LF> CRA3?<CR><LF> Selects the timing for resetting the Counter3.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterResetActivation [Counter4]	R/W	CRA4	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA4=[Param.]<CR><LF> CRA4?<CR><LF> Selects the timing for resetting the Counter4.
CounterResetActivation [Counter5]	R/W	CRA5	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA5=[Param.]<CR><LF> CRA5?<CR><LF> Selects the timing for resetting the Counter5.
CounterResetActivation [Counter6]	R/W	CRA6	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA6=[Param.]<CR><LF> CRA6?<CR><LF> Selects the timing for resetting the Counter6.
CounterResetActivation [Counter7]	R/W	CRA7	1: Rising Edge 2: Falling Edge 3: Level High 4: Level Low	1	CRA7=[Param.]<CR><LF> CRA7?<CR><LF> Selects the timing for resetting the Counter7.
CounterReset [Counter0]	W	CR0	-	-	CR0<CR><LF> Reset the Counter0. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter1]	W	CR1	-	-	CR1<CR><LF> Reset the Counter1. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter2]	W	CR2	-	-	CR2<CR><LF> Reset the Counter2. Note: This command can be used only when CounterResetSource is set to Software .

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterReset [Counter3]	W	CR3	-	-	CR3<CR><LF> Reset the Counter3. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter4]	W	CR4	-	-	CR4<CR><LF> Reset the Counter4. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter5]	W	CR5	-	-	CR5<CR><LF> Reset the Counter5. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter6]	W	CR6	-	-	CR6<CR><LF> Reset the Counter6. Note: This command can be used only when CounterResetSource is set to Software .
CounterReset [Counter7]	W	CR7	-	-	CR7<CR><LF> Reset the Counter7. Note: This command can be used only when CounterResetSource is set to Software .
CounterValue [Counter0]	R	CV0	0 ~ 32bit max	0	CV0?<CR><LF> Display the Counter0's value.
CounterValue [Counter1]	R	CV1	0 ~ 32bit max	0	CV1?<CR><LF> Display the Counter1's value.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterValue [Counter2]	R	CV2	0 ~ 32bit max	0	CV2?<CR><LF> Display the Counter2's value.
CounterValue [Counter3]	R	CV3	0 ~ 32bit max	0	CV3?<CR><LF> Display the Counter3's value.
CounterValue [Counter4]	R	CV4	0 ~ 32bit max	0	CV4?<CR><LF> Display the Counter4's value.
CounterValue [Counter5]	R	CV5	0 ~ 32bit max	0	CV5?<CR><LF> Display the Counter5's value.
CounterValue [Counter6]	R	CV6	0 ~ 32bit max	0	CV6?<CR><LF> Display the Counter6's value.
CounterValue [Counter7]	R	CV7	0 ~ 32bit max	0	CV7?<CR><LF> Display the Counter7's value.
CounterStatus [Counter0]	R	CS0	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS0?<CR><LF> Display the Counter0's status.
CounterStatus [Counter1]	R	CS1	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS1?<CR><LF> Display the Counter1's status.
CounterStatus [Counter2]	R	CS2	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS2?<CR><LF> Display the Counter2's status.
CounterStatus [Counter3]	R	CS3	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS3?<CR><LF> Display the Counter3's status.
CounterStatus [Counter4]	R	CS4	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS4?<CR><LF> Display the Counter4's status.
CounterStatus [Counter5]	R	CS5	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS5?<CR><LF> Display the Counter5's status.
CounterStatus [Counter6]	R	CS6	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS6?<CR><LF> Display the Counter6's status.

Counter and Timer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
CounterStatus [Counter7]	R	CS7	0: CounterIdle 2: CounterActive 4: CounterOverflow	0	CS7?<CR><LF> Display the Counter7's status.

Encoder Control (Command List)

Configure Encoder settings.

Note: Descriptions of each command can also be found in "[EncoderControl](#)" (Setting List).

Encoder Control Name	Access	Short ASCII	Values	Default Value	Example / Description
EncoderSourceA	R/W	ENCSA	0: Line5 Opt In1 1: Line4 TTL In1 2: Line10 TTL In2 3: Line13 TTL In3	0	ENCSA=[Param.]<CR><LF> ENCSA?<CR><LF> Select where to input the signal from the rotary encoder.
EncoderSourceB	R/W	ENCSB	0: Line5 Opt In1 1: Line4 TTL In1 2: Line10 TTL In2 3: Line13 TTL In3	0	ENCSB=[Param.]<CR><LF> ENCSB?<CR><LF> Select where to input the signal from the rotary encoder.
EncoderDivider	R/W	ENCDIV	1 ~ 32bit max	65536	ENCDIV=[Param.]<CR><LF> ENCDIV?<CR><LF> Set the number of triggers to be generated during one pitch of the rotary encoder. The number of triggers is 65536 / (set value).
EncoderAveragingInterval	R/W	ENAVE	0: none 1: 2 pulses 2: 4 pulses 3: 8 pulses 4: 16 pulses 5: 32 pulses	0	ENAVE=[Param.]<CR><LF> ENAVE?<CR><LF> Perform the internal processing by averaging the time interval of the specified number of signals.

Encoder Control Name	Access	Short ASCII	Values	Default Value	Example / Description
EncoderFilter	R/W	ENFIL	0 ~ 15 (cycle) Note: 10ns/cycle	0	ENFIL=[Param.]<CR><LF> ENFIL?<CR><LF> Apply a low-pass filter to prevent noise on the signal from the rotary encoder and stabilize the signal for the specified number of cycles.
EncoderStrobe	R/W	ENSTR	1 ~ 256 (ns)	1	ENSTR=[Param.]<CR><LF> ENSTR?<CR><LF> Set the strobe length of the Trigger signal generated from the rotary encoder by the number of cycles.
NonDecimationEncodeIntervalMax	R/W	NDEIM	0: none (no max) 1: 1 sec max 2: 2 sec max 3: 3 sec max 4: 4 sec max 5: 5 sec max 6: 6 sec max 7: 7 sec max 8: 8 sec max 9: 9 sec max 10: 10 sec max	0	NDEIM=[Param.]<CR><LF> NDEIM?<CR><LF> Enables external setting of the upper limit of the internal frequency calculation result so that the period of the output frequency is no longer than the user-specified period.

User Set Control (Command List)

Configure user settings.

Note: Descriptions of each command can also be found in "[UserSetControl](#)" (Setting List).

User Set Control Name	Access	Short ASCII	Values	Default Value	Example / Description
UserSetLoadAscii	R/W	LD	0: Default - Invalid when executing UserSetSaveAscii 1: User1 2: User2 3: User3	-	LD=[Param.]<CR><LF> LD?<CR><LF> Read the user settings. When selecting 0 (Default) , the factory settings are loaded.
UserSetSaveAscii	R/W	SA	1: User1 2: User2 3: User3	-	SA=[Param.]<CR><LF> SA?<CR><LF> Save the current setting values as user settings.
CurrentAreaNoRequest	R	EA	0: Default 1: User1 2: User2 3: User3		EA?<CR><LF> Display the setting selected for UserSetSelector.

Transport Layer Control (RGB - Command List)

Display information on transport layer control for the RGB channels.

Note: Descriptions of each command can also be found in "[TransportLayerControl](#)" (Setting List).

Transport Layer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
DeviceTapGeometry	R	TAGM	0: Geometry_1X (PixelFormat=RGB8) 1: JAICustom (PixelFormat=RGB10BasePacked or RGB12BasePacked)	0	TAGM?<CR><LF> Set the transfer method (tap configuration) of images transferred from the camera at one time.
ClConfiguration	R/W	CLCFG	0: Base (fixed)	0	CLCFG= [Param.]<CR><LF> CLCFG?<CR><LF> Set the Camera Link configuration.
CameraLinkClockFrequency	R/W	CLCF	0: 85MHz 1: 65MHz 2: 42.5MH	0	CLCF= [Param.]<CR><LF> CLCF?<CR><LF> Set Camera Link clock frequency.
CableEmphasis	R/W	SCB	0: Normal 1: Medium 2: Strong	1	SCB=[Param.]<CR><LF> SCB?<CR><LF> Set cableEmphasis. When set to Medium or Strong, you may be able to extend the camera link cable length.

Pulse Generator (Command List)

Configure pulse generator settings.

Note: Descriptions of each command can also be found in "[PulseGenerator](#)" (Setting List).

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
ClockPreScaler	R/W	PGDEV	1 ~ 4096	1	PGDEV= [Param.]<CR><LF> PGDEV?<CR><LF> Set the division value for the prescaler (12 bit) using PixelClock as the base clock.
PulseGeneratorLength [PulseGenerator0]	R/W	PGL0	1 ~ 1048575	30000	PGL0=[Param.]<CR><LF> PGL0?<CR><LF> Set the maximum count-up value as a clock count for PulseGenerator0.
PulseGeneratorLength [PulseGenerator1]	R/W	PGL1	1 ~ 1048575	30000	PGL1=[Param.]<CR><LF> PGL1?<CR><LF> Set the maximum count-up value as a clock count for PulseGenerator1.
PulseGeneratorLength [PulseGenerator2]	R/W	PGL2	1 ~ 1048575	30000	PGL2=[Param.]<CR><LF> PGL2?<CR><LF> Set the maximum count-up value as a clock count for PulseGenerator2.
PulseGeneratorLength [PulseGenerator3]	R/W	PGL3	1 ~ 1048575	30000	PGL2=[Param.]<CR><LF> PGL2?<CR><LF> Set the maximum count-up value as a clock count for PulseGenerator3.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorStartPoint [PulseGenerator0]	R/W	PGST0	0 ~ 1048575	0	PGST0= [Param.]<CR><LF> PGST0?<CR><LF> Set the start point of the High interval as a clock count for PulseGenerator0. When the counter reaches this value, the output will be 1.
PulseGeneratorStartPoint [PulseGenerator1]	R/W	PGST1	0 ~ 1048575	0	PGST1= [Param.]<CR><LF> PGST1?<CR><LF> Set the start point of the High interval as a clock count for PulseGenerator1. When the counter reaches this value, the output will be 1.
PulseGeneratorStartPoint [PulseGenerator2]	R/W	PGST2	0 ~ 1048575	0	PGST2= [Param.]<CR><LF> PGST2?<CR><LF> Set the start point of the High interval as a clock count for PulseGenerator2. When the counter reaches this value, the output will be 1.
PulseGeneratorStartPoint [PulseGenerator3]	R/W	PGST3	0 ~ 1048575	0	PGST3= [Param.]<CR><LF> PGST3?<CR><LF> Set the start point of the High interval as a clock count for PulseGenerator3. When the counter reaches this value, the output will be 1.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorEndPoint [PulseGenerator0]	R/W	PGEN0	1 ~ 1048575	15000	PGEN0= [Param.]<CR><LF> PGEN0?<CR><LF> Set the start point of the Low interval as a clock count for PulseGenerator0. When the counter reaches this value, the output will be 0.
PulseGeneratorEndPoint [PulseGenerator1]	R/W	PGEN1	1 ~ 1048575	15000	PGEN1= [Param.]<CR><LF> PGEN1?<CR><LF> Set the start point of the Low interval as a clock count for PulseGenerator1. When the counter reaches this value, the output will be 0.
PulseGeneratorEndPoint [PulseGenerator2]	R/W	PGEN2	1 ~ 1048575	15000	PGEN2= [Param.]<CR><LF> PGEN2?<CR><LF> Set the start point of the Low interval as a clock count for PulseGenerator2. When the counter reaches this value, the output will be 0.
PulseGeneratorEndPoint [PulseGenerator3]	R/W	PGEN3	1 ~ 1048575	15000	PGEN3= [Param.]<CR><LF> PGEN3?<CR><LF> Set the start point of the Low interval as a clock count for PulseGenerator3. When the counter reaches this value, the output will be 0.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorRepeatCount [PulseGenerator0]	R/W	PGRPT0	0 ~ 255	0	PGRPT0= [Param.]<CR><LF> PGRPT0?<CR><LF> Set the repeat count for the counter for PulseGenerator0. When this is set to 0, a free counter is enabled with no repeat limit.
PulseGeneratorRepeatCount [PulseGenerator1]	R/W	PGRPT1	0 ~ 255	0	PGRPT1= [Param.]<CR><LF> PGRPT1?<CR><LF> Set the repeat count for the counter for PulseGenerator1. When this is set to 0, a free counter is enabled with no repeat limit.
PulseGeneratorRepeatCount [PulseGenerator2]	R/W	PGRPT2	0 ~ 255	0	PGRPT2= [Param.]<CR><LF> PGRPT2?<CR><LF> Set the repeat count for the counter for PulseGenerator2. When this is set to 0, a free counter is enabled with no repeat limit.
PulseGeneratorRepeatCount [PulseGenerator3]	R/W	PGRPT3	0 ~ 255	0	PGRPT3= [Param.]<CR><LF> PGRPT3?<CR><LF> Set the repeat count for the counter for PulseGenerator3. When this is set to 0, a free counter is enabled with no repeat limit.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorClearActivation [PulseGenerator0]	R/W	PGCM0	0: Off 1: Level High 2: Level Low 4: Rising Edge 8: Falling Edge	0	PGCM0 = [Param.]<CR><LF> PGCM0 ?<CR><LF> Set the clear signal condition for the count clear input of PulseGenerator0.
PulseGeneratorClearActivation [PulseGenerator1]	R/W	PGCM1	0: Off 1: Level High 2: Level Low 4: Rising Edge 8: Falling Edge	0	PGCM1 = [Param.]<CR><LF> PGCM1 ?<CR><LF> Set the clear signal condition for the count clear input of PulseGenerator1.
PulseGeneratorClearActivation [PulseGenerator2]	R/W	PGCM2	0: Off 1: Level High 2: Level Low 4: Rising Edge 8: Falling Edge	0	PGCM2 = [Param.]<CR><LF> PGCM2 ?<CR><LF> Set the clear signal condition for the count clear input of PulseGenerator2.
PulseGeneratorClearActivation [PulseGenerator3]	R/W	PGCM3	0: Off 1: Level High 2: Level Low 4: Rising Edge 8: Falling Edge	0	PGCM3 = [Param.]<CR><LF> PGCM3 ?<CR><LF> Set the clear signal condition for the count clear input of PulseGenerator3.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorClearSource [PulseGenerator0]	R/W	PGIN0	0: Low (Default) 1: High 7: ExposureActive 9: LVAL 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4: TTL In1 21: Line5: Opt In1 23: Line7 - CC1 24: Line10: TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13: TTL In3 29: EncoderTriger 30: EncoderDirection 31: SWIRExposureActive 32: SWIRLVAL Note: 10: PulseGenerator0 cannot be selected.		PGIN0= [Param.]<CR><LF> PGIN0?<CR><LF> Select the count clear input signal source for PulseGenerator0.
PulseGeneratorClearSource [PulseGenerator1]	R/W	PGIN1	Same as PGIN0 Note: 11: PulseGenerator1 cannot be selected.	0	PGIN1= [Param.]<CR><LF> PGIN1?<CR><LF> Select the count clear input signal source for PulseGenerator1.
PulseGeneratorClearSource [PulseGenerator2]	R/W	PGIN2	Same as PGIN0 Note: 12: PulseGenerator2 cannot be selected.	0	PGIN2= [Param.]<CR><LF> PGIN2?<CR><LF> Select the count clear input signal source for PulseGenerator2.
PulseGeneratorClearSource [PulseGenerator3]	R/W	PGIN3	Same as PGIN0 Note: 13: PulseGenerator3 cannot be selected.	0	PGIN3= [Param.]<CR><LF> PGIN3?<CR><LF> Select the count clear input signal source for PulseGenerator3.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorClearInverter [PulseGenerator0]	R/W	PGINV0	0:False 1:True	0	PGINV0= [Param.]<CR><LF> PGINV0?<CR><LF> Controls if the pulse generator clear signal is inverted. False means "Active High" and True for "Active Low".
PulseGeneratorClearInverter [PulseGenerator1]	R/W	PGINV1	0:False 1:True	0	PGINV1= [Param.]<CR><LF> PGINV1?<CR><LF> Controls if the pulse generator clear signal is inverted. False means "Active High" and True for "Active Low".
PulseGeneratorClearInverter [PulseGenerator2]	R/W	PGINV2	0:False 1:True	0	PGINV2= [Param.]<CR><LF> PGINV2?<CR><LF> Controls if the pulse generator clear signal is inverted. False means "Active High" and True for "Active Low".
PulseGeneratorClearInverter [PulseGenerator3]	R/W	PGINV3	0:False 1:True	0	PGINV3= [Param.]<CR><LF> PGINV3?<CR><LF> Controls if the pulse generator clear signal is inverted. False means "Active High" and True for "Active Low".
PulseGeneratorClearSyncMode [PulseGenerator0]	R/W	PGSM0	0:Async Mode 1:Sync Mode	0	PGSM0= [Param.]<CR><LF> PGSM0?<CR><LF> Selects the sync mode of the input to clear PulseGenerator0.

Pulse Generator Name	Access	Short ASCII	Values	Default Value	Example / Description
PulseGeneratorClearSyncMode [PulseGenerator1]	R/W	PGSM1	0:Async Mode 1:Sync Mode	0	PGSM1= [Param.]<CR><LF> PGSM1?<CR><LF> Selects the sync mode of the input to clear PulseGenerator1.
PulseGeneratorClearSyncMode [PulseGenerator2]	R/W	PGSM2	0:Async Mode 1:Sync Mode	0	PGSM2= [Param.]<CR><LF> PGSM2?<CR><LF> Selects the sync mode of the input to clear PulseGenerator2.
PulseGeneratorClearSyncMode [PulseGenerator3]	R/W	PGSM3	0:Async Mode 1:Sync Mode	0	PGSM3= [Param.]<CR><LF> PGSM3?<CR><LF> Selects the sync mode of the input to clear PulseGenerator3.

Shading Control (RGB - Command List)

Configure shading correction settings for the RGB channels.

Note: Descriptions of each command can also be found in "[ShadingControl](#)" (Setting List).

Shading Control Name	Access	Short ASCII	Values	Default Value	Example / Description
ShadingCorrectionMode	R/W	SDCM	0: Flat Shading 1: Color Shading	0	SDCM=[Param.]<CR><LF> SDCM?<CR><LF> Select the shading correction method.
ShadingMode	R/W	SDM	0: Off 1: User1 2: User2 3: User3	0	SDM=[Param.]<CR><LF> SDM?<CR><LF> Set the area to which to save shading correction data. When this is set to Off, PerformShadingCalibration will not be executed.

Shading Control Name	Access	Short ASCII	Values	Default Value	Example / Description
PerformShadingCalibration	W	RS	-	-	RS<CR><LF> Execute shading correction. Note: This function cannot be executed while TestPattern (Image Format Control (RGB - Command List)) is being output. A Condition Error is also displayed when a timeout occurs if the correction cannot be completed.
ShadingDetectResult	R	SDRS	0: Condition Error 1: Too Dark 2: Too Bright 3: Correction Limit 4: Complete	0	SDRS?<CR><LF> Display the shading correction results.
ShadingDataSelector	R/W	SDDS	0: Green 1: Red 2: Blue	0	SDDS=[Param.]<CR><LF> SDDS?<CR><LF> Read the shading correction data, and set the target sensor for modification.
ShadingDataIndex	R/W	SDDI	1 ~ 1024	1	SDDI=[Param.]<CR><LF> SDDI?<CR><LF> Set the number of shading correction index tables.
ShadingData	R/W	SDD	0 ~ 0x7FFF	0x4000	SDD=[Param.]<CR><LF> SDD?<CR><LF> Display or set the shading correction data. Note: 0x4000= x1
ShadingDataUpdate	W	SDDU	-	-	SDDU<CR><LF> Make shading data reflect on video.
ShadingDataSave	W	SDDA	-	-	SDDA<CR><LF> Save data to be stored in Flash in the area specified by ShadingCorrectionMode.

Correction Control (RGB - Command List)

Configure settings related to the correction function for nonuniformity in black levels and gain between pixels for the RGB channels.

Note: Descriptions of each command can also be found in "[CorrectionControl](#)" (Setting List).

Correction Control Name (RGB)	Access	Short ASCII	Values	Default Value	Example / Description
PixelBlackCorrectionMode	R/W	PBC	0: Off 1: Default 2: User1 3: User2 4: User3	1	PBC=[Param.]<CR><LF> PBC?<CR><LF> (DSNU) Select the user area to which to save the black level correction value.
PerformPixelBlackCalibration	W	PBR	-	-	PBR<CR><LF> (DSNU) Generate black level correction data automatically from the captured image. Caution: When PixelBlackCorrectionMode is set to Off or Default and a test pattern is being output instead of an image, this command cannot be executed.
PixelBlackDetectResult	R	PBS	1: Succeeded 2: Image too bright 3: Image too dark 4: Timeout error 5: Idle	5	PBS?<CR><LF> (DSNU) Display the results of PerformPixelGainBlackCalibration execution.
PixelGainCorrectionMode	R/W	PGC	0: Off 1: Default 2: User1 3: User2 4: User3	1	PGC=[Param.]<CR><LF> PGC?<CR><LF> (PRNU) Select the user area to which to save the gain correction value.

Correction Control Name (RGB)	Access	Short ASCII	Values	Default Value	Example / Description
PerformPixelGainCalibration	W	PGR	-	-	PGR<CR><LF> (PRNU) Generate gain correction data automatically from the captured image. Caution: When PixelGainCorrectionMode is set to Off or Default and a test pattern is being output instead of an image, this command cannot be executed.
PixelGainDetectResult	R	PGS	1: Succeeded 2: Image too bright 3: Image too dark 4: Timeout error 5: Idle	5	PGS?<CR><LF> (PRNU) Display the results of PerformPixelGainCalibration execution.
ChromaticAberrationCorrectionMode	R/W	CACM	0: Off 1: Lens1 2: Lens2 3: Lens3	0	CACM=[Param.]<CR><LF> CACM?<CR><LF> Correct the color aberration that occurs at the left and right edges due to lens characteristics.
ChromaticAberrationCorrectionLens [Lens1, R channel]	R/W	CACR1	-40 ~ 40 Unit: 0.1 pixel	0	CACR1=[Param.]<CR><LF> CACR1?<CR><LF> Set the amount of correction for the Lens1/R channel.
ChromaticAberrationCorrectionLens [Lens1, B channel]	R/W	CACB1	-40 ~ 40 Unit: 0.1 pixel	0	CACB1=[Param.]<CR><LF> CACB1?<CR><LF> Set the amount of correction for the Lens1/B channel.
ChromaticAberrationCorrectionLens [Lens2, R channel]	R/W	CACR2	-40 ~ 40 Unit: 0.1 pixel	0	CACR2=[Param.]<CR><LF> CACR2?<CR><LF> Set the amount of correction for the Lens2/R channel.
ChromaticAberrationCorrectionLens [Lens2, B channel]	R/W	CACB2	-40 ~ 40 Unit: 0.1 pixel	0	CACB2=[Param.]<CR><LF> CACB2?<CR><LF> Set the amount of correction for the Lens2/B channel.

Correction Control Name (RGB)	Access	Short ASCII	Values	Default Value	Example / Description
ChromaticAberrationCorrectionLens [Lens3, R channel]	R/W	CACR3	-40 ~ 40 Unit: 0.1 pixel	0	CACR3=[Param.]<CR><LF> CACR3?<CR><LF> Set the amount of correction for the Lens3/R channel.
ChromaticAberrationCorrectionLens [Lens3, B channel]	R/W	CACB3	-40 ~ 40 Unit: 0.1 pixel	0	CACB3=[Param.]<CR><LF> CACB3?<CR><LF> Set the amount of correction for the Lens3/B channel.
FIRFilterMode [Red]	R/W	FFR	0: Off 1: On	0	FFR=[Param.]<CR><LF> FFR?<CR><LF> Enable / Disable FIR Filter for Red.
FIRFilterMode [Green]	R/W	FFG	0: Off 1: On	0	FFG=[Param.]<CR><LF> FFG?<CR><LF> Enable / Disable FIR Filter for Green.
FIRFilterMode [Blue]	R/W	FFB	0: Off 1: On	0	FFB=[Param.]<CR><LF> FFB?<CR><LF> Enable / Disable FIR Filter for Blue.
FIRFilterLeftRatioInt [Red]	R/W	FFLRR	-200 ~ 200	0	FFLRR=[Param.]<CR><LF> FFLRR?<CR><LF> Set the coefficient of the left pixel when FIR Filter for Red is applied.
FIRFilterLeftRatioInt [Green]	R/W	FFLRG	-200 ~ 200	0	FFLRG=[Param.]<CR><LF> FFLRG?<CR><LF> Set the coefficient of the left pixel when FIR Filter for Green is applied.
FIRFilterLeftRatioInt [Blue]	R/W	FFLRB	-200 ~ 200	0	FFLRB=[Param.]<CR><LF> FFLRB?<CR><LF> Set the coefficient of the left pixel when FIR Filter for Blue is applied.
FIRFilterCenterRatioInt [Red]	R/W	FFCRR	-200 ~ 200	0	FFCRR=[Param.]<CR><LF> FFCRR?<CR><LF> Set the coefficient of the center pixel when FIR Filter for Red is applied.

Correction Control Name (RGB)	Access	Short ASCII	Values	Default Value	Example / Description
FIRFilterCenterRatioInt [Green]	R/W	FFCRG	-200 ~ 200	0	FFCRG=[Param.]<CR><LF> FFCRG?<CR><LF> Set the coefficient of the center pixel when FIR Filter for Green is applied.
FIRFilterCenterRatioInt [Blue]	R/W	FFCRB	-200 ~ 200	0	FFCRB=[Param.]<CR><LF> FFCRB?<CR><LF> Set the coefficient of the center pixel when FIR Filter for Blue is applied.
FIRFilterRightRatioInt [Red]	R/W	FFRRR	-200 ~ 200	0	FFRRR=[Param.]<CR><LF> FFRRR?<CR><LF> Set the coefficient of the right pixel when FIR Filter for Red is applied.
FIRFilterRightRatioInt [Green]	R/W	FFRRG	-200 ~ 200	0	FFRRG=[Param.]<CR><LF> FFRRG?<CR><LF> Set the coefficient of the right pixel when FIR Filter for Green is applied.
FIRFilterRightRatioInt [Blue]	R/W	FFRRB	-200 ~ 200	0	FFRRB=[Param.]<CR><LF> FFRRB?<CR><LF> Set the coefficient of the right pixel when FIR Filter for Blue is applied.
MEDIANFilterMode [Red]	R/W	MFR	0: Off 1: On	0	MFR=[Param.]<CR><LF> MFR?<CR><LF> Enable / Disable MEDIAN Filter for Red.
MEDIANFilterMode [Green]	R/W	MFG	0: Off 1: On	0	MFG=[Param.]<CR><LF> MFG?<CR><LF> Enable / Disable MEDIAN Filter for Green.
MEDIANFilterMode [Blue]	R/W	MFB	0: Off 1: On	0	MFB=[Param.]<CR><LF> MFB?<CR><LF> Enable / Disable MEDIAN Filter for Blue.

Correction Control Name (RGB)	Access	Short ASCII	Values	Default Value	Example / Description
NoiseReduction	R/W	NR	0: Off 1: Level1 2: Level2 3: Level3 4: Level4	0	NR=[Param.]<CR><LF> NR?<CR><LF> Set the noise reduction intensity in 4 levels. Level1 = weak, Level4 = strong.

SWIR Image Format Control (Command List)

Configure image format settings for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRImageFormatControl](#)" (Setting List).

SWIR Image Format Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRPixelFormat	R/W	IRBA	0: Mono8 1: Mono10 2: Mono12	0	IRBA=[Param.]<CR><LF> IRBA?<CR><LF> Set the pixel format.
SWIRTestPattern	R/W	IRTS	0: Off 1: GreyHorizontalRamp 2: GreyScale2 3:White	0	IRTS=[Param.]<CR><LF> IRTS?<CR><LF> Select the test image.

SWIR Acquisition Control (Command List)

Configure image capture settings for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRAcquisitionControl](#)" (Setting List).

SWIR Acquisition Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRTriggerMode	R/W	IRTG	0:Off 1:On	0	IRTG=[Param.]<CR><LF> IRTG?<CR><LF> Enable/disable the Trigger mode.
SWIRTriggerSource	R/W	IRTI	0: Low (Default) 1: High 10-13: PulseGenerator0-3 14-17: UserOutput0-3 20: Line4 TTL In1 21: Line5 Opt In1 23: Line7 CC1 24: Line10 TTL In2 26: NAND0 Out 27: NAND1 Out 28: Line13 TTL In3 29: EncoderTrigger		IRTI=[Param.]<CR><LF> IRTI?<CR><LF> Select the trigger signal source.
SWIRTriggerActivation	R/W	IRTP	0:Rising Edge 1:Falling Edge	1	IRTP=[Param.]<CR><LF> IRTP?<CR><LF> Select the polarity of the trigger signal (i.e., location of signal at which trigger is applied).
SWIRAcquisitionLinePeriod	R/W	IRLR	170 ~ 13340 Unit: 149.9ns	170	IRLR=[Param.]<CR><LF> IRLR?<CR><LF> Specify the line period.
SWIRExposureMode	R/W	IRTR	0:Off 1:Timed	1	IRTR=[Param.]<CR><LF> IRTR?<CR><LF> Select the exposure mode.

SWIR Acquisition Control Name	Access	Short ASCII	Values	Default Value	Example / Description				
SWIRExposureTimeRaw	R/W	IRPE	136 ~ 13306 Unit: 149.9ns	136	IRPE=[Param.]<CR><LF> IRPE?<CR><LF> Specify the exposure time. Note: No exposure offset duration for the SWIR channel.				
SWIRFreeRunSyncMode	R/W	IRFRSM	0: Off (Asynch) 1: Timed (Synch) <table border="1" data-bbox="732 653 1019 1087"> <tr> <td>Off</td> <td>Use the SWIR channel's free running operation.</td> </tr> <tr> <td>On</td> <td>Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).</td> </tr> </table>	Off	Use the SWIR channel's free running operation.	On	Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).	0	IRFRSM=[Param.]<CR><LF> IRFRSM?<CR><LF> Synchronizes the operation of the RGB channels and the SWIR channel when the trigger mode is off.
Off	Use the SWIR channel's free running operation.								
On	Use the RGB channels' free funning operation; the line rate will no longer be 149.9ns step (= SWIR channel's normal operation cycle).								

SWIR Analog Control (Command List)

Configure the analog control settings for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRAnalogControl](#)" (Setting List).

SWIR Analog Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRSensOutCfa	R/W	IRSCFA	0: Zero 1: One	1	IRSCFA=[Param.]<CR><LF> IRSCFA?<CR><LF> Set the sensor's internal conversion gain.
SWIRSensOutCfb	R/W	IRSCFB	0: Zero 1: One	1	IRSCFB=[Param.]<CR><LF> IRSCFB?<CR><LF> Set the sensor's internal conversion gain.
SWIRSensOutCfc	R/W	IRSCFC	0: Zero 1: One	1	IRSCFC=[Param.]<CR><LF> IRSCFC?<CR><LF> Set the sensor's internal conversion gain.
SWIRAnalogBaseGain	R/W	IRABG1	0: -6dB 1: -3dB 2: 0dB 3: +3dB	2	IRABG1=[Param.]<CR><LF> IRABG1?<CR><LF> Set the analog base gain value.
SWIRGainRaw	R/W	IRGA1T1	0 ~ 308	0	IRGA1T1=[Param.]<CR><LF> IRGA1T1?<CR><LF> Set the Gain value.
SWIRBlackLevelInt	R/W	IRBL1S	-256 ~ 255	0	IRBL1S=[Param.]<CR><LF> IRBL1S?<CR><LF> Set the black level value.
SWIRGammaRaw	R/W	IRGMA1	0: 1.0 1: 0.90 2: 0.80 3: 0.75 4: 0.65 5: 0.60 6: 0.55 7: 0.50 8: 0.45	8	IRGMA1=[Param.]<CR><LF> IRGMA1?<CR><LF> Set the Gamma value.
SWIRLUTMode	R/W	IRLUTC1	0: Off 1: Gamma 2: LUT	0	IRLUTC1=[Param.]<CR><LF> IRLUTC1?<CR><LF> Select the LUT mode.

SWIR Lut Control (Command List)

Configure LUT settings for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRLUTControl](#)" (Setting List).

SWIR Lut Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRLUTIndex	R/W	IRLUT11	0 ~ 255	0	IRLUT11=[Param.]<CR><LF> IRLUT11?<CR><LF> Set the LUT index table number.
SWIRLUTValue	R/W	IRLUTV1	0 ~ 4095	Gamma= 1.0	IRLUTV1=[Param.]<CR><LF> IRLUTV1?<CR><LF> Set the LUT value.
SWIRLUTValue	R/W	IRLUTD1	0 ~ 4095	Gamma= 1.0	IRLUTD1=[Param.]<CR><LF> IRLUTD1?<CR><LF> Set the 255 LUT values (Index0 ~ Index255) at once.

SWIR Transport Layer Control (Command List)

Display information on transport layer control for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRTransportLayerControl](#)" (Setting List).

SWIR Transport Layer Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRDeviceTapGeometry	R	IRTAGM	0: Geometry_ 1X (Fixed)	0	IRTAGM?<CR><LF> Display the transfer method (tap configuration) of images transferred from the camera at one time.

SWIR Shading Control (Command List)

Configure shading correction settings for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRShadingControl](#)" (Setting List).

SWIR Shading Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRShadingCorrect	R/W	IRSDC	0: Off 1: Factory 2: User	0	IRSDC=[Param.]<CR><LF> IRSDC?<CR><LF> Set the area to which to save shading correction data. When this is set to Off, SWIRShadingCalibration will not be executed.
SWIRShadingCalibration	W	IRSDR	-	-	IRSDR<CR><LF> Execute shading calibration.
SWIRShadingCalibrationResult	R	IRSDS	0: Shading correction has not been finished yet. (Default) 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.		IRSDS?<CR><LF> Display the shading correction results.
SWIRShadingDataIndex	R/W	IRSDDI	1 ~ 1024	1	IRSDDI=[Param.]<CR><LF> IRSDDI?<CR><LF> Set the number of shading correction index tables.
SWIRShadingData	R/W	IRSDCD	0 ~ 65535	0	IRSDCD=[Param.]<CR><LF> IRSDCD?<CR><LF> Set the shading correction data.
SWIRShadingCorrectData	R/W	IRSDD	0 ~ 65535	0	IRSDD=[Param.]<CR><LF> IRSDD?<CR><LF> Set the 1024 shading correction data (Index1 ~ Index1024) at once.
SWIRShadingDataUpdate	W	IRSDDU	-	-	IRSDDU<CR><LF> Make shading data reflect on video.

SWIR Shading Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRShadingDataSave	W	IRSDDS	-	-	IRSDDS<CR><LF> Save data to be stored in Flash in the area specified by SWIRShadingCorrect.

SWIR Correction Control (Command List)

Configure settings related to the correction function for nonuniformity in black levels and gain between pixels for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRCorrectionControl](#)" (Setting List).

SWIR Correction Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRPixelBlackCorrect	R/W	IRPBC	0: Off 1: Factory 2: User	0	IRPBC=[Param.]<CR><LF> IRPBC?<CR><LF> (DSNU) Select the area to which to save the pixel black correction value.
SWIRPixelBlackCalibration	W	IRPBR	-	-	IRPBR<CR><LF> (DSNU) Generate black level correction data automatically from the captured image.
SWIRPixelBlackCalibrationResult	R	IRPBS	0: Pixel black correction has not been finished yet. (Default) 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.		IRPBS?<CR><LF> (DSNU) Display the results of SWIRPixelBlackCalibration execution.
SWIRPixelBlackData	R/W	IRPBD	-16383 ~ 16383	0	IRPBD=[Param.]<CR><LF> IRPBD?<CR><LF> (DSNU) Read or Write the 1024 gain data at once. (line size 1024)
SWIRPixelBlackDataSave	W	IRPBDS	-	-	IRPBDS<CR><LF> (DSNU) Save the pixel black data in the area specified by SWIRPixelBlackCorrect.

SWIR Correction Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRPixelGainCorrect	R/W	IRPGC	0: Off 1: Factory 2: User	0	IRPGC=[Param.]<CR><LF> IRPGC?<CR><LF> (PRNU) Select the area to which to save the pixel gain correction value.
SWIRPixelGainCalibration	W	IRPGR	-	-	IRPGR<CR><LF> (PRNU) Generate gain correction data automatically from the captured image.
SWIRPixelGainCalibrationResult	R	IRPGS	0: Pixel gain correction has not been finished yet. (Default) 1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred.		IRPGS?<CR><LF> (PRNU) Display the results of SWIRPixelGainCalibration execution.
SWIRPixelGainData	R/W	IRPGD	0 ~ 65535	0	IRPGD=[Param.]<CR><LF> IRPGD?<CR><LF> (PRNU) Read or Write 1024 times continuously. (line size 1024)
SWIRPixelGainDataSave	W	IRPGDS	-	-	IRPGDS<CR><LF> (PRNU) Save the pixel gain data in the area specified by SWIRPixelGainCorrect.
SWIRNoiseReduction	R/W	IRNR	0: Off 1: On	0	IRNR=[Param.]<CR><LF> IRNR?<CR><LF> Enable / Disable SWIRNoiseReduction.

SWIR Blemish Control (Command List)

Configure settings for JAI white blemish correction for the SWIR channel.

Note: Descriptions of each command can also be found in "[SWIRBlemishControl](#)" (Setting List).

SWIR Blemish Control Name	Access	Short ASCII	Values	Default Value	Example / Description
SWIRBlemishCorrect	R/W	IRBLMC	0: Off 1: On	0	IRBLMC=[Param.]<CR><LF> IRBLMC?<CR><LF> Enable/disable blemish correction.
SWIRBlemishThreshold	R/W	IRBLMT	1 ~ 100	1	IRBLMT=[Param.]<CR><LF> IRBLMT?<CR><LF> Set the blemish correction threshold.
SWIRBlemishDetect	W	IRBLMD	-	-	IRBLMD<CR><LF> Execute blemish detection.
SWIRBlemishCorrectResult	R	IRBLS	1: Succeeded. 2: Error1 –Image was too bright. 3: Error2 –Image was too dark. 4: Error3 –Timeout occurred. 5: Idle	-	IRBLS?<CR><LF> Display the blemish correction results.
SWIRBlemishIndex	R/W	IRBLMI	1 ~ 8	-	IRBLMI=[Param.]<CR><LF> IRBLMI?<CR><LF> Select the index for the target blemish position.
SWIRBlemishPosition	R/W	IRBLMP	0 ~ 1024	-	IRBLMP=[Param.]<CR><LF> IRBLMP?<CR><LF> Display the position of the target blemish selected in SWIRBlemishIndex. You can also manually enter the position of the blemish you want to correct.

Miscellaneous (Command List)

Display the camera status and online help.

Miscellaneous	Access	Short ASCII	Values	Default Value	Example / Description
CameraStatusRequest	R	ST	-	-	ST?<CR><LF> Display the camera status.
OnlineHelpRequest	R	HP	-	-	HP?<CR><LF> Display the Online Help.

Miscellaneous

Troubleshooting

Check the following before requesting help. If the problem persists, contact your local JAI distributor.

Power Supply and Connections

Issue: The POWER/TRIG LED remains lit amber and does not turn green, even after power is supplied to the camera.

Cause and Solution: Camera initialization may not be complete due to lack of power. Check the Camera Link cable or 6-pin power cable connection.

Image Display

Issue: Gradation in dark areas is not noticeable.

Cause and Solution: Use the gamma function to correct the display. As the light-emitting properties of the monitor are not linear, the entire image may be darker or the gradation in the dark areas may be less noticeable when camera outputs are displayed without processing. Using the gamma function performs correction to produce a display that is close to linear. For details, see [Gamma Function](#).

Settings and Operations

Issue: Settings cannot be saved to user memory.

Cause and Solution: You cannot save to user memory while images are being acquired by the camera. Stop image acquisition before performing the save operation.

Issue: I want to restore the factory default settings.

Cause and Solution: Load Default under User Set Selector in the Feature Properties tab to restore the factory default settings.

Specifications

Item	RGB	SWIR
Image Sensor	4K line scan CMOS image sensor × 3 Effective Pixels: 4096 pixels × 3 (R, G, B) Pixel Size: 7.5 μm × 7.5 μm	1K line scan InGaAs linear image sensor × 1 Effective Pixels: 1024 pixels Pixel Size: 25.0 μm × 25.0 μm
Camera Link Clock	42.5 / 65 / 85 MHz	
Line Rate	4K: 500 ~ 20.5kHz 2K: 500 ~ 40.8kHz	500 ~ 39.2kHz
Conversion Efficiency	280nV/e	
Video S/N ratio	>55 dB (Gain = 0dB) @10bit	
PRNU	Post-correction: within ±1% (during 100% output)	Post-correction: within ± 5% (during 100% output)
DSNU	Post-correction: within ±5% (during 0% output)	Post-correction: within ± 5% (during 0% output)
Gain	Analog AnalogBaseGain: 0dB, 6dB, 12dB Digital IndividualGainMode = Off - Digital All: x1.0 ~ x32.0 - DigitalRed/DigitalBlue: x0.4 ~ x4 IndividualGainMode = ON - DigitalGreen/DigitalRed/DigitalBlue: x1.0 ~ x64.0	Analog AnalogBaseGain: -6dB, -3db, 0dB, +3dB AnalogAll: x1 ~ x3.572
Black Level (User Settings)	Manual All: -133 ~ +255 (LSB@12bit) Red: -64 ~ +64 Blue: -64 ~ +64 Default Setting: Output black level at 0 (33LSB during 10-bit)	Manual All: -256 ~ +255 (LSB@12bit) Default Setting: Output black level at 0
Image Output	Digital Video Output (Camera Link Connector 1): RGB8 (Default), RGB10BasePacked*, RGB12BasePacked* <div style="border: 1px solid black; padding: 5px;"> Note: *Customized pixel format. To view image output in this format, a viewer that supports these formats is required. </div>	Digital Video Output (Camera Link Connector 2): Mono8 (Default), Mono10, Mono12

Item	RGB	SWIR
Variable Line Rate	<p>Variable Range: Width = 4096 RGB8: 500 ~ 20.5kHz RGB10/12: 500 ~ 13.7kHz</p> <p>Variable Range: Width = 4096 RGB8: 500 ~ 40.8kHz RGB10/12: 500 ~ 27.3kHz</p> <p>Variable Unit: 0.1Hz</p> <p>Supported Mode: Exposure Mode = OFF / TriggerMode = Off ExposureMode = Timed / TriggerMode = Off</p>	<p>Variable Range: 500 Hz ~ 39.2kHz Variable Unit: 149.9 ns</p> <p>Supported Mode: Exposure Mode = OFF / TriggerMode = Off ExposureMode = Timed / TriggerMode = Off</p>
Electronic shutter	<p>Supported (Exposure Mode: Timed) Variable Range: 3 ~ 15149.07 us Variable Unit: 0.01 us</p> <p>Note: Exposure Offset Duration: -0.85 μs</p>	<p>Supported Variable Range: 20.38us (1L) ~ 1994.85 us Variable Unit: 149.9 ns</p> <p>Note: No exposure offset duration.</p>
Test Pattern	White, GreyPattern1(Ramp), GreyPattern2 (Stripe), ColorBar	GreyHorizontalRamp, GreyScale2, White
Synchronization	Internal	
Image Processing	<ol style="list-style-type: none"> Pixel sensitivity correction: Pixel correction (DSNU, PRNU) Shading correction: ColorShading, FlatShading LUT: OFF: $\gamma = 1.0$, ON: 257 points can be set Gamma: 0.45, 0.5, 0.55, 0.6, 0.65, 0.75, 0.8, 0.9, 1.0 (9 steps available) Noise reduction: MEDIAN, FLIR, NoiseReduction 	<ol style="list-style-type: none"> Pixel sensitivity correction: Pixel correction (DSNU, PRNU) Defective pixel correction: Up to 16 pix Shading correction: FlatShading LUT/Gamma function: 1.00 (OFF) / 0.45 / User (LUT) selectable. When set to User, table data can be applied from externally. Table data can be configured individually. Lens aberration correction ± 3 pix Noise reduction: Individual ON/OFF switching possible
Operation Mode	<p>Exposure Mode : Off (Internal/External trigger) Exposure Mode : Timed (Internal/External trigger)</p>	<p>Exposure Mode : Off (Internal/External trigger) Exposure Mode : Timed (Internal/External trigger) PWC (External trigger)</p>
Trigger Inputs	<p>TTL Input (12-pin and 10-pin) Camera Link: LVDS (CC1) Positive / negative logic switchable. Minimum trigger width: CameraLink 3μs / TTL In 50ns</p>	
Synchronous output (when the terminal is open)	<p>Camera Link: LVAL (Camera Link Tx24, DVAL (Camera LinkTx25), ExposureActive (Camera Link Tx26) 12-pin: Exposure Active or LVAL 10-pin: Exposure Active or LVAL</p>	

Item	RGB	SWIR
Communication interface	EIA-644: Camera Link (SerTFG, SerTC) Communication Rate: 9600 bps, 19200 bps, 38400 bps, 57600 bps, 115200 bps, 230400 bps, 460800 bps, 921600 bps	
Field Update	Supported	
Power Supply Voltage (12-pin)	Input Range: DC +12 ~ +24V \pm 10% Power Consumption: 12.0W typical @+12V, 1430mA/15.5W (Max)	
Lens mount	M52 Mount, Recommended lens JMO-M5231-2828-C4 available (Sold Separately)	
Flange back	46.5 mm (in air), Tolerance 0 mm ~ - 0.05 mm	
Verified Performance Temperature/Humidity	-5°C ~ +45°C (20 to 80%, non-condensing) Note: It may change depending on the installation environment. Please refer to the Caution in this chapter.	
Storage Temperature/Humidity	-25°C ~ +60°C (20 to 80%, non-condensing)	
Vibration Resistance	3G (20 Hz ~ 200 Hz X-Y-Z direction)	
Impact Resistance	50G	
Regulations	CE (EN55032 Class A and EN55035), FCC Part15 Class A, RoHS, WEEE	
Housing	90mm x 90mm x 120mm (WHD, excluding connectors)	
Weight	910g	
Connectors / LEDs	Mini Camera Link	Model: HDR-EC26FYTG2-SLt \times 2 Function: video output / communication / external trigger / ExposureActive *Positive polarity for ExposureActive (polarity switching not possible)
	12-pin	Model: HR10A-10R-12PB(71) (or equivalent) Function: power supply input / communication / external trigger / ExposureActive *Negative polarity for ExposureActive (polarity switching not possible)
	10-pin	Model: Camera side: 3260-10S3 (55) (Equivalent to Hirose Electronic), Cable side: 3240-10P-C(50) (Equivalent to Hirose Electronic) Function: communication
	LED	Function: Power on, trigger input indicator

Notes:


- Design and specifications are subject to change without notice.
- Approximately 30 minutes of warm-up are required to achieve these specifications.

Caution: The performance specifications given for this camera have been verified for the Operating Temperature range shown in the Specifications table. The camera may be able to perform outside of the specified temperature range, but such performance has not been verified and is therefore not guaranteed.

- The camera's "SWIR Sensor" internal temperature should not exceed 75 °C during operation.


If the above temperature conditions are exceeded, take measures to dissipate heat according to your installation environment and conditions.

Spectral Response



Note: RGB and SWIR sensitivities are not correlated.


Dimensions (SW-4010Q-MCL-M52)



Notes:

- Dimensional Tolerance: $\pm 0.3\text{mm}$
- Unit: mm

Lens Dimensions (JMO-M5231-2828-C4)



Notes:

- Unit: mm

Comparison of the Decibel Display and Multiplier Display

Decibels [dB]	Multipliers [X]	Remarks
-6	0.501	
-5	0.562	
-4	0.631	
-3	0.708	
-2	0.794	
-1	0.891	
0	1	
1	1.122	
2	1.259	
3	1.413	
4	1.585	
5	1.778	
6	1.995	
7	2.239	
8	2.512	
9	2.818	
10	3.162	
11	3.548	
12	3.981	
13	4.467	
14	5.012	
15	5.623	
16	6.31	
17	7.079	
18	7.943	
19	8.913	
20	10	
21	11.22	
22	12.589	
23	14.125	
24	15.849	
25	17.783	
26	19.953	
27	22.387	
28	25.119	
29	28.184	
30	31.623	
31	35.481	
32	39.811	
33	44.668	

Decibels [dB]	Multipliers [X]	Remarks
34	50.119	
35	56.234	
36	63.096	

User's Record

Model name: SW-4010Q-MCL-M52

Revision:

Serial No:

Firmware version:

For camera revision history, please contact your local JAI distributor.

Revision History

Revision	Date	Device Version	Changes
1.2	2024/12/20	DV0100	Added the <u>ROI (Regional Scanning Function)</u> , <u>Binning Function</u> and <u>LineSource Items</u> topics. Modified the <u>Connecting Rotary Encoders</u> topic to add more information. Corrected minor errors.
1.1	2023/08/04	DV0100	Corrected minor errors.
1.0	2023/07/28	DV0100	First Release

Trademarks

Systems and product names described in this document are trademarks or registered trademarks of their respective owners. The ™ and ® symbols are not used in this document.

Europe, Middle East & Africa

Phone +45 4457 8888
Fax +45 4491 8880

Asia Pacific

Phone +81 45 440 0154
Fax +81 45 440 0166

Americas

Phone (Toll-Free) 1 800 445 5444
Phone +1 408 383 0300

Visit our website on www.jai.com



See the possibilities