

OUTLINE

FOCAL: 65.0mm WORKING DISTANCE: 46.5mm

16.67mm - 2.37mm (LOW - HIGH MAG) **OBJECT COVERAGE:**

DISTORTION: -0.1% - -0.5% OBJ NA: 0.051 - .146WAVELENGTH: VIS: 430 - 670nm VNIR: 430 - 1000nm

SWIR: 900 - 1700nm


TRANSMISSION: 92.5% (445-655nm VIS)

89.7% (445-950nm VNIR)

SCALE: 1:1
AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES
DIMENSIONS ARE IN INCHES
UNLESS OTHERWISE SPECIFIED

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED.

PROPRIETARY AND CONFIDENTIAL





DR BY: CH BY: PROJECT #: DATE DR: 8/2/2017 DO NOT SCALE DRAWING

LENS, 1.5X LENS ATTACHMENT

PART NUMBER

SHEET 2 OF 2

SIZE

1-81206

REV