




OUTLINE

FOCAL: 50.0mm
 WORKING DISTANCE: 32.3mm
 OBJECT COVERAGE: 12.5mm - 1.78mm (LOW - HIGH MAG)
 DISTORTION: -0.3% - -0.5%
 OBJ NA: .066-.19
 WAVELENGTH: VIS: 430 - 670nm
 VNIR: 430 - 1000nm
 SWIR: 900 - 1700nm
 TRANSMISSION: 89.8% (445-655nm VIS)
 87.1% (445-950nm VNIR)

| | | | |
|--|---------------|--|-----|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES | | PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED. | |
| SCALE: | 1:1 |  | |
| WEIGHT: | 0.89 lbmass | | |
| DR BY: | DEROSA | | |
| CH BY: | J. WILLIAMSON | | |
| PROJECT #: | E3515 | | |
| DATE DR: | 11/8/2017 | LENS, 2.0X LENS ATTACHMENT | |
| DO NOT SCALE DRAWING | | | |
|   SHEET 2 OF 2 | SIZE | PART NUMBER | REV |
| | A | SK-1-81207 | 1 |