



Material	N.A.		Mass	4884 g	Scale	1:2																				
Surface treatment			Part No.	CO32156																						
Geometrical tolerance (ISO 2768-2)			Class	K	Undimensioned bevels	0.5x45°																				
Linear tolerance (ISO 2768-2)			Class	m	Undimensioned radii	R 0.5																				
<table border="1"> <thead> <tr> <th>0.5</th> <th>&gt;3</th> <th>&gt;6</th> <th>&gt;30</th> <th>&gt;120</th> <th>&gt;400</th> <th>&gt;1000</th> <th>&gt;2000</th> </tr> </thead> <tbody> <tr> <td>±3</td> <td>±6</td> <td>±30</td> <td>±120</td> <td>±400</td> <td>±1000</td> <td>±2000</td> <td>±4000</td> </tr> </tbody> </table>			0.5	>3	>6	>30	>120	>400	>1000	>2000	±3	±6	±30	±120	±400	±1000	±2000	±4000	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2
0.5	>3	>6	>30	>120	>400	>1000	>2000																			
±3	±6	±30	±120	±400	±1000	±2000	±4000																			
<p>OPTO ENGINEERING S.p.A. - Mantova, Italy - Tel. +39 0376699111 - www.opto-e.com</p>			Date	Name	Drawing No.	Sheet																				
			Designed	13/05/2022	Ogrimaldo	DP 32156-A	1/1																			
			Drawn	14/06/2022	Ccharly																					
Checked	30/06/2022	Rizzotto	<i>Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.p.A. - Any violation shall be legally prosecuted.</i>																							