


Rev No.	Description	Date	Name
A	First light	09/05/08	A.Vismara



Material	N.A.		Mass	0.67 kg	Scale	1:1																												
Surface treatment	N.A.		Project-Prod.Item/Instrument Telecentric lens UV 12 48																															
Geometrical tolerance (ISO 2768-2) <table border="1"> <thead> <tr> <th colspan="2">Linear tolerance (ISO 2768-2)</th> <th>Class</th> <th>K</th> <th>Undimensioned bevels</th> <th>1x45°</th> <th rowspan="2">Description Assembly</th> </tr> <tr> <th>0.5</th> <th>>3-</th> <th>>6-</th> <th>>30-</th> <th>>120</th> <th>>400-</th> <th>>1000</th> </tr> </thead> <tbody> <tr> <td>+3</td> <td>6</td> <td>30</td> <td>120</td> <td>+400</td> <td>1000</td> <td>+2000</td> </tr> <tr> <td>±0.1</td> <td>±0.1</td> <td>±0.2</td> <td>±0.3</td> <td>±0.5</td> <td>±0.8</td> <td>±1.2</td> </tr> </tbody> </table>			Linear tolerance (ISO 2768-2)		Class	K	Undimensioned bevels	1x45°	Description Assembly	0.5	>3-	>6-	>30-	>120	>400-	>1000	+3	6	30	120	+400	1000	+2000	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	Undimensioned radii		R 0.5	Drawing No. 02627-0-A Sheet 1/1
Linear tolerance (ISO 2768-2)		Class	K	Undimensioned bevels	1x45°	Description Assembly																												
0.5	>3-	>6-	>30-	>120	>400-		>1000																											
+3	6	30	120	+400	1000	+2000																												
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2																												
			Date	Name		Reproduction forbidden without specific authorization																												
www.opto-engineering.com			Designed	09/05/08	A.Vismara																													
			Draw	09/05/08	A.Vismara																													
			Checked	X	C. Sedazzari																													