



POWER CABLE 2

POWER CABLE 1

HEAT SINK

CLAMPING SURFACE

VISTA E

DETAIL F
SCALE 2 : 5

DETAIL G
SCALE 1 : 2

Phase adjustment

Cable length:
258 mm.

Material		N.A.		Mass		10709,692 g		Scale		1:5							
Surface treatment		N.A.		Part No.		CO30036											
Geometrical tolerance (ISO 2768-2)								Class		K							
Linear tolerance (ISO 2768-2)								Class		m							
0.5	>3±	>6±	>30±	>120	>400±	>1000	>2000	Undimensioned bevels	0,5x45°								
±3	6	30	120	±400	±1000	±2000	±4000	Undimensioned radii	R 0.5								
±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	±1.2	±2	Description		TCCAGE3MHR096HP-C							
<p>OPTO ENGINEERING S.r.l. - Mantova Italy - Tel. +39 0376 699111 - www.opto-engineering.com</p>								Date		Name		Drawing No.		Sheet			
								Designed		19/03/2014		Vasconetto		DP 30036-A		1/1	
								Drawn		26/05/2020		Rodella					
Checked		26/06/2020		Vasconetto		<i>Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.r.l. - Any violation shall be legally prosecuted.</i>											

all dimensions are in mm