

		ifications - 1.1" 12mm F/1	I.8, 24MP	
Specifications		1.1"	1"	2/3"
Focal Length		f =12mm		
Maximum diameter (Ratio)		F = 1.8 - 16		
Picture Size		10.6 x 14.1mm	9.6 x 12.8 mm	6.6 x 8.8 mm
Angle	- Vertical - Horizontal - Diagonal	46.9 deg 60.0 deg 71.0 deg	42.9 deg 55.3 deg 66.2 deg	30.1 deg 39.6 deg 48.5 deg
Distortion		0.26%	0.03%	-0.22%
FOV	- Vertical	101mm	92mm	63mm
(@MOD)	<ul> <li>Horizontal</li> </ul>	135mm	123mm	84mm
	- Diagonal	168mm	153mm	105mm
Minimum Focus Distance		0.1m		
Flange Focus		17.526mm in air		
Back Focus		14.5mm in air		
Filter Screw Size		M49x0.75		
Clear Apertu	ire Front / Rear	Ø36.8mm / Ø17.0mm		
Mount		C-Mount		
Exit Pupil		-118.2mm		<u> </u>
Temperature Range		- 10 ~ + 50 deg. C		
Storage Temperature Range		- 20 ~ + 60 deg. C		
Resolution Center / Corner		200lp/mm / 100lp/mm		
Weight		260g		

## OUTLINE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART	/ NEWITAR			
SCALE: 1:1	OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED.	ROCHESTER, NEW YORK			
WEIGHT: SEE TABLE	0.0 inch 1.0				
DR BY: PB		LENS	S, 12mm, F/1.8, 1.1", 24MP C-	MNT	
CH BY: J. WILLIAMSON	0.0 mm 25.0				
PROJECT #:	DO NOT SCALE DRAWING	SIZE	PART NUMBER	REV	
DATE DR: 11/13/2018	$\oplus \ominus$	В	NMV-12M1.1	С	