

	Lens Spec	ifications - 1.1" 50mm F/1	l.8, 24MP	
Specifications		1.1"	1"	2/3"
Focal Length		f =50mm		
Maximum diameter (Ratio)		F = 1.8 - 16		
Picture Size		10.6 x 14.1 mm	9.6 x 12.8 mm	6.6 x 8.8 mm
Angle	- Vertical - Horizontal - Diagonal	12.1 deg 16.1 deg 20.0 deg	11.0 deg 14.6 deg 18.2 deg	7.6 deg 10.1 deg 12.6 deg
Distortion		-0.03%	-0.03%	-0.02%
FOV	- Vertical	44mm	40mm	28mm
(@MOD)	<ul> <li>Horizontal</li> </ul>	59mm	54mm	37mm
	- Diagonal	74mm	67mm	46mm
Minimum Focus Distance		0.2m		
Flange Focus		17.526mm in air		
Back Focus		14.8mm in air		
Filter Screw Size		M40.5x0.5		
Clear Apertu	ire Front / Rear	Ø31.6mm / Ø17.8mm		
Mount		C-Mount		
Exit Pupil		-44.3mm		
Temperature Range		- 10 ~ + 50 deg. C		
Storage Temperature Range		- 20 ~ + 60 deg. C		
Resolution Center / Corner		200lp/mm / 100lp/mm		
Weight		205g		

## OUTLINE

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART	/ NEWITAR			
SCALE: 1:1	OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED.	ROCHESTER, NEW YORK			
WEIGHT: SEE TABLE	0.0 inch 1.0				
DR BY: PB		LENS	S, 50mm, F/1.8, 1.1", 24MP C-	MNT	
CH BY: J. WILLIAMSON	0.0 mm 25.0				
PROJECT #:	DO NOT SCALE DRAWING	SIZE	PART NUMBER	REV	
DATE DR: 11/12/2018	$\oplus \Box$	В	NMV-50M1.1	С	